### CYCLONE BIOTECH DEGRAISSANT

Date: 23/06/2023 Page 1/12 Revision: N°2 (19/05/2023)

### SAFETY DATA SHEET

(REACH regulation (EC) n° 1907/2006 - n° 2020/878)

### SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

#### 1.1. Product identifier

Product name: CYCLONE BIOTECH DEGRAISSANT

Product code: 10463-10464-10465-10499

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Detergent.

Professional use.

### 1.3. Details of the supplier of the safety data sheet

IPC

10 Quai Malbert, 29200, BREST, FRANCE.

Tel.: +33 (0)2 98 43 45 44. Fax: +33 (0)2 98 44 22 53

ipc@groupe-ipc.com

### 1.4. Emergency telephone number: +33 (0)1 45 42 59 59.

Association/Organisation: INRS / ORFILA http://www.centres-antipoison.net.

### **SECTION 2: HAZARDS IDENTIFICATION**

### 2.1. Classification of the substance or mixture

#### In compliance with EC regulation No. 1272/2008 and its amendments.

This mixture does not present a physical hazard. Refer to the recommendations regarding the other products present on the site.

This mixture does not present a health hazard with the exception of possible occupational exposure thresholds (see paragraphs 3 and 8).

This mixture does not present an environmental hazard. No known or foreseeable environmental damage under standard conditions of use.

### 2.2. Label elements

Detergent mixture (see section 15).

### In compliance with EC regulation No. 1272/2008 and its amendments.

Additional labeling:

EUH210 Safety data sheet available on request.

Precautionary statements - Response :

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and

easy to do. Continue rinsing.

### 2.3. Other hazards

The mixture does not contain substances classified as 'Substances of Very High Concern' (SVHC) >= 0.1% published by the European CHemicals Agency (ECHA) under article 57 of REACH: http://echa.europa.eu/fr/candidate-list-table

The mixture fulfils neither the PBT nor the vPvB criteria for mixtures in accordance with annexe XIII of the REACH regulations EC 1907/2006.

The mixture does not contain substances> 0.1% with endocrine disrupting properties in accordance with the criteria of the Delegated Regulation (EU) 2017/2100 of the Commission or Regulation (EU) 2018/605 of the Commission.

# SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

### 3.2. Mixtures

**Composition:** 

composition:			
Identification	Classification (EC) 1272/2008	Note	%
INDEX: 603-096-00-8	GHS07	[1]	$2.5 \le x \% < 10$
CAS: 112-34-5	Wng	[XVII]	
EC: 203-961-6	Eye Irrit. 2, H319	-	
REACH: 01-2119475104-44			
2-(2-BUTOXYETHOXY)ETHANOL			

CYCLONE BIOTECH DEGRAISSANT

Date: 23/06/2023 Page 2/12 Revision: N°2 (19/05/2023)

INDEX: 603 002 00 5	GHS07, GHS02	[1]	$2.5 \le x \% < 10$
CAS: 64-17-5	Dgr		
EC: 200-578-6	Flam. Liq. 2, H225		
REACH: 01-2119457610-43	Eye Irrit. 2, H319		
ETHANOL			
INDEX: 603_030_00_8	GHS07, GHS05	[1]	$0.1 \le x \% < 1$
CAS: 141-43-5	Dgr		
EC: 205-483-3	Acute Tox. 4, H302		
REACH: 01-2119486455-28	Acute Tox. 4, H312		
	Skin Corr. 1B, H314		
2-AMINOETHANOL	Acute Tox. 4, H332		
	STOT SE 3, H335		
	Aquatic Chronic 3, H412		
INDEX: 57_55_6		[1]	$0 \le x \% < 0.1$
CAS: 57-55-6			
EC: 200-338-0			
REACH: 01-2119456809-23			
PROPYLENE GLYCOL			
INDEX: I606002003	GHS02, GHS07	[1]	$0 \le x \% < 0.1$
CAS: 78-93-3	Dgr		
EC: 201-159-0	Flam. Liq. 2, H225		
	Eye Irrit. 2, H319		
2-BUTANONE	STOT SE 3, H336		
INDEX: 011_002_00_6	GHS05	[1]	$0 \le x \% < 0.1$
CAS: 1310-73-2	Dgr		
EC: 215-185-5	Met. Corr. 1, H290		
REACH: 01-2119457892-27	Skin Corr. 1A, H314		
SODIUM HYDROXIDE			

### **Specific concentration limits:**

Specific concentration limits:		
Identification	Specific concentration limits	ATE
INDEX: 603_002_00_5	Eye Irrit. 2A: H319 C>= 50%	inhalation: ATE = 51 mg/l 4h
CAS: 64-17-5		
EC: 200-578-6		oral: ATE = 10470 mg/kg BW
REACH: 01-2119457610-43		
ETHANOL		
INDEX: 603_030_00_8	STOT SE 3: H335 C>= 5%	oral: ATE = 1089 mg/kg BW
CAS: 141-43-5		
EC: 205-483-3		
REACH: 01-2119486455-28		
2-AMINOETHANOL		
INDEX: I606002003		oral: ATE = 4000 mg/kg BW
CAS: 78-93-3		
EC: 201-159-0		
2-BUTANONE		
INDEX: 011_002_00_6	Skin Corr. 1A: H314 C>= 5%	dermal: ATE = 1350 mg/kg BW
CAS: 1310-73-2	Skin Corr. 1B: H314 2% <= C < 5%	
EC: 215-185-5	Skin Irrit. 2: H315 0.5% <= C < 2%	
REACH: 01-2119457892-27	Eye Dam. 1: H318 C>= 2%	
	Eye Irrit. 2: H319 0.5% <= C < 2%	
SODIUM HYDROXIDE		

## Information on ingredients:

(Full text of H-phrases: see section 16)

[XVII] Restricted substance under Regulation (EC) No. 1907/2006 (REACH), Annex XVII.

[1] Substance for which maximum workplace exposure limits are available.

#### CYCLONE BIOTECH DEGRAISSANT

Date: 23/06/2023 Page 3/12

Revision: N°2 (19/05/2023)

#### **SECTION 4: FIRST AID MEASURES**

As a general rule, in case of doubt or if symptoms persist, always call a doctor.

NEVER induce swallowing by an unconscious person.

### 4.1. description of first aid measures

#### In the event of splashes or contact with eyes:

Wash thoroughly with fresh, clean water for 15 minutes holding the eyelids open.

Refer the patient to an ophthalmologist, in particular if there is any redness, pain or visual impairment.

### In the event of splashes or contact with skin:

Rinse thoroughly with water. If discomfort persists, consult a doctor.

### In the event of swallowing:

In the event of swallowing, if the quantity is small (no more than one mouthful), rinse the mouth with water and consult a doctor.

Keep the person exposed at rest. Do not force vomiting.

Seek medical attention, showing the label.

If swallowed accidentally, call a doctor to ascertain whether observation and hospital care will be necessary. Show the label.

### 4.2. Most important symptoms and effects, both acute and delayed

No data available.

### 4.3. Indication of any immediate medical attention and special treatment needed

No data available.

#### **SECTION 5: FIREFIGHTING MEASURES**

Non-flammable.

### 5.1. Extinguishing media

#### Suitable methods of extinction

In the event of a fire, use:

- sprayed water or water mist
- foam
- multipurpose ABC powder
- BC powder
- carbon dioxide (CO2)

### Unsuitable methods of extinction

In the event of a fire, do not use:

- water jet

### 5.2. Special hazards arising from the substance or mixture

A fire will often produce a thick black smoke. Exposure to decomposition products may be hazardous to health.

Do not breathe in smoke.

In the event of a fire, the following may be formed:

- carbon monoxide (CO)
- carbon dioxide (CO2)

### 5.3. Advice for firefighters

Due to the toxicity of the gas emitted on thermal decomposition of the products, fire-fighting personnel are to be equipped with autonomous insulating breathing apparatus.

### **SECTION 6: ACCIDENTAL RELEASE MEASURES**

### 6.1. Personal precautions, protective equipment and emergency procedures

Consult the safety measures listed under headings 7 and 8.

### For non first aid worker

Avoid all contact with skin and eyes.

### For first aid worker

First aid workers will be equipped with suitable personal protective equipment (See section 8).

### 6.2. Environmental precautions

Contain and control the leaks or spills with non-combustible absorbent materials such as sand, earth, vermiculite, diatomaceous earth in drums for waste disposal.

Prevent any material from entering drains or waterways.

### CYCLONE BIOTECH DEGRAISSANT

Date: 23/06/2023 Page 4/12

Revision: N°2 (19/05/2023)

### 6.3. Methods and material for containment and cleaning up

Clean preferably with a detergent, do not use solvents.

#### 6.4. Reference to other sections

No data available.

#### **SECTION 7: HANDLING AND STORAGE**

Requirements relating to storage premises apply to all facilities where the mixture is handled.

### 7.1. Precautions for safe handling

Always wash hands after handling.

Ensure that there is adequate ventilation, especially in confined areas.

### Fire prevention:

Handle in well-ventilated areas.

Prevent access by unauthorised personnel.

### Recommended equipment and procedures:

For personal protection, see section 8.

Observe precautions stated on label and also industrial safety regulations.

Packages which have been opened must be reclosed carefully and stored in an upright position.

### Prohibited equipment and procedures:

No smoking, eating or drinking in areas where the mixture is used.

### 7.2. Conditions for safe storage, including any incompatibilities

Keep out of reach of children.

#### Storage

Keep the container tightly closed in a dry, well-ventilated place.

The floor must be impermeable and form a collecting basin so that, in the event of an accidental spillage, the liquid cannot spread beyond this area.

Recommended storage temperature: + 5°C to + 40°C

#### **Packaging**

Always keep in packaging made of an identical material to the original.

#### 7.3. Specific end use(s)

No data available.

### SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

# 8.1. Control parameters

### Occupational exposure limits:

- European Union (2022/431, 2019/1831, 2017/2398, 2017/164, 2009/161, 2006/15/CE, 2000/39/CE, 98/24/CE):

CAS	VME-mg/m3:	VME-ppm:	VLE-mg/m3:	VLE-ppm:	Notes:
112-34-5	67.5	10	101.2	15	-
141-43-5	2.5	1	7.6	3	Peau
78-93-3	600	200	900	300	-

- Germany - AGW (BAuA - TRGS 900, 02/2022) :

CAS	VME:	VME :	Excess	Notes
112-34-5		10 ppm		1.5 (I)
		$67 \text{ mg/m}^3$		
64-17-5		200 ppm		4(II)
		380 mg/m <sup>3</sup>		
141-43-5		0.2 ppm		1(I)
		$0.5 \text{ mg/m}^3$		
78-93-3		200 ppm		1(I)
		$600 \text{ mg/m}^3$		

- Belgium (Royal decree of 11/05/2021):

Doignain (100) an ar	Beignam (res far assists of 11/05/2021).				
CAS	TWA:	STEL:	Ceiling:	Definition:	Criteria:
112-34-5	10 ppm	15 ppm			
	67.5 mg/m <sup>3</sup>	101.2 mg/m <sup>3</sup>			
64-17-5	1000 ppm				
	1907 mg/m <sup>3</sup>				

SAFETY DATA SHEET (REGULATION (EC) n° 1907/2006 - REACH)

Version: N°1 (22/05/2023)

### CYCLONE BIOTECH DEGRAISSANT

Date: 23/06/2023 Page 5/12 Revision: N°2 (19/05/2023)

141-43-5	1 ppm	3 ppm	D	
	2.5 mg/m <sup>3</sup>	$7.6 \text{ mg/m}^3$		
78-93-3	200 ppm	300 ppm		
	600 mg/m <sup>3</sup>	900 mg/m <sup>3</sup>		
1310-73-2	2 mg/m³		M	

- France (INRS - Outils 65 / 2021-1849, 2021-1763, decree of 09/12/2021):

CAS	VME-ppm:	VME-mg/m3:	VLE-ppm:	VLE-mg/m3:	Notes:	TMP No:
112-34-5	10	67.5	15	101.2	-	-
64-17-5	1000	1900	5000	9500	-	84
141-43-5	1	2.5	3	7.6	-	49. 49 Bis
78-93-3	200	600	300	900	*	84
1310-73-2	-	2	-	-	-	-

- Switzerland (Suva 2021):

CAS	VME	VLE	Valeur plafond	Notations
112-34-5	10 ppm	15 ppm		
	67 mg/m <sup>3</sup>	101 mg/m <sup>3</sup>		
64-17-5	500 ppm	1000 ppm		
	960 mg/m <sup>3</sup>	1920 mg/m <sup>3</sup>		
141-43-5	2 ppm	4 ppm		
	5 mg/m³	10 mg/m <sup>3</sup>		
78-93-3	200 ppm	200 ppm		
	590 mg/m <sup>3</sup>	590 mg/m <sup>3</sup>		
1310-73-2	2 ppm	2 ppm		

- UK / WEL (Workplace exposure limits, EH40/2005, Fourth Edition 2020):

CAS	TWA:	STEL:	Ceiling:	Definition:	Criteria:
112-34-5	10 ppm	15 ppm			
	67.5 mg/m <sup>3</sup>	101.2 mg/m <sup>3</sup>			
64-17-5	1000 ppm				
	1920 mg/m <sup>3</sup>				
141-43-5	1 ppm	3 ppm		Sk	
	2.5 mg/m <sup>3</sup>	7.6 mg/m <sup>3</sup>			
57-55-6	10 mg/m <sup>3</sup>				
78-93-3	200 ppm	300 ppm		Sk. BMGV	
	600 mg/m <sup>3</sup>	899 mg/m <sup>3</sup>			
1310-73-2		2 mg/m³			

## Derived no effect level (DNEL) or derived minimum effect level (DMEL):

2-AMINOETHANOL (CAS: 141-43-5)

Final use:

Workers. Exposure method: Dermal contact.

Potential health effects: Long term systemic effects. DNEL: 1 mg/kg body weight/day

Exposure method: Inhalation.

Potential health effects: Long term local effects. DNEL: 3.3 mg of substance/m3

Final use:

Consumers.

Exposure method: Ingestion.

Potential health effects: Long term systemic effects. DNEL: 3.75 mg/kg body weight/day

Exposure method: Dermal contact.

Potential health effects: Long term systemic effects. DNEL: 0.24 mg/kg body weight/day

Exposure method: Inhalation.

Potential health effects: Long term local effects. DNEL: 2 mg of substance/m3

### CYCLONE BIOTECH DEGRAISSANT

Date: 23/06/2023 Page 6/12

Revision: N°2 (19/05/2023)

ETHANOL (CAS: 64-17-5)

Final use: Workers.
Exposure method: Dermal contact.

Potential health effects: Long term systemic effects.

DNEL: 343 mg/kg body weight/day

Exposure method: Inhalation.

Potential health effects: Short term local effects.

DNEL: 1900 mg of substance/m3

Exposure method: Inhalation.

Potential health effects: Long term systemic effects.

DNEL: 950 mg of substance/m3

Final use: Consumers.

Exposure method: Ingestion.

Potential health effects: Short term systemic effects.

DNEL: 87 mg/kg body weight/day

Exposure method: Dermal contact.

Potential health effects: Long term systemic effects.

DNEL: 206 mg/kg body weight/day

Exposure method: Inhalation.

Potential health effects: Short term local effects.

DNEL: 950 mg of substance/m3

Exposure method: Inhalation.

Potential health effects: Long term systemic effects.

DNEL: 114 mg of substance/m3

### Predicted no effect concentration (PNEC):

PROPYLENE GLYCOL (CAS: 57-55-6)

Environmental compartment: Soil. PNEC: 50 mg/kg

Environmental compartment: Fresh water. PNEC: 206 mg/l

Environmental compartment: Sea water. PNEC: 26 mg/l

2-AMINOETHANOL (CAS: 141-43-5)

Environmental compartment: Soil.
PNEC: 0.035 mg/kg

Environmental compartment: Fresh water. PNEC: 0.085 mg/l

Environmental compartment: Sea water. PNEC: 0.0085 mg/l

Environmental compartment: Intermittent waste water.

PNEC: 0.025 mg/l

Environmental compartment: Fresh water sediment.

PNEC: 0.425 mg/kg

Environmental compartment: Marine sediment.

### CYCLONE BIOTECH DEGRAISSANT

Date: 23/06/2023 Page 7/12

Revision: N°2 (19/05/2023)

PNEC: 0.0425 mg/kg

Environmental compartment: Waste water treatment plant.

PNEC: 100 mg/l

ETHANOL (CAS: 64-17-5)

Environmental compartment: Soil.

PNEC: 0.63 mg/kg

Environmental compartment: Fresh water. PNEC: 0.96 mg/l

Environmental compartment: Sea water. PNEC: 0.79 mg/l

Environmental compartment: Intermittent waste water.

PNEC: 2.75 mg/l

Environmental compartment: Fresh water sediment.

PNEC: 3.6 mg/kg

Environmental compartment: Marine sediment. PNEC: 2.9 mg/kg

Environmental compartment: Waste water treatment plant.

PNEC: 580 mg/l

### 8.2. Exposure controls

### Personal protection measures, such as personal protective equipment

Use personal protective equipment that is clean and has been properly maintained.

Store personal protective equipment in a clean place, away from the work area.

Never eat, drink or smoke during use. Remove and wash contaminated clothing before re-using. Ensure that there is adequate ventilation, especially in confined areas.

### - Eye / face protection

Avoid contact with eyes.

Use eye protectors designed to protect against liquid splashes

Before handling, wear safety goggles in accordance with standard EN166.

#### - Hand protection

Wear suitable protective gloves in the event of prolonged or repeated skin contact.

Type of gloves recommended:

- Nitrile rubber (butadiene-acrylonitrile copolymer rubber (NBR))

### - Body protection

Work clothing worn by personnel shall be laundered regularly.

After contact with the product, all parts of the body that have been soiled must be washed.

# **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

### 9.1. Information on basic physical and chemical properties

Physical state

Physical state : Fluid liquid.

Colour

Colorless to pale yellow

Odour

Odour threshold: Not stated.

Unscented

Melting point

Melting point/melting range: Not specified.

SAFETY DATA SHEET (REGULATION (EC) n° 1907/2006 - REACH)

Date: 23/06/2023 Page 8/12 Version: N°1 (22/05/2023) Revision: N°2 (19/05/2023)

### CYCLONE BIOTECH DEGRAISSANT

Freezing point

Not stated. Freezing point / Freezing range:

Boiling point or initial boiling point and boiling range

Boiling point/boiling range: Not specified.

Flammability

Not stated. Flammability (solid, gas):

Lower and upper explosion limit

Not stated. Explosive properties, lower explosivity limit (%): Explosive properties, upper explosivity limit (%) : Not stated.

Flash point

Not relevant. Flash point interval:

**Auto-ignition temperature** 

Self-ignition temperature: Not specified.

**Decomposition temperature** 

Decomposition point/decomposition range: Not specified.

pН

pH: 11.20 .

Slightly basic.

pH (aqueous solution): Not stated.

Kinematic viscosity

Viscosity: Not stated.

**Solubility** 

Soluble. Water solubility: Fat solubility: Not stated.

Partition coefficient n-octanol/water (log value)

Partition coefficient: n-octanol/water: Not stated.

Vapour pressure

Vapour pressure (50°C): Not relevant.

Density and/or relative density

Density: 1.01

Method for determining the density:

ISO 649-2 (Laboratory glassware - Density hydrometers for general purposes

- Part 2: Test methods and use).

Relative vapour density

Vapour density: Not stated.

9.2. Other information

No data available.

9.2.1. Information with regard to physical hazard classes

No data available.

9.2.2. Other safety characteristics

No data available.

### **SECTION 10: STABILITY AND REACTIVITY**

### 10.1. Reactivity

No data available.

#### 10.2. Chemical stability

This mixture is stable under the recommended handling and storage conditions in section 7.

### 10.3. Possibility of hazardous reactions

When exposed to high temperatures, the mixture can release hazardous decomposition products, such as carbon monoxide and dioxide, fumes and nitrogen oxide.

#### 10.4. Conditions to avoid

Avoid:

- frost
- heat

### CYCLONE BIOTECH DEGRAISSANT

Date: 23/06/2023 Page 9/12 Revision: N°2 (19/05/2023)

### 10.5. Incompatible materials

No data available.

## 10.6. Hazardous decomposition products

The thermal decomposition may release/form:

- carbon monoxide (CO)
- carbon dioxide (CO2)

### **SECTION 11 : TOXICOLOGICAL INFORMATION**

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Splashes in the eyes may cause irritation and reversible damage

11.1.1. Substances

Acute toxicity:

SODIUM HYDROXIDE (CAS: 1310-73-2)

Dermal route : LD50 = 1350 mg/kg bodyweight/day

Species: Rabbit

2-BUTANONE (CAS: 78-93-3)

Oral route: LD50 = 4000 mg/kg bodyweight/day

PROPYLENE GLYCOL (CAS: 57-55-6)

Oral route: LD50 > 5000 mg/kg bodyweight/day

Species: Rat

Dermal route: LD50 > 2000 mg/kg bodyweight/day

Species: Rabbit

2-AMINOETHANOL (CAS: 141-43-5)

Oral route : LD50 = 1089 mg/kg bodyweight/day

Species: Rat

OECD Guideline 401 (Acute Oral Toxicity)

ETHANOL (CAS: 64-17-5)

Oral route: LD50 = 10470 mg/kg bodyweight/day

Species: Rat

OECD Guideline 401 (Acute Oral Toxicity)

Dermal route : LD50 > 2000 mg/kg bodyweight/day

Species: Rabbit

OECD Guideline 402 (Acute Dermal Toxicity)

Inhalation route (n/a): LC50 = 51 mg/l

Species: Rat

Duration of exposure: 4 h

11.1.2. Mixture

No toxicological data available for the mixture.

11.2. Information on other hazards

#### SECTION 12: ECOLOGICAL INFORMATION

12.1. Toxicity

12.1.1. Substances

2-AMINOETHANOL (CAS: 141-43-5)

Fish toxicity: LC50 = 349 mg/l

Species : Cyprinus carpio Duration of exposure : 96 h

### CYCLONE BIOTECH DEGRAISSANT

NOEC = 1.2 mg/l Species : Oryzias latipes

Crustacean toxicity: EC50 = 65 mg/l

Species : Daphnia magna Duration of exposure : 48 h

NOEC = 0.85 mg/l Species : Daphnia magna Duration of exposure : 21 days

OECD Guideline 211 (Daphnia magna Reproduction Test)

Date: 23/06/2023 Page 10/12 Revision: N°2 (19/05/2023)

Algae toxicity: ECr50 = 2.5 mg/l

Species: Scenedesmus capricornutum

Duration of exposure: 72 h

OECD Guideline 201 (Alga, Growth Inhibition Test)

ETHANOL (CAS: 64-17-5)

Fish toxicity: LC50 = 13000 mg/l

Species : Oncorhynchus mykiss Duration of exposure : 96 h

OECD Guideline 203 (Fish, Acute Toxicity Test)

Crustacean toxicity: EC50 = 5012 mg/l

Species : Ceriodaphnia dubia Duration of exposure : 48 h

#### **12.1.2.** Mixtures

No aquatic toxicity data available for the mixture.

### 12.2. Persistence and degradability

The surfactants contained in this preparation comply with the biodegradability criteria as laid down in Regulation (EC) No 648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of Member States and will be provided with their request or at the request of a detergent manufacturer.

### 12.2.1. Substances

PROPYLENE GLYCOL (CAS: 57-55-6)

Biodegradability: Rapidly degradable.

2-AMINOETHANOL (CAS: 141-43-5)

Biodegradability: Rapidly degradable.

ETHANOL (CAS: 64-17-5)

Biodegradability: Rapidly degradable.

### 12.3. Bioaccumulative potential

No data available.

### 12.4. Mobility in soil

No data available.

### 12.5. Results of PBT and vPvB assessment

No data available.

### 12.6. Endocrine disrupting properties

No data available.

### 12.7. Other adverse effects

No data available.

#### CYCLONE BIOTECH DEGRAISSANT

Date: 23/06/2023 Page 11/12 Revision: N°2 (19/05/2023)

#### **SECTION 13: DISPOSAL CONSIDERATIONS**

Proper waste management of the mixture and/or its container must be determined in accordance with Directive 2008/98/EC.

#### 13.1. Waste treatment methods

Do not pour into drains or waterways.

#### Waste:

Waste management is carried out without endangering human health, without harming the environment and, in particular without risk to water, air, soil, plants or animals.

Recycle or dispose of waste in compliance with current legislation, via a certified collector or company.

Do not contaminate the ground or water with waste, do not dispose of waste into the environment.

### Soiled packaging:

Empty container completely. Keep label(s) on container.

Give to a certified disposal contractor.

#### **SECTION 14: TRANSPORT INFORMATION**

Exempt from transport classification and labelling.

#### 14.1. UN number or ID number

### 14.2. UN proper shipping name

### 14.3. Transport hazard class(es)

## 14.4. Packing group

### 14.5. Environmental hazards

### 14.6. Special precautions for user

## 14.7. Maritime transport in bulk according to IMO instruments

### **SECTION 15: Regulatory information**

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

### Classification and labelling information included in section 2:

The following regulations have been used:

- EU Regulation No. 1272/2008 amended by EU Regulation No. 2022/692 (ATP 18)

### **Container information:**

No data available.

### Restrictions applied under Title VIII of Regulation (EC) No. 1907/2006 (REACH):

The mixture contains at least one restricted substance under Annex XVII of Regulation (EC) No. 1907/2006 (REACH): https://echa.europa.eu/substances-restricted-under-reach. Please refer to Section 3 to identify the substance involved.

### **Explosives precursors:**

The mixture does not contain any substance subject to Regulation (EU) 2019/1148 on the marketing and use of explosives precursors.

### Particular provisions:

No data available.

### Labelling for detergents (EC Regulation No. 648/2004,907/2006):

- less than 5 %: non-ionic surfactants

### 15.2. Chemical safety assessment

No data available.

Date: 23/06/2023 Page 12/12 Revision: N°2 (19/05/2023) Version: N°1 (22/05/2023)

#### CYCLONE BIOTECH DEGRAISSANT

#### **SECTION 16: OTHER INFORMATION**

Since the user's working conditions are not known by us, the information supplied on this safety data sheet is based on our current level of knowledge and on national and community regulations.

The mixture must not be used for other uses than those specified in section 1 without having first obtained written handling instructions.

It is at all times the responsibility of the user to take all necessary measures to comply with legal requirements and local regulations.

The information in this safety data sheet must be regarded as a description of the safety requirements relating to the mixture and not as a guarantee of the properties thereof.

### Wording of the phrases mentioned in section 3:

H225	Highly flammable liquid and vapour.
H290	May be corrosive to metals.
H302	Harmful if swallowed.
H312	Harmful in contact with skin.
H314	Causes severe skin burns and eye damage.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H335	May cause respiratory irritation.
H336	May cause drowsiness or dizziness.
H412	Harmful to aquatic life with long lasting effects.

#### Abbreviations and acronyms:

LD50: The dose of a test substance resulting in 50% lethality in a given time period.

LC50: The concentration of a test substance resulting in 50% lethality in a given period.

EC50: The effective concentration of substance that causes 50% of the maximum response.

ECr50: The effective concentration of substance that causes 50% reduction in growth rate.

NOEC: The concentration with no observed effect.

REACH: Registration, Evaluation, Authorization and Restriction of Chemical Substances.

ATE: Acute Toxicity Estimate

BW: Body Weight

DNEL: Derived No-Effect Level

PNEC: Predicted No-Effect Concentration

UFI: Unique formulation identifier. STEL: Short-term exposure limit

TWA: Time Weighted Averages

TMP: French Occupational Illness table

TLV: Threshold Limit Value (exposure)

AEV: Average Exposure Value.

ADR: European agreement concerning the international carriage of dangerous goods by Road.

IMDG: International Maritime Dangerous Goods.

IATA: International Air Transport Association.

ICAO: International Civil Aviation Organisation

RID: Regulations concerning the International carriage of Dangerous goods by rail.

WGK: Wassergefahrdungsklasse (Water Hazard Class).

PBT: Persistent, bioaccumulable and toxic. vPvB: Very persistent, very bioaccumulable. SVHC: Substances of very high concern.