CYCLONE MOUSSE AGRUMES - 106670 AEROSOL - IPC - 12x500mL

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 Reference number: 4041-103-20 Issue date: 7/21/2014 Revision date: 9/22/2023 Supersedes version of: 9/12/2023 Version: 5.3

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture

Product name : CYCLONE MOUSSE AGRUMES

Product code : 106670

Type of product : Aerosol, Detergent, Biocidal products (e.g. Disinfectants, pest control)

Vaporizer : Aerosol
Product group : Trade product

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Main use category : Professional use

Industrial/Professional use spec : For professional use only

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

IPC

20 QUAI COMMANDANT MALBERT

29200 BREST FRANCE.

Tel.: +33 (0)2 98 43 45 44. Fax: +33 (0)2 98 44 22 53

ipc@groupe-ipc.com

1.4. Emergency telephone number

No additional information available

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Aerosol, Category 1 H222;H229
Skin corrosion/irritation, Category 1 H314
Serious eye damage/eye irritation, Category 1 H318

Hazardous to the aquatic environment – Chronic Hazard Not

classified

Full text of H- and EUH-statements: see section 16

Adverse physicochemical, human health and environmental effects

No additional information available

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)





GHS02

GHS05

Signal word (CLP) : Danger

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Contains : 2-AMINOETHANOL; 2-PROPYLHEPTANOLETHOXYLATE; ALCOOL C12-14,

ETHOXYLATED

Hazard statements (CLP) : H222 - Extremely flammable aerosol.

H229 - Pressurised container: May burst if heated. H314 - Causes severe skin burns and eye damage.

Precautionary statements (CLP) : P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources.

No smoking.

P211 - Do not spray on an open flame or other ignition source.

P251 - Do not pierce or burn, even after use. P264 - Wash hands thoroughly after handling.

P280 - Wear protective gloves, eye protection, protective clothing.

P301+P330+P331 - IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing.

Rinse skin with water or shower. P102 - Keep out of reach of children.

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

P310 - Immediately call a doctor.

P405 - Store locked up.

P410+P412 - Protect from sunlight. Do not expose to temperatures exceeding 50 °C. P501 - Dispose of contents and container to compliance with local regulations.

2.3. Other hazards

Contains no PBT/vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
butane substance with national workplace exposure limit(s) (FR)	CAS-No.: 106-97-8 EC-No.: 203-448-7 EC Index-No.: 601-004-00-0	10 – 20	Flam. Gas 1, H220 Press. Gas
Alcohols substance with national workplace exposure limit(s) (FR)	CAS-No.: 64-17-5 EC-No.: 200-578-6 EC Index-No.: 603-002-00-5 REACH-no: 01-2119457610-	1 – 5	Flam. Liq. 2, H225 Eye Irrit. 2, H319
ALCOOL C12-14, ETHOXYLATED	CAS-No.: 68439-50-9	1 – 5	Eye Dam. 1, H318 Aquatic Chronic 3, H412
2-(2-butoxyethoxy)ethanol; diethylene glycol monobutyl ether substance with national workplace exposure limit(s) (FR); substance with a Community workplace exposure limit	CAS-No.: 112-34-5 EC-No.: 203-961-6 EC Index-No.: 603-096-00-8 REACH-no: 01-2119475104-	1 – 5	Eye Irrit. 2, H319

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Dipropyleneglycol substance with national workplace exposure limit(s) (FR); substance with a Community workplace exposure limit	CAS-No.: 34590-94-8 EC-No.: 252-104-2 REACH-no: 01-2119450011- 60	1 – 5	Not classified
3-butoxypropan-2-ol; propylene glycol monobutyl ether	CAS-No.: 5131-66-8 EC-No.: 225-878-4 EC Index-No.: 603-052-00-8 REACH-no: 01-2119475527-	1 – 5	Eye Irrit. 2, H319 Skin Irrit. 2, H315
2-PROPYLHEPTANOLETHOXYLATE	CAS-No.: 160875-66-1 REACH-no: 02-2119549160- 47	1 – 5	Eye Dam. 1, H318 Acute Tox. 4 (Oral), H302
2-AMINOETHANOL substance with national workplace exposure limit(s) (FR); substance with a Community workplace exposure limit	CAS-No.: 141-43-5 EC-No.: 205-483-3 EC Index-No.: 603-030-00-8 REACH-no: 01-2119486455- 28	0.1 – 1	Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Dermal), H312 Acute Tox. 4 (Inhalation), H332 Skin Corr. 1B, H314 Eye Dam. 1, H318 STOT SE 3, H335 Aquatic Chronic 3, H412
didecyldimethylammonium chloride	CAS-No.: 7173-51-5 EC-No.: 230-525-2 EC Index-No.: 612-131-00-6	0.1 – 1	Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Dermal), H312 Skin Corr. 1B, H314 Aquatic Acute 1, H400 (M=10) Aquatic Chronic 2, H411
Oxyde de dodécyldimethylamine	CAS-No.: 1643-20-5;308062- 28-4 EC-No.: 216-700-6; 608-528- 9	0.1 – 1	Acute Tox. 4 (Oral), H302 Skin Irrit. 2, H315 Eye Dam. 1, H318 Aquatic Acute 1, H400 Aquatic Chronic 2, H411
morpholine substance with national workplace exposure limit(s) (FR)	CAS-No.: 110-91-8 EC-No.: 203-815-1 EC Index-No.: 613-028-00-9	0.1 – 1	Flam. Liq. 3, H226 Acute Tox. 4 (Oral), H302 Acute Tox. 3 (Dermal), H311 Acute Tox. 3 (Inhalation), H331 Skin Corr. 1B, H314

Specific concentration limits:			
Name	Product identifier	Specific concentration limits (%)	
2-AMINOETHANOL	CAS-No.: 141-43-5 EC-No.: 205-483-3 EC Index-No.: 603-030-00-8 REACH-no: 01-2119486455- 28	(5 ≤ C ≤ 100) STOT SE 3, H335	

Product subject to CLP Article 1.1.3.7. The disclosure rules of the components is modified in this case.

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general

: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

First-aid measures after inhalation : Cough. Remove person to fresh air and keep comfortable for breathing. Immediately call a

POISON CENTER/doctor.

First-aid measures after skin contact : Take off immediately all contaminated clothing. Rinse skin with water/shower. Immediately

call a POISON CENTER/doctor.

First-aid measures after eye contact : Direct contact with the eyes is likely to be irritating. Rinse cautiously with water for several

minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately

call a POISON CENTER/doctor.

First-aid measures after ingestion : Rinse mouth. Do NOT induce vomiting. Immediately call a POISON CENTER/doctor.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects : Causes severe skin burns and eye damage.

Symptoms/effects after inhalation : Shortness of breath.

Symptoms/effects after eye contact : Causes serious eye damage.

4.3. Indication of any immediate medical attention and special treatment needed

Notes to physician.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Foam. Dry powder. Carbon dioxide. Water spray. Sand.

Unsuitable extinguishing media : Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

Fire hazard : Extremely flammable aerosol.

Explosion hazard : Heat may build pressure, rupturing closed containers, spreading fire and increasing risk of

burns and injuries.

5.3. Advice for firefighters

Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any

chemical fire. Prevent fire fighting water from entering the environment. DO NOT fight fire

when fire reaches explosives. Evacuate area.

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures : No open flames. No smoking. Isolate from fire, if possible, without unnecessary risk.

Remove ignition sources. Use special care to avoid static electric charges.

6.1.1. For non-emergency personnel

Emergency procedures : Evacuate unnecessary personnel.

6.1.2. For emergency responders

Protective equipment : Equip cleanup crew with proper protection.

Emergency procedures : Ventilate area.

6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Store away from other materials.

6.4. Reference to other sections

See Section 8. Exposure controls and personal protection.

9/22/2023 (Revision date) FR - en 4/17

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Additional hazards when processed

Precautions for safe handling

: Hazardous waste due to potential risk of explosion. Do not pierce or burn, even after use.

Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapour. Do not spray on an open flame or other ignition source. Do not breathe

aérosols. Avoid contact during pregnancy/while nursing.

Hygiene measures : Wash les mains thoroughly after handling.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Proper grounding procedures to avoid static electricity should be followed. Comply with

applicable regulations.

Storage conditions : Keep only in the original container in a cool, well ventilated place away from : sources de

chaleur. Keep container closed when not in use. Do not expose to temperatures exceeding

50 °C/ 122 °F. Keep in fireproof place.

Incompatible products : Strong bases. Strong acids.

Incompatible materials : Sources of ignition. Direct sunlight. Heat sources.

Storage temperature : $5-50 \, ^{\circ}\text{C}$

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

butane (106-97-8)			
France - Occupational Exposure Limits			
Local name n-Butane			
VME (OEL TWA)	1900 mg/m³		
VME (OEL TWA) [ppm]	800 ppm		
morpholine (110-91-8)			
France - Occupational Exposure Limits			
Local name	Morpholine		
VME (OEL TWA)	36 mg/m³		
VME (OEL TWA) [ppm]	10 ppm		
VLE (OEL C/STEL) 72 mg/m³			
VLE (OEL C/STEL) [ppm]	20 ppm		
2-(2-butoxyethoxy)ethanol; diethylene glycol monobutyl ether (112-34-5)			
France - Occupational Exposure Limits			
VME (OEL TWA)	67.5 mg/m³		
VME (OEL TWA) [ppm]	10 ppm		
VLE (OEL C/STEL) 101.2 mg/m³			
VLE (OEL C/STEL) [ppm] 15 ppm			

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

2-AMINOETHANOL (141-43-5)		
France - Occupational Exposure Limits		
VME (OEL TWA)	2.5 mg/m³	
VME (OEL TWA) [ppm]	1 ppm	
VLE (OEL C/STEL)	7.6 mg/m³	
VLE (OEL C/STEL) [ppm]	3 ppm	
Dipropyleneglycol (34590-94-8)		
France - Occupational Exposure Limits		
Local name	(2-méthoxyméthylethoxy)-propanol	
VME (OEL TWA)	308 mg/m³	
VME (OEL TWA) [ppm]	50 ppm	
Alcohols (64-17-5)		
France - Occupational Exposure Limits		
VME (OEL TWA) 1900 mg/m³		
VME (OEL TWA) [ppm]	1000 ppm	
/LE (OEL C/STEL) 9500 mg/m³		
VLE (OEL C/STEL) [ppm]	5000 ppm	

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

No additional information available

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

No additional information available

8.2.2. Personal protection equipment

Personal protective equipment:

Avoid all unnecessary exposure.

Personal protective equipment symbol(s):





8.2.2.1. Eye and face protection

Eye protection:

Chemical goggles or face shield

8.2.2.2. Skin protection

Skin and body protection:

Wear suitable protective clothing

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Hand protection:

Wear protective gloves.

8.2.2.3. Respiratory protection

Respiratory protection:

Wear appropriate mask

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

Other information:

Do not eat, drink or smoke during use.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid Colour : Colourless.

Odour : Pleasant (perfume).
Odour threshold : Not available
Melting point : Not available
Freezing point : Not available
Boiling point : Not available

Flammability : Extremely flammable aerosol.

Lower explosion limit : Not available
Upper explosion limit : Not available
Flash point : Not applicable
Auto-ignition temperature : Not available
Decomposition temperature : Not available
pH : 12.7

Viscosity, kinematic : Not available Solubility : Not available Partition coefficient n-octanol/water (Log Kow) : Not available Vapour pressure : Not available Vapour pressure at 50 °C : Not available Density : Not available

Relative density : 1

Relative vapour density at 20 °C : Not available Particle characteristics : Not applicable

9.2. Other information

9.2.1. Information with regard to physical hazard classes

% of flammable ingredients $$: 43.50928~%

9.2.2. Other safety characteristics

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Thermal decomposition generates: Corrosive vapours.

10.2. Chemical stability

Not established. Extremely flammable aerosol. Contains gas under pressure; may explode if heated. Extreme risk of explosion by shock, friction, fire or other sources of ignition.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

10.3. Possibility of hazardous reactions

Not established.

10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures. Heat. Sparks. Open flame. Overheating.

10.5. Incompatible materials

Strong acids. Strong bases.

10.6. Hazardous decomposition products

fume. Carbon monoxide. Carbon dioxide. Thermal decomposition generates : Corrosive vapours.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

Acute toxicity (inhalation) :	Not classified		
didecyldimethylammonium chloride (7173-51-5)			
LD50 oral rat	658 mg/kg		
LD50 dermal rat	> 2000 mg/kg		
2-(2-butoxyethoxy)ethanol; diethylene glycol	monobutyl ether (112-34-5)		
LD50 oral rat	3384 mg/kg		
LD50 dermal rabbit	2700 mg/kg		
2-AMINOETHANOL (141-43-5)			
LD50 oral rat	1515 mg/kg		
LC50 Inhalation - Rat	> 1.3 mg/l		
Dipropyleneglycol (34590-94-8)			
LD50 oral rat	> 5000 mg/kg		
LD50 dermal rabbit	9510 mg/kg		
2-PROPYLHEPTANOLETHOXYLATE (160875-	66-1)		
LD50 oral rat	> 301 mg/kg		
LD50 oral	> 2000 mg/kg bodyweight		
LD50 dermal	> 2000 mg/kg		
Alcohols (64-17-5)	Alcohols (64-17-5)		
LD50 oral rat	10470 mg/kg		
LD50 oral	10470 mg/kg bodyweight		
LD50 dermal rabbit	> 2000 mg/kg		
LD50 dermal	15800 mg/kg bodyweight		
LC50 Inhalation - Rat (Dust/Mist)	> 99999 mg/l		
LC50 Inhalation - Rat (Vapours)	51 mg/l/4h		

Skin corrosion/irritation : Causes severe skin burns.

pH: 12.7

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

pH: 12.7 2-AMINOETHANOL (141-43-5) pH	2-AMINOETHANOL (141-43-5)				
pH: 12.7 2-AMINOETHANOL (141-43-5) pH	рН	12			
pH 12 Respiratory or skin sensitisation	Serious eye damage/irritation :	, ,			
Respiratory or skin sensitisation : Not classified Additional information : Based on available data, the classification criteria are not met Germ cell mutagenicity : Not classified Additional information : Based on available data, the classification criteria are not met Carcinogenicity : Not classified Additional information : Based on available data, the classification criteria are not met Reproductive toxicity : Not classified Additional information : Based on available data, the classification criteria are not met Reproductive toxicity : Not classified Additional information : Based on available data, the classification criteria are not met STOT-single exposure : Not classified Additional information : Based on available data, the classification criteria are not met 2-AMINOETHANOL (141-43-5) STOT-single exposure	2-AMINOETHANOL (141-43-5)				
Additional information : Based on available data, the classification criteria are not met Germ cell mutagenicity : Not classified Additional information : Based on available data, the classification criteria are not met Carcinogenicity : Not classified Additional information : Based on available data, the classification criteria are not met Reproductive toxicity : Not classified Additional information : Based on available data, the classification criteria are not met Reproductive toxicity : Not classified Additional information : Based on available data, the classification criteria are not met STOT-single exposure : Not classified Additional information : Based on available data, the classification criteria are not met 2-AMINOETHANOL (141-43-5) STOT-single exposure	pH	12			
STOT-repeated exposure Additional information STOT-repeated exposure Additional information Sased on available data, the classification criteria are not met Aspiration hazard Additional information Sased on available data, the classification criteria are not met CYCLONE MOUSSE AGRUMES - 10667 - AEROSOL - IPC - 12x500mL Vaporizer Aerosol 2-(2-butoxyethoxy)ethanol; diethylene glycol monobutyl ether (112-34-5) Viscosity, kinematic 6.81 mm²/s 2-AMINOETHANOL (141-43-5) Viscosity, kinematic 22.7 mm²/s Dipropyleneglycol (34590-94-8) Viscosity, kinematic 4.55 mm²/s 3-butoxypropan-2-ol; propylene glycol monobutyl ether (5131-66-8)	Additional information : Germ cell mutagenicity : Additional information : Carcinogenicity : Additional information : Reproductive toxicity : Additional information : STOT-single exposure : Additional information :	Based on available data, the classification criteria are not met Not classified Based on available data, the classification criteria are not met Not classified Based on available data, the classification criteria are not met Not classified Based on available data, the classification criteria are not met Not classified			
Additional information : Based on available data, the classification criteria are not met Aspiration hazard : Not classified Additional information : Based on available data, the classification criteria are not met CYCLONE MOUSSE AGRUMES - 10667 - AEROSOL - IPC - 12x500mL Vaporizer Aerosol 2-(2-butoxyethoxy)ethanol; diethylene glycol monobutyl ether (112-34-5) Viscosity, kinematic 6.81 mm²/s 2-AMINOETHANOL (141-43-5) Viscosity, kinematic 22.7 mm²/s Dipropyleneglycol (34590-94-8) Viscosity, kinematic 4.55 mm²/s 3-butoxypropan-2-ol; propylene glycol monobutyl ether (5131-66-8)	STOT-single exposure	May cause respiratory irritation.			
Vaporizer 2-(2-butoxyethoxy)ethanol; diethylene glycol monobutyl ether (112-34-5) Viscosity, kinematic 2-AMINOETHANOL (141-43-5) Viscosity, kinematic 22.7 mm²/s Dipropyleneglycol (34590-94-8) Viscosity, kinematic 4.55 mm²/s 3-butoxypropan-2-ol; propylene glycol monobutyl ether (5131-66-8)	Additional information : Aspiration hazard : Additional information :	Based on available data, the classification criteria are not met Not classified Based on available data, the classification criteria are not met			
2-(2-butoxyethoxy)ethanol; diethylene glycol monobutyl ether (112-34-5) Viscosity, kinematic 6.81 mm²/s 2-AMINOETHANOL (141-43-5) Viscosity, kinematic 22.7 mm²/s Dipropyleneglycol (34590-94-8) Viscosity, kinematic 4.55 mm²/s 3-butoxypropan-2-ol; propylene glycol monobutyl ether (5131-66-8)	CYCLONE MOUSSE AGRUMES - 10667 - AER	CYCLONE MOUSSE AGRUMES - 10667 - AEROSOL - IPC - 12x500mL			
Viscosity, kinematic 2-AMINOETHANOL (141-43-5) Viscosity, kinematic 22.7 mm²/s Dipropyleneglycol (34590-94-8) Viscosity, kinematic 4.55 mm²/s 3-butoxypropan-2-ol; propylene glycol monobutyl ether (5131-66-8)	Vaporizer	Aerosol			
2-AMINOETHANOL (141-43-5) Viscosity, kinematic 22.7 mm²/s Dipropyleneglycol (34590-94-8) Viscosity, kinematic 4.55 mm²/s 3-butoxypropan-2-ol; propylene glycol monobutyl ether (5131-66-8)	2-(2-butoxyethoxy)ethanol; diethylene glycol	monobutyl ether (112-34-5)			
Viscosity, kinematic 22.7 mm²/s Dipropyleneglycol (34590-94-8) Viscosity, kinematic 4.55 mm²/s 3-butoxypropan-2-ol; propylene glycol monobutyl ether (5131-66-8)	Viscosity, kinematic	6.81 mm²/s			
Dipropyleneglycol (34590-94-8) Viscosity, kinematic 4.55 mm²/s 3-butoxypropan-2-ol; propylene glycol monobutyl ether (5131-66-8)	2-AMINOETHANOL (141-43-5)				
Viscosity, kinematic 4.55 mm²/s 3-butoxypropan-2-ol; propylene glycol monobutyl ether (5131-66-8)	Viscosity, kinematic	22.7 mm²/s			
3-butoxypropan-2-ol; propylene glycol monobutyl ether (5131-66-8)	Dipropyleneglycol (34590-94-8)				
	Viscosity, kinematic	4.55 mm²/s			
Viscosity, kinematic 3.8 mm²/s	3-butoxypropan-2-ol; propylene glycol monobutyl ether (5131-66-8)				
	Viscosity, kinematic	3.8 mm²/s			

11.2. Information on other hazards

11.2.1. Endocrine disrupting properties

No additional information available

11.2.2. Other information

Potential adverse human health effects and symptoms

: Based on available data, the classification criteria are not met

SECTION 12: Ecological information

12.1. Toxicity

Hazardous to the aquatic environment, short-term

acute

Hazardous to the aquatic environment, long-term

(chronic)

term : Not classified.

: Not classified

9/22/2023 (Revision date) FR - en 9/17

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

according to the REACH Regulation (EC) 1907/2000 amended by Regulation (EO) 2020/676			
didecyldimethylammonium chloride (7173-51	.5)		
LC50 - Fish [1]	0.97 mg/l Brachydanio rerio		
EC50 - Crustacea [1]	0.06 mg/l Daphnia magna		
EC50 72h - Algae [1]	0.12 mg/l Scenedesmus capricornutum		
ErC50 algae	0.12 mg/l Scenedesmus capricornutum		
2-(2-butoxyethoxy)ethanol; diethylene glycol	monobutyl ether (112-34-5)		
LC50 - Fish [1]	1300 mg/l		
LC50 - Other aquatic organisms [1]	2750 mg/l		
EC50 - Crustacea [1]	2850 mg/l		
NOEC (acute)	> 100 mg/l		
2-AMINOETHANOL (141-43-5)			
LC50 - Fish [1]	349 mg/l Cyprinus carpio		
EC50 - Crustacea [1]	65 mg/l Daphnia magna		
ErC50 algae	2.5 mg/l Scenedesmus capricornutum		
NOEC (acute)	1 mg/l		
NOEC chronic fish	1.2 mg/l Oryzias latipes		
NOEC chronic crustacea	0.85 mg/l Daphnia magna		
Dipropyleneglycol (34590-94-8)			
LC50 - Fish [1]	10000 mg/l		
Alcohols (64-17-5)			
LC50 - Fish [1]	14200 mg/l		
EC50 - Crustacea [1]	5012 mg/l Ceriodaphnia dubia		
· · ·	30 12 mg/i Ochodapinila dubia		
EC50 - Other aquatic organisms [1]	5012 mg/l waterflea		
EC50 - Other aquatic organisms [1]	5012 mg/l waterflea		
EC50 - Other aquatic organisms [1] EC50 - Other aquatic organisms [2]	5012 mg/l waterflea 275 mg/l		
EC50 - Other aquatic organisms [1] EC50 - Other aquatic organisms [2] 12.2. Persistence and degradability	5012 mg/l waterflea 275 mg/l		
EC50 - Other aquatic organisms [1] EC50 - Other aquatic organisms [2] 12.2. Persistence and degradability CYCLONE MOUSSE AGRUMES - 10667 - AER	5012 mg/l waterflea 275 mg/l OSOL - IPC - 12x500mL Not established.		
EC50 - Other aquatic organisms [1] EC50 - Other aquatic organisms [2] 12.2. Persistence and degradability CYCLONE MOUSSE AGRUMES - 10667 - AER Persistence and degradability	5012 mg/l waterflea 275 mg/l OSOL - IPC - 12x500mL Not established.		
EC50 - Other aquatic organisms [1] EC50 - Other aquatic organisms [2] 12.2. Persistence and degradability CYCLONE MOUSSE AGRUMES - 10667 - AER Persistence and degradability 2-(2-butoxyethoxy)ethanol; diethylene glycol	5012 mg/l waterflea 275 mg/l OSOL - IPC - 12x500mL Not established. monobutyl ether (112-34-5)		
EC50 - Other aquatic organisms [1] EC50 - Other aquatic organisms [2] 12.2. Persistence and degradability CYCLONE MOUSSE AGRUMES - 10667 - AER Persistence and degradability 2-(2-butoxyethoxy)ethanol; diethylene glycol Persistence and degradability	5012 mg/l waterflea 275 mg/l OSOL - IPC - 12x500mL Not established. monobutyl ether (112-34-5)		
EC50 - Other aquatic organisms [1] EC50 - Other aquatic organisms [2] 12.2. Persistence and degradability CYCLONE MOUSSE AGRUMES - 10667 - AER Persistence and degradability 2-(2-butoxyethoxy)ethanol; diethylene glycol Persistence and degradability 2-AMINOETHANOL (141-43-5)	5012 mg/l waterflea 275 mg/l OSOL - IPC - 12x500mL Not established. monobutyl ether (112-34-5) Not established.		
EC50 - Other aquatic organisms [1] EC50 - Other aquatic organisms [2] 12.2. Persistence and degradability CYCLONE MOUSSE AGRUMES - 10667 - AER Persistence and degradability 2-(2-butoxyethoxy)ethanol; diethylene glycol Persistence and degradability 2-AMINOETHANOL (141-43-5) Persistence and degradability	5012 mg/l waterflea 275 mg/l OSOL - IPC - 12x500mL Not established. monobutyl ether (112-34-5) Not established. Not established.		
EC50 - Other aquatic organisms [1] EC50 - Other aquatic organisms [2] 12.2. Persistence and degradability CYCLONE MOUSSE AGRUMES - 10667 - AER Persistence and degradability 2-(2-butoxyethoxy)ethanol; diethylene glycol Persistence and degradability 2-AMINOETHANOL (141-43-5) Persistence and degradability Biodegradation	5012 mg/l waterflea 275 mg/l OSOL - IPC - 12x500mL Not established. monobutyl ether (112-34-5) Not established. Not established.		
EC50 - Other aquatic organisms [1] EC50 - Other aquatic organisms [2] 12.2. Persistence and degradability CYCLONE MOUSSE AGRUMES - 10667 - AER Persistence and degradability 2-(2-butoxyethoxy)ethanol; diethylene glycol Persistence and degradability 2-AMINOETHANOL (141-43-5) Persistence and degradability Biodegradation Dipropyleneglycol (34590-94-8)	5012 mg/l waterflea 275 mg/l OSOL - IPC - 12x500mL Not established. Mot established. Not established. Not established. Not established. Not established.		
EC50 - Other aquatic organisms [1] EC50 - Other aquatic organisms [2] 12.2. Persistence and degradability CYCLONE MOUSSE AGRUMES - 10667 - AER Persistence and degradability 2-(2-butoxyethoxy)ethanol; diethylene glycol Persistence and degradability 2-AMINOETHANOL (141-43-5) Persistence and degradability Biodegradation Dipropyleneglycol (34590-94-8) Persistence and degradability	5012 mg/l waterflea 275 mg/l OSOL - IPC - 12x500mL Not established. Mot established. Not established. Not established. Not established. Not established.		

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

12.3. Bioaccumulative potential

Bioaccumulative potential Not established.

didecyldimethylammonium chloride (7173-51-5)

Bioconcentration factor (BCF REACH)

2-(2-butoxyethoxy)ethanol; diethylene glycol monobutyl ether (112-34-5)

Bioaccumulative potential Not established

2-AMINOETHANOL (141-43-5)

Bioaccumulative potential Not established.

Dipropyleneglycol (34590-94-8)

Bioaccumulative potential Not established.

3-butoxypropan-2-ol; propylene glycol monobutyl ether (5131-66-8)

Bioaccumulative potential Not established.

Alcohols (64-17-5)

Partition coefficient n-octanol/water (Log Pow) -0.32

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Endocrine disrupting properties

No additional information available

12.7. Other adverse effects

Additional information : Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Product/Packaging disposal recommendations : Dispose in a safe manner in accordance with local/national regulations. Container under

pressure. Do not drill or burn even after use. Dispose of contents/container to le respect de

la réglementation locale.

Additional information : Flammable vapours may accumulate in the container.

Ecology - waste materials : Avoid release to the environment.

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

14.1. UN number or ID number

 UN-No. (ADR)
 : UN 1950

 UN-No. (IMDG)
 : UN 1950

 UN-No. (IATA)
 : UN 1950

 UN-No. (ADN)
 : UN 1950

 UN-No. (RID)
 : UN 1950

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

14.2. UN proper shipping name

Proper Shipping Name (ADR) : AEROSOLS Proper Shipping Name (IMDG) **AEROSOLS**

Proper Shipping Name (IATA) Aerosols, flammable, containing substances in class 8, packing group iii

Proper Shipping Name (ADN) : AEROSOLS Proper Shipping Name (RID) : AEROSOLS

Transport document description (ADR) : UN 1950 AEROSOLS, 2.1 (8), (D) Transport document description (IMDG) : UN 1950 AEROSOLS, 2.1 (8)

Transport document description (IATA) : UN 1950 Aerosols, flammable, containing substances in class 8, packing group iii, 2.1 (8)

Transport document description (ADN) : UN 1950 AEROSOLS, 2.1 (8) : UN 1950 AEROSOLS, 2.1 (8) Transport document description (RID)

14.3. Transport hazard class(es)

ADR

Transport hazard class(es) (ADR) : 2.1 (8) Danger labels (ADR) : 2.1, 8



IMDG

Transport hazard class(es) (IMDG) : 2.1 (8)

Danger labels (IMDG) 2.1, 8



IATA

Transport hazard class(es) (IATA) : 2.1 (8) Danger labels (IATA) 2.1, 8



ADN

Transport hazard class(es) (ADN) : 2.1 (8)

Danger labels (ADN) : 2.1, 8



RID

Transport hazard class(es) (RID) : 2.1 (8)

Danger labels (RID) 2.1, 8



14.4. Packing group

Packing group (ADR) : Not applicable Packing group (IMDG) : Not applicable Packing group (IATA) : Not applicable

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Packing group (ADN) : Not applicable Packing group (RID) : Not applicable

14.5. Environmental hazards

Dangerous for the environment : No Marine pollutant : No

Other information : No supplementary information available

14.6. Special precautions for user

Overland transport

Classification code (ADR) : 5FC

Special provisions (ADR) : 190, 327, 344, 625

Limited quantities (ADR) : 11

Excepted quantities (ADR) : E0

Packing instructions (ADR) : P207

Special packing provisions (ADR) : PP87, RR6, L2

Mixed packing provisions (ADR) : MP9
Transport category (ADR) : 1
Special provisions for carriage - Packages (ADR) : V14

Special provisions for carriage - Loading, unloading : CV9, CV12

and handling (ADR)

Special provisions for carriage - Operation (ADR) : S2 Tunnel restriction code (ADR) : D

Transport by sea

Special provisions (IMDG) : 63, 190, 277, 327, 344, 381, 959

Packing instructions (IMDG) : P207, LP200
Special packing provisions (IMDG) : PP87, L2
EmS-No. (Fire) : F-D
EmS-No. (Spillage) : S-U
Stowage category (IMDG) : None
Stowage and handling (IMDG) : SW1, SW22
Segregation (IMDG) : SG69

Air transport

PCA Excepted quantities (IATA) : E0
PCA Limited quantities (IATA) : Y203
PCA limited quantity max net quantity (IATA) : 30kgG
PCA packing instructions (IATA) : 203
PCA max net quantity (IATA) : 75kg
CAO packing instructions (IATA) : 203
CAO max net quantity (IATA) : 150kg

Special provisions (IATA) : A145, A167, A802

ERG code (IATA) : 10C

Inland waterway transport

Classification code (ADN) : 5FC

Special provisions (ADN) : 190, 327, 344, 625

Limited quantities (ADN) : 1 L
Excepted quantities (ADN) : E0

Equipment required (ADN) : PP, EP, EX, A Ventilation (ADN) : VE01, VE04

Number of blue cones/lights (ADN) : 1

Rail transport

Classification code (RID) : 5FC

Special provisions (RID) : 190, 327, 344, 625

Limited quantities (RID): 1LExcepted quantities (RID): E0Packing instructions (RID): P207, LP200Special packing provisions (RID): PP87, RR6, L2

Mixed packing provisions (RID) : MP9

9/22/2023 (Revision date) FR - en 13/17

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Transport category (RID) : 1
Special provisions for carriage – Packages (RID) : W14
Special provisions for carriage - Loading, unloading : CW9, CW12

and handling (RID)

Colis express (express parcels) (RID) : CE2 Hazard identification number (RID) : 238

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Other information, restriction and prohibition : Contient 8g/kg de chlorure de didécyl diméthyl ammonium (CAS : 7173-51-5). regulations

. ogalation o

REACH Annex XVII (Restriction List)

Contains no REACH substances with Annex XVII restrictions

REACH Annex XIV (Authorisation List)

Contains no REACH Annex XIV substances

REACH Candidate List (SVHC)

Contains no substance on the REACH candidate list

PIC Regulation (Prior Informed Consent)

Substances subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 july 2012 concerning the export and import of hazardous chemicals: Didecyldimethylammonium chloride (7173-51-5)

POP Regulation (Persistent Organic Pollutants)

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

Ozone Regulation (1005/2009)

Contains no substance subject to REGULATION (EU) No 1005/2009 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 September 2009 on substances that deplete the ozone layer.

Biocide Regulation (528/2012)

This product contains biocidal products

Type of product (Biocide) : 2 - Disinfectants and algaecides not intended for direct application to humans or animals, 4 -

Food and feed area

Authorisation number

Detergent Regulation (648/2004)

Labelling of contents		
Component	%	
aliphatic hydrocarbons	15-30%	
non-ionic surfactants, amphoteric surfactants	<5%	
disinfectants		
perfumes		

Explosives Precursors Regulation (2019/1148)

Contains no substance subject to Regulation (EU) 2019/1148 of the European Parliament and of the Council of 20 June 2019 on the marketing and use of explosives precursors.

Drug Precursors Regulation (273/2004)

Contains substance subject to Regulation (EC) 273/2004 of the European Parliament and of the Council of 11 February 2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

15.1.2. National regulations

France

Occupational diseases			
Code	Description		
RG 49	Skin disorders caused by aliphatic, alicyclic amines or ethanolamines		
RG 49 BIS	Respiratory disorders caused by aliphatic amines, ethanolamines or isophorone	ediamine	
RG 65	Eczematiform lesions of allergic mechanism		
RG 84 Conditions caused by liquid organic solvents for professional use: saturated or unsaturated aliphatic or cyclic liquid hydrocarbons and mixtures thereof; liquid halogenated hydrocarbons; nitrated derivatives of aliphatic hydrocarbons; alcohols; glycols, glycol ethers; ketones; aldehydes; aliphatic and cyclic ethers, including tetrahydrofuran; esters; dimethylformamide and dimethylacetamine; acetonitrile and propionitrile; pyridine; dimethylsulfone and dimethylsulfoxide			
Installations classées			
No ICPE	Désignation de la rubrique Code Régime Rayon		Rayon
4320.text	Aérosols extrêmement inflammables ou inflammables de catégorie 1 ou 2 contenant des gaz inflammables de catégorie 1 ou 2 ou des liquides inflammables de catégorie 1.		

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Indication of changes			
Section	Changed item	Change	Comments
	SDS Ref.	Modified	
	Revision date	Modified	
	Supersedes	Modified	
	Special provisions (IATA)	Added	
	Segregation (IMDG)	Added	
	Stowage and handling (IMDG)	Added	
	PCA Excepted quantities (IATA)	Added	
	Proper Shipping Name (IATA)	Modified	
	Packing instructions (RID)	Modified	
	CAO max net quantity (IATA)	Modified	
	CAO packing instructions (IATA)	Modified	
	PCA max net quantity (IATA)	Modified	
	PCA packing instructions (IATA)	Modified	
	PCA limited quantity max net quantity (IATA)	Modified	
	PCA Limited quantities (IATA)	Modified	
	Special provisions (IMDG)	Modified	
	Packing instructions (ADR)	Modified	
1.1	Product code	Modified	

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Indication of changes			
Section	Changed item	Change	Comments
2.1	Classification according to Regulation (EC) No. 1272/2008 [CLP]	Modified	
2.2	Precautionary statements (CLP)	Modified	
2.2	EUH-statements	Added	
2.2	Hazard statements (CLP)	Modified	
3	Composition/information on ingredients	Modified	
14.6	Special provisions (ADN)	Modified	
14.6	Packing instructions (IMDG)	Modified	

Data sources : REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE

COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and

amending Regulation (EC) No 1907/2006.

Other information : None.

Full text of H- and EUH-statements:		
Acute Tox. 3 (Dermal)	Acute toxicity (dermal), Category 3	
Acute Tox. 3 (Inhalation)	Acute toxicity (inhal.), Category 3	
Acute Tox. 4 (Dermal)	Acute toxicity (dermal), Category 4	
Acute Tox. 4 (Inhalation)	Acute toxicity (inhal.), Category 4	
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4	
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1	
Aquatic Chronic 2	Hazardous to the aquatic environment – Chronic Hazard, Category 2	
Aquatic Chronic 3	Hazardous to the aquatic environment – Chronic Hazard, Category 3	
Eye Dam. 1	Serious eye damage/eye irritation, Category 1	
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2	
Flam. Gas 1	Flammable gases, Category 1	
Flam. Liq. 2	Flammable liquids, Category 2	
Flam. Liq. 3	Flammable liquids, Category 3	
H220	Extremely flammable gas.	
H222	Extremely flammable aerosol.	
H225	Highly flammable liquid and vapour.	
H226	Flammable liquid and vapour.	
H229	Pressurised container: May burst if heated.	
H302	Harmful if swallowed.	
H311	Toxic in contact with skin.	
H312	Harmful in contact with skin.	
H314	Causes severe skin burns and eye damage.	
H315	Causes skin irritation.	
H318	Causes serious eye damage.	
H319	Causes serious eye irritation.	

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Full text of H- and EUH-statements:		
H331	Toxic if inhaled.	
H332	Harmful if inhaled.	
H335	May cause respiratory irritation.	
H400	Very toxic to aquatic life.	
H411	Toxic to aquatic life with long lasting effects.	
H412	Harmful to aquatic life with long lasting effects.	
Press. Gas	Gases under pressure	
Skin Corr. 1B	Skin corrosion/irritation, Category 1, Sub-Category 1B	
Skin Irrit. 2	Skin corrosion/irritation, Category 2	
STOT SE 3	Specific target organ toxicity – Single exposure, Category 3, Respiratory tract irritation	

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.