## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Reference number: PA1041 Issue date: 5/20/2014 Revision date: 11/16/2023 Supersedes version of: 1/28/2021 Version: 2.2

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier		
Product form	: Mixture	
Product name	: DAG 29	
Product code	: 101810	
Product group	: Trade product	
1.2. Relevant identified uses of the substance or mixture and uses advised against		
1.2.1. Relevant identified uses		
Industrial/Professional use spec	: Industrial	
	For professional use only	
1.2.2. Uses advised against		
No additional information available		
1.3. Details of the supplier of the sa	fety data sheet	
IPC		
10 Quai Malbert, 29200, BREST, FRANCE		
Tel. : +33 (0)2 98 43 45 44.		

Tel. : +33 (0)2 98 43 45 44. Fax : +33 (0)2 98 44 22 53 ipc@groupe-ipc.com

## 1.4. Emergency telephone number

No additional information available

## **SECTION 2: Hazards identification**

## 2.1. Classification of the substance or mixture

### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Flammable liquids, Category 2	H225
Skin corrosion/irritation, Category 2	H315
Serious eye damage/eye irritation, Category 2	H319
Specific target organ toxicity – Single exposure, Category 3,	H336
Narcosis	
Aspiration hazard, Category 1	H304
Hazardous to the aquatic environment – Chronic Hazard,	H411
Category 2	
Full text of H- and EUH-statements: see section 16	

Adverse physicochemical, human health and environmental effects

No additional information available

### 2.2. Label elements

### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)



Signal word (CLP) Contains

: Danger

: Hydrocarbures, C6-C7, n-alcanes, isoalcanes, cycliques, <5% n-hexane

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

<ul> <li>H225 - Highly flammable liquid and vapour.</li> <li>H304 - May be fatal if swallowed and enters airways.</li> <li>H315 - Causes skin irritation.</li> <li>H319 - Causes serious eye irritation.</li> <li>H336 - May cause drowsiness or dizziness.</li> <li>H411 - Toxic to aquatic life with long lasting effects.</li> </ul>
H315 - Causes skin irritation. H319 - Causes serious eye irritation. H336 - May cause drowsiness or dizziness.
H319 - Causes serious eye irritation. H336 - May cause drowsiness or dizziness.
H336 - May cause drowsiness or dizziness.
H411 - Toxic to aquatic life with long lasting effects.
: P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources.
No smoking.
P233 - Keep container tightly closed.
P240 - Ground and bond container and receiving equipment.
P261 - Avoid breathing vapours.
P273 - Avoid release to the environment.
P280 - Wear eye protection, face protection, protective gloves.
P301+P310 - IF SWALLOWED: Immediately call a POISON CENTER.
P312 - Call a doctor if you feel unwell.
P331 - Do NOT induce vomiting.
P337+P313 - If eye irritation persists: Get medical advice/attention.
P362+P364 - Take off contaminated clothing and wash it before reuse.
P391 - Collect spillage.
P403+P233 - Store in a well-ventilated place. Keep container tightly closed.
P501 - Dispose of contents and container to compliance with local regulations.

## 2.3. Other hazards

Contains no PBT/vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

# SECTION 3: Composition/information on ingredients

## 3.1. Substances

### Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Hydrocarbures, C6-C7, n-alcanes, isoalcanes, cycliques, <5% n-hexane	EC-No.: 921-024-6 REACH-no: 01-2119475514- 35	50 – 80	Flam. Liq. 2, H225 Skin Irrit. 2, H315 STOT SE 3, H336 Asp. Tox. 1, H304 Aquatic Chronic 2, H411
ethanol; ethyl alcohol substance with national workplace exposure limit(s) (FR)	CAS-No.: 64-17-5 EC-No.: 200-578-6 EC Index-No.: 603-002-00-5	10 – 20	Flam. Liq. 2, H225 Eye Irrit. 2, H319
propan-2-ol; isopropyl alcohol; isopropanol	CAS-No.: 67-63-0 EC-No.: 200-661-7 EC Index-No.: 603-117-00-0 REACH-no: 01-2119457558- 25	10 – 20	Flam. Liq. 2, H225 Eye Irrit. 2, H319 STOT SE 3, H336
BUTOXYETHANOL substance with national workplace exposure limit(s) (FR)	REACH-no: 01-2119475108- 36	5 – 10	Acute Tox. 4 (Oral), H302 Acute Tox. 3 (Inhalation:dust,mist), H331 Skin Irrit. 2, H315 Eye Irrit. 2, H319

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Specific concentration limits:		
Name	Product identifier	Specific concentration limits (%)
ethanol; ethyl alcohol	CAS-No.: 64-17-5 EC-No.: 200-578-6 EC Index-No.: 603-002-00-5	(50 ≤ C < 100) Eye Irrit. 2, H319

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures	
4.1. Description of first aid measures	
First-aid measures general	: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/doctor if you feel unwell.
First-aid measures after skin contact	: Rinse skin with water/shower. Take off immediately all contaminated clothing. Wash with plenty of water/ Wash contaminated clothing before reuse. If skin irritation occurs: Get medical advice/attention. Get medical advice/attention. Specific treatment (see précautions d'emploi on this label).
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. Get medical advice/attention.
First-aid measures after ingestion	: Rinse mouth. Do NOT induce vomiting. Immediately call a POISON CENTER/doctor.
4.2. Most important symptoms and effects,	both acute and delayed
Symptoms/effects after inhalation Symptoms/effects after skin contact Symptoms/effects after eye contact Symptoms/effects after ingestion	<ul> <li>May cause respiratory irritation. May cause drowsiness or dizziness.</li> <li>Causes skin irritation.</li> <li>Causes serious eye irritation.</li> <li>May be fatal if swallowed and enters airways.</li> </ul>

4.3. Indication of any immediate medical attention and special treatment needed

Notes to physician.

SECTION 5: Firefighting measures		
5.1. Extinguishing media		
Suitable extinguishing media Unsuitable extinguishing media	<ul><li>Foam. Dry powder. Carbon dioxide. Water spray. Sand.</li><li>Do not use a heavy water stream.</li></ul>	
5.2. Special hazards arising from the substance or mixture		
Fire hazard Explosion hazard	<ul><li>Highly flammable liquid and vapour.</li><li>May form flammable/explosive vapour-air mixture.</li></ul>	
5.3. Advice for firefighters		
Firefighting instructions	: Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire fighting water from entering the environment.	
Protection during firefighting	: Do not enter fire area without proper protective equipment, including respiratory protection.	

SECTION 6: Accidental release measures		
6.1. Personal precautions, protective equip	ment and emergency procedures	
General measures	: Remove ignition sources. Use special care to avoid static electric charges. No open flames. No smoking.	

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

6.1.1. For non-emergency personnel Emergency procedures	: Evacuate unnecessary personnel.
6.1.2. For emergency responders Protective equipment Emergency procedures	<ul><li>Equip cleanup crew with proper protection. Avoid breathing vapeurs.</li><li>Ventilate area.</li></ul>
6.2. Environmental precautions	

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters. Avoid release to the environment.

6.3. Methods and material for containment and cleaning up		
Methods for cleaning up	: Store away from other materials.	
6.4. Reference to other sections		

See Section 8. Exposure controls and personal protection.

SECTION 7: Handling and storage			
7.1. Precautions for safe handling			
Additional hazards when processed Precautions for safe handling Hygiene measures	<ul> <li>Handle empty containers with care because residual vapours are flammable.</li> <li>Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapour. No open flames. No smoking. Use only non-sparking tools. Avoid breathing vapeurs. Use only outdoors or in a well-ventilated area.</li> <li>Wash les mains thoroughly after handling.</li> </ul>		
7.2. Conditions for safe storage, including any incompatibilities			
Technical measures	: Proper grounding procedures to avoid static electricity should be followed. Ground/bond container and receiving equipment. Use explosion-proof électrique equipment.		
Storage conditions	: Keep only in the original container in a cool, well ventilated place away from : sources d'ignition. Keep in fireproof place. Keep container tightly closed.		
Incompatible products Incompatible materials	<ul><li>Strong bases. Strong acids.</li><li>Sources of ignition. Direct sunlight. Heat sources.</li></ul>		
7.3. Specific end use(s)			

No additional information available

## 8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

BUTOXYETHANOL		
France - Occupational Exposure Limits		
VME (OEL TWA)     49 mg/m³		
VME (OEL TWA) [ppm]	10 ppm	
VLE (OEL C/STEL)	246 mg/m³	
VLE (OEL C/STEL) [ppm]	50 ppm	
ethanol; ethyl alcohol (64-17-5)		
France - Occupational Exposure Limits		
Local name	Alcool éthylique	
VME (OEL TWA)	1900 mg/m³	

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

ethanol; ethyl alcohol (64-17-5)	
VME (OEL TWA) [ppm]	1000 ppm
VLE (OEL C/STEL)	9500 mg/m³
VLE (OEL C/STEL) [ppm]	5000 ppm

### 8.1.2. Recommended monitoring procedures

No additional information available

#### 8.1.3. Air contaminants formed

No additional information available

#### 8.1.4. DNEL and PNEC

No additional information available

#### 8.1.5. Control banding

No additional information available

**8.2. Exposure controls** 

#### 8.2.1. Appropriate engineering controls

No additional information available

### 8.2.2. Personal protection equipment

### Personal protective equipment:

Safety glasses. Gloves. Gas mask. Protective clothing.

Personal protective equipment symbol(s):



#### 8.2.2.1. Eye and face protection

**Eye protection:** Chemical goggles or safety glasses

#### 8.2.2.2. Skin protection

Skin and body protection: Wear suitable protective clothing

#### Hand protection:

Wear protective gloves.

#### 8.2.2.3. Respiratory protection

#### **Respiratory protection:**

Where exposure through inhalation may occur from use, respiratory protection equipment is recommended. [In case of inadequate ventilation] wear respiratory protection.

#### 8.2.2.4. Thermal hazards

No additional information available

#### 8.2.3. Environmental exposure controls

#### Other information:

Do not eat, drink or smoke during use.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

#### Physical state Colour

: Liquid : Colourless.

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Odour	· characteristic
Odour threshold	· Not available
Melting point	: Not available
Freezing point	: Not available
Boiling point	: Not available
Flammability	: Highly flammable liquid and vapour.
Lower explosion limit	: Not available
Upper explosion limit	: Not available
Flash point	: Not available
Auto-ignition temperature	: Not available
Decomposition temperature	: Not available
pH	: Not available
Viscosity, kinematic	: Not available
Solubility	: Not available
Partition coefficient n-octanol/water (Log Kow)	: Not available
Vapour pressure	: Not available
Vapour pressure at 50 °C	: Not available
Density	: Not available
Relative density	: 0.71
Relative vapour density at 20 °C	: Not available
Particle characteristics	: Not applicable

## 9.2. Other information

## 9.2.1. Information with regard to physical hazard classes

No additional information available

### 9.2.2. Other safety characteristics

No additional information available

# SECTION 10: Stability and reactivity

## 10.1. Reactivity

No additional information available

10.2. Chemical stability

Not established. Highly flammable liquid and vapour. May form flammable/explosive vapour-air mixture.

10.3. Possibility of hazardous reactions

### Not established.

10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures. Open flame.

10.5. Incompatible materials

Strong acids. Strong bases.

10.6. Hazardous decomposition products

fume. Carbon monoxide. Carbon dioxide. May release flammable gases.

SECTION 11: Toxicological information		
11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008		
Acute toxicity (oral)	: Not classified	

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

BUTOXYETHANOL	
LD50 oral rat	1746 mg/kg
LD50 oral	1746 mg/kg bodyweight
LD50 dermal	435 mg/kg bodyweight
LC50 Inhalation - Rat (Dust/Mist)	2200 mg/l
Hydrocarbures, C6-C7, n-alcanes, isoalcanes	, cycliques, <5% n-hexane
LD50 oral rat	> 5840 mg/kg
LD50 dermal rat	> 2920 mg/kg
LC50 Inhalation - Rat	> 25200 mg/m³
propan-2-ol; isopropyl alcohol; isopropanol (	67-63-0)
LD50 oral rat	5840 mg/kg
LD50 dermal rabbit	13900 mg/kg
LC50 Inhalation - Rat	> 25 mg/l
ethanol; ethyl alcohol (64-17-5)	
LD50 oral rat	10470 mg/kg
LD50 dermal rabbit	> 2000 mg/kg
LC50 Inhalation - Rat	124.7 mg/l
Skin corrosion/irritation       :         Serious eye damage/irritation       :         Respiratory or skin sensitisation       :         Additional information       :         Germ cell mutagenicity       :         Additional information       :         Carcinogenicity       :         Additional information       :         Carcinogenicity       :         Additional information       :         Reproductive toxicity       :         Additional information       :         STOT-single exposure       :         Hydrocarbures, C6-C7, n-alcanes, isoalcanes         STOT-single exposure       :         Additional information       :         Aspiration hazard </td <td>May cause drowsiness or dizziness.         67-63-0)         May cause drowsiness or dizziness.         Not classified         Based on available data, the classification criteria are not met         May be fatal if swallowed and enters airways.</td>	May cause drowsiness or dizziness.         67-63-0)         May cause drowsiness or dizziness.         Not classified         Based on available data, the classification criteria are not met         May be fatal if swallowed and enters airways.
Hydrocarbures, C6-C7, n-alcanes, isoalcanes	, cycliques, <5% n-hexane
Viscosity, kinematic	0.52 mm²/s
11.2. Information on other hazards	
11.2.1. Endocrine disrupting properties	
No additional information available	
11.2.2. Other information	
Potential adverse human health effects and : symptoms	Based on available data, the classification criteria are not met

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### **SECTION 12: Ecological information** 12.1. Toxicity Ecology - water : Toxic to aquatic life with long lasting effects. Hazardous to the aquatic environment, short-term : Not classified (acute) Hazardous to the aquatic environment, long-term : Toxic to aquatic life with long lasting effects. (chronic) **BUTOXYETHANOL** 1474 mg/l LC50 - Fish [1] EC50 - Crustacea [1] 1550 mg/l EC50 - Other aquatic organisms [1] 1550 mg/l waterflea EC50 - Other aquatic organisms [2] 911 mg/l Hydrocarbures, C6-C7, n-alcanes, isoalcanes, cycliques, <5% n-hexane LC50 - Fish [1] 11.4 mg/l EC50 - Crustacea [1] 3 mg/l propan-2-ol; isopropyl alcohol; isopropanol (67-63-0) LC50 - Fish [1] 9640 mg/l EC50 - Crustacea [1] 9714 mg/l 12.2. Persistence and degradability **DAG 29** Persistence and degradability May cause long-term adverse effects in the environment.

BUTOXYETHANOL		
Persistence and degradability	Not established.	
Hydrocarbures, C6-C7, n-alcanes, isoalcanes, cycliques, <5% n-hexane		
Persistence and degradability	Not established.	
propan-2-ol; isopropyl alcohol; isopropanol (67-63-0)		
Persistence and degradability	Not established.	

## 12.3. Bioaccumulative potential

DAG 29		
Bioaccumulative potential	Not established.	
BUTOXYETHANOL		
Partition coefficient n-octanol/water (Log Pow) 0.8		
Bioaccumulative potential	Not established.	
Hydrocarbures, C6-C7, n-alcanes, isoalcanes, cycliques, <5% n-hexane		
Bioaccumulative potential	Not established.	
propan-2-ol; isopropyl alcohol; isopropanol (67-63-0)		
Bioaccumulative potential	Not established.	

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878


12.4. Mobility in soil	
No additional information available	
12.5. Results of PBT and vPvB assessment	
No additional information available	
12.6. Endocrine disrupting properties	
No additional information available	
12.7. Other adverse effects	
Additional information	: Avoid release to the environment.

SECTION 13: Disposal considerations	
13.1. Waste treatment methods	
Product/Packaging disposal recommendations	<ul> <li>Dispose in a safe manner in accordance with local/national regulations. Dispose of contents/container to le respect de la réglementation locale.</li> </ul>
Additional information Ecology - waste materials	<ul> <li>Handle empty containers with care because residual vapours are flammable.</li> <li>Avoid release to the environment. Hazardous waste due to toxicity.</li> </ul>

SECTION 14: Transport information	
In accordance with ADR / IMDG / IATA / ADN / RI	D
14.1. UN number or ID number	
UN-No. (ADR) UN-No. (IMDG) UN-No. (IATA) UN-No. (ADN) UN-No. (RID)	<ul> <li>UN 1993</li> <li>UN 1993</li> <li>UN 1993</li> <li>UN 1993</li> <li>UN 1993</li> <li>UN 1993</li> </ul>
14.2. UN proper shipping name	
Proper Shipping Name (ADR) Proper Shipping Name (IMDG) Proper Shipping Name (IATA) Proper Shipping Name (ADN) Proper Shipping Name (RID) Transport document description (ADR) Transport document description (IMDG)	<ul> <li>FLAMMABLE LIQUID, N.O.S.</li> <li>UN 1993 FLAMMABLE LIQUID, N.O.S. (contenant de l'Hydrocarbures, C6-C7, n-alcanes, isoalcanes, cycliques, &lt;5% n-hexane et de l'éthanol), 3, II, (D/E)</li> <li>UN 1993 FLAMMABLE LIQUID, N.O.S. (contenant de l'Hydrocarbures, C6-C7, n-alcanes, isoalcanes, cycliques, &lt;5% n-hexane et de l'éthanol), 3, II, MARINE POLLUTANT/ENVIRONMENTALLY HAZARDOUS</li> <li>UN 1993 Flammable liquid, n.o.s. (contenant de l'Hydrocarbures, C6-C7, n-alcanes, isoalcanes, cycliques, &lt;5% n-hexane et de l'éthanol), 3, II, MARINE POLLUTANT/ENVIRONMENTALLY HAZARDOUS</li> </ul>
Transport document description (ADN)	<ul> <li>UN 1993 FLAMMABLE LIQUID, N.O.S. (contenant de l'Hydrocarbures, C6-C7, n-alcanes, isoalcanes, cycliques, &lt;5% n-hexane et de l'éthanol), 3, II, ENVIRONMENTALLY HAZARDOUS</li> </ul>
Transport document description (RID)	<ul> <li>UN 1993 FLAMMABLE LIQUID, N.O.S. (contenant de l'Hydrocarbures, C6-C7, n-alcanes, isoalcanes, cycliques, &lt;5% n-hexane et de l'éthanol), 3, II, ENVIRONMENTALLY HAZARDOUS</li> </ul>
14.3. Transport hazard class(es)	
ADR Transport hazard class(es) (ADR) Danger labels (ADR)	: 3 : 3

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878



# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Portable tank and bulk container special provisions (ADR)	: TP1, TP8, TP28
Tank code (ADR)	: L1.5BN
Vehicle for tank carriage	: FL
Transport category (ADR)	: 2
Special provisions for carriage - Operation (ADR)	: S2, S20
Hazard identification number (Kemler No.)	: 33
Orange plates	: 33
	33
	<u>33</u> 1993
Tunnel restriction code (ADR)	: D/E
Transport by sea	
Special provisions (IMDG)	: 274
Limited quantities (IMDG)	: 1L
Excepted quantities (IMDG)	: E2
Packing instructions (IMDG)	: P001
IBC packing instructions (IMDG)	: IBC02
Tank instructions (IMDG)	: T7
Tank special provisions (IMDG)	: TP1, TP28, TP8 : F-E
EmS-No. (Fire) EmS-No. (Spillage)	: S-E
Stowage category (IMDG)	: B
Air transport	
PCA Excepted quantities (IATA)	: E2
PCA Limited quantities (IATA)	: Y341
PCA limited quantity max net quantity (IATA)	: 1L
PCA packing instructions (IATA)	: 353
PCA max net quantity (IATA) CAO packing instructions (IATA)	: 5L : 364
CAO max net quantity (IATA)	: 60L
Special provisions (IATA)	: A3
ERG code (IATA)	: 3H
Inland waterway transport	
Classification code (ADN)	: F1
Special provisions (ADN) Limited quantities (ADN)	: 274, 601, 640C
Excepted quantities (ADN)	: 1L : E2
Equipment required (ADN)	: PP, EX, A
Ventilation (ADN)	: VE01
Number of blue cones/lights (ADN)	: 1
<b>- - - - - - - - - -</b>	
Rail transport	. 54
Classification code (RID)	: F1
Special provisions (RID) Limited quantities (RID)	: 274, 601, 640C : 1L
Excepted quantities (RID)	: E2
Packing instructions (RID)	: P001
Mixed packing provisions (RID)	: MP19
Portable tank and bulk container instructions (RID)	: T7
Portable tank and bulk container special provisions	: TP1, TP8, TP28
(RID)	
Tank codes for RID tanks (RID)	: L1.5BN
Transport category (RID)	: 2
Colis express (express parcels) (RID)	: CE7
Hazard identification number (RID)	: 33

14.7. Maritime transport in bulk according to IMO instruments

### Not applicable

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### **SECTION 15: Regulatory information**

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

### **REACH Annex XVII (Restriction List)**

Contains no REACH substances with Annex XVII restrictions

#### **REACH Annex XIV (Authorisation List)**

Contains no REACH Annex XIV substances

#### **REACH Candidate List (SVHC)**

Contains no substance on the REACH candidate list

#### PIC Regulation (Prior Informed Consent)

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

### **POP Regulation (Persistent Organic Pollutants)**

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

### Ozone Regulation (1005/2009)

Contains no substance subject to REGULATION (EU) No 1005/2009 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 September 2009 on substances that deplete the ozone layer.

### **Explosives Precursors Regulation (2019/1148)**

Contains no substance subject to Regulation (EU) 2019/1148 of the European Parliament and of the Council of 20 June 2019 on the marketing and use of explosives precursors.

## Drug Precursors Regulation (273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on drug precursors)

#### 15.1.2. National regulations

#### France

Occupational diseases			
Code	Description		
RG 84	Conditions caused by liquid organic solvents for professional use: saturated or unsaturated aliphatic or cyclic liquid hydrocarbons and mixtures thereof; liquid halogenated hydrocarbons; nitrated derivatives of aliphatic hydrocarbons; alcohols; glycols, glycol ethers; ketones; aldehydes; aliphatic and cyclic ethers, including tetrahydrofuran; esters; dimethylformamide and dimethylacetamine; acetonitrile and propionitrile; pyridine; dimethylsulfone and dimethylsulfoxide		
Installations classées			
No ICPE	Désignation de la rubrique	Code Régime	Rayon
4331.text	Liquides inflammables de catégorie 2 ou catégorie 3 à l'exclusion de la rubrique 4330. La quantité totale susceptible d'être présente dans les installations y compris dans les cavités souterraines étant :		
4511.text	Dangereux pour l'environnement aquatique de catégorie chronique 2.		

### **15.2. Chemical safety assessment**

No chemical safety assessment has been carried out

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

# SECTION 16: Other information

Indication of changes				
Section	Changed item	Change	Comments	
	Packing group (RID)	Added		
	Revision date	Modified		
	Supersedes	Modified		
	Proper Shipping Name (RID)	Added		
	Hazard identification number (RID)	Added		
	Colis express (express parcels) (RID)	Added		
	Transport category (RID)	Added		
	Tank codes for RID tanks (RID)	Added		
	Portable tank and bulk container special provisions (RID)	Added		
	Portable tank and bulk container instructions (RID)	Added		
	Mixed packing provisions (RID)	Added		
	Packing instructions (RID)	Added		
	Excepted quantities (RID)	Added		
	Limited quantities (RID)	Added		
	Special provisions (RID)	Added		
	Classification code (RID)	Added		
	Special provisions for carriage - Operation (ADR)	Added		
	Tank code (ADR)	Added		
	Portable tank and bulk container special provisions (ADR)	Added		
	Portable tank and bulk container instructions (ADR)	Added		
	Mixed packing provisions (ADR)	Added		
	Packing instructions (ADR)	Added		
	Ventilation (ADN)	Added		
	Limited quantities (ADN)	Added		
	Danger labels (ADN)	Added		
	Excepted quantities (ADN)	Added		
	Equipment required (ADN)	Added		
	Classification code (ADN)	Added		
	Number of blue cones/lights (ADN)	Added		
	Tank special provisions (IMDG)	Added		
	Tank instructions (IMDG)	Added		
	Stowage category (IMDG)	Added		
	Special provisions (IMDG)	Added		

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Indication of changes					
Section	Changed item	Change	Comments		
	Proper Shipping Name (IMDG)	Added			
	Limited quantities (IMDG)	Added			
	IBC packing instructions (IMDG)	Added			
	Excepted quantities (IMDG)	Added			
	EmS-No. (Spillage)	Added			
	EmS-No. (Fire)	Added			
	Special provisions (IATA)	Added			
	Proper Shipping Name (IATA)	Added			
	PCA packing instructions (IATA)	Added			
	PCA max net quantity (IATA)	Added			
	PCA limited quantity max net quantity (IATA)	Added			
	PCA Limited quantities (IATA)	Added			
	PCA Excepted quantities (IATA)	Added			
	ERG code (IATA)	Added			
	CAO packing instructions (IATA)	Added			
	CAO max net quantity (IATA)	Added			
	Danger labels (IMDG)	Added			
	Danger labels (IATA)	Added			
2.2	Precautionary statements (CLP)	Modified			
14.2	Proper Shipping Name (ADN)	Added			
14.4	Packing group (ADN)	Added			
14.4	Packing group (IMDG)	Added			
14.4	Packing group (IATA)	Added			
14.6	Special provisions (ADN)	Added			
14.6	Packing instructions (IMDG)	Added			

Data sources

 REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.
 None.

## Other information

Full text of H- and EUH-statements:		
Acute Tox. 3 (Inhalation:dust,mist)	Acute toxicity (inhalation:dust,mist) Category 3	
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4	
Aquatic Chronic 2	Hazardous to the aquatic environment – Chronic Hazard, Category 2	
Asp. Tox. 1	Aspiration hazard, Category 1	
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2	
Flam. Liq. 2	Flammable liquids, Category 2	
H225	Highly flammable liquid and vapour.	

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Full text of H- and EUH-statements:		
H302	Harmful if swallowed.	
H304	May be fatal if swallowed and enters airways.	
H315	Causes skin irritation.	
H319	Causes serious eye irritation.	
H331	Toxic if inhaled.	
H336	May cause drowsiness or dizziness.	
H411	Toxic to aquatic life with long lasting effects.	
Skin Irrit. 2	Skin corrosion/irritation, Category 2	
STOT SE 3	Specific target organ toxicity – Single exposure, Category 3, Narcosis	

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.