# SAFETY DATA SHEET

(REACH regulation (EC) n° 1907/2006 - n° 2020/878)

# SECTION 1 : IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

## 1.1. Product identifier

Product name : DECAPRO 2 Product code : 101404

# 1.2. Relevant identified uses of the substance or mixture and uses advised against

N/A

Unsevised use :

All other uses

# 1.3. Details of the supplier of the safety data sheet

IPC

10 Quai Malbert, 29200, BREST, FRANCE. Tel. : +33 (0)2 98 43 45 44. Fax : +33 (0)2 98 44 22 53 ipc@groupe-ipc.com

# 1.4. Emergency telephone number : +33 (0)1 45 42 59 59.

Association/Organisation : INRS / ORFILA http://www.centres-antipoison.net.

# SECTION 2 : HAZARDS IDENTIFICATION

# 2.1. Classification of the substance or mixture

# In compliance with EC regulation No. 1272/2008 and its amendments.

Substance that is corrosive to metals, Category 1 (Met. Corr. 1, H290).

Skin corrosion, Category 1 (Skin Corr. 1, H314).

Serious eye damage, Category 1 (Eye Dam. 1, H318).

This mixture does not present an environmental hazard. No known or foreseeable environmental damage under standard conditions of use.

## 2.2. Label elements

Detergent mixture (see section 15).

# In compliance with EC regulation No. 1272/2008 and its amendments.

Hazard pictograms :

4

GHS05 Signal Word : DANGER Product identifiers : EC 215-185-5 SODIUM HYDROXIDE
Signal Word :   DANGER   Product identifiers :   EC 215-185-5   SODIUM HYDROXIDE
DANGER Product identifiers : EC 215-185-5 SODIUM HYDROXIDE
Product identifiers : EC 215-185-5 SODIUM HYDROXIDE
EC 215-185-5 SODIUM HYDROXIDE
Hazard statements :
H290 May be corrosive to metals.
H314 Causes severe skin burns and eye damage.
Precautionary statements - Prevention :
P234 Keep only in original packaging.
P264 Wash thoroughly after handling.
P280 Wear protective gloves/protective clothing/eye protection/face protection.
Precautionary statements - Response :
P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].
P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310 Immediately call a POISON CENTER/doctor/

Other information :

# 2.3. Other hazards

The mixture does not contain substances classified as 'Substances of Very High Concern' (SVHC) >= 0.1% published by the European CHemicals Agency (ECHA) under article 57 of REACH: http://echa.europa.eu/fr/candidate-list-table

The mixture fulfils neither the PBT nor the vPvB criteria for mixtures in accordance with annexe XIII of the REACH regulations EC 1907/2006.

The mixture does not contain substances> = 0.1% with endocrine disrupting properties in accordance with the criteria of the Delegated Regulation (EU) 2017/2100 of the Commission or Regulation (EU) 2018/605 of the Commission.

# SECTION 3 : COMPOSITION/INFORMATION ON INGREDIENTS

# 3.2. Mixtures

Composition	٠
Composition	٠

Identification	(EC) 1272/2008	Note	%
INDEX: 603-096-00-8	GHS07	[1]	2.5 <= x % < 10
CAS: 112-34-5	Wng	[XVII]	
EC: 203-961-6	Eye Irrit. 2, H319		
2-(2-BUTOXYETHOXY)ETHANOL			
INDEX: 603-030-00-8	GHS05, GHS07	[1]	$0 \le x \% \le 2.5$
CAS: 141-43-5	Dgr		
EC: 205-483-3	Acute Tox. 4, H332		
	Acute Tox. 4, H312		
2-AMINOETHANOL	Acute Tox. 4, H302		
	Skin Corr. 1B, H314		
CAS: 1310-73-2	GHS05, GHS07	[1]	$0 \le x \% \le 2.5$
EC: 215-185-5	Dgr		
	Met. Corr. 1, H290		
SODIUM HYDROXIDE	Skin Corr. 1A, H314		
	STOT SE 3, H335		

Specific concentration limits:		
Identification	Specific concentration limits	ATE
INDEX: 603-030-00-8	STOT SE 3: H335 C>= 5%	
CAS: 141-43-5		
EC: 205-483-3		
2-AMINOETHANOL		
CAS: 1310-73-2	Skin Corr. 1A: H314 C>= 5%	
EC: 215-185-5	Skin Corr. 1B: H314 2% <= C < 5%	
	Skin Irrit. 2: H315 0.5% <= C < 2%	
SODIUM HYDROXIDE	Eye Dam. 1: H318 C>= 2%	
	Eye Irrit. 2: H319 0.5% <= C < 2%	

### **Information on ingredients :**

(Full text of H-phrases: see section 16)

[XVII] Restricted substance under Regulation (EC) No. 1907/2006 (REACH), Annex XVII.

[1] Substance for which maximum workplace exposure limits are available.

# **SECTION 4 : FIRST AID MEASURES**

As a general rule, in case of doubt or if symptoms persist, always call a doctor.

NEVER induce swallowing by an unconscious person.

# 4.1. description of first aid measures

In the event of exposure by inhalation :

Remove to fresh air. In case of accident or if you feel unwell, seek medical advice.  $N\!/\!A$ 

### In the event of splashes or contact with eyes :

Wash thoroughly with fresh, clean water for 15 minutes holding the eyelids open.

Regardless of the initial state, refer the patient to an ophthalmologist and show him the label.

## In the event of splashes or contact with skin :

Remove any soiled or splashed clothing immediately.

Watch out for any remaining product between skin and clothing, watches, shoes, etc.

If the contaminated aera is widespread and/or there is damage to the skin, a doctor must be consulted or the patient transferred to hospital. Rinse with water.

## In the event of swallowing :

Do not give the patient anything orally.

In the event of swallowing, if the quantity is small (no more than one mouthful), rinse the mouth with water and consult a doctor.

Keep the person exposed at rest. Do not force vomiting.

Seek medical attention immediately, showing the label.

If swallowed accidentally, call a doctor to ascertain whether observation and hospital care will be necessary. Show the label.

To be translated (XML)

## 4.2. Most important symptoms and effects, both acute and delayed

No data available.

**4.3. Indication of any immediate medical attention and special treatment needed** No data available.

# **SECTION 5 : FIREFIGHTING MEASURES**

Non-flammable.

# 5.1. Extinguishing media

## Suitable methods of extinction

- In the event of a fire, use :
- sprayed water or water mist
- carbon dioxide (CO2)
- foam
- powder

## Unsuitable methods of extinction

In the event of a fire, do not use :

- water jet

# 5.2. Special hazards arising from the substance or mixture

A fire will often produce a thick black smoke. Exposure to decomposition products may be hazardous to health.

Do not breathe in smoke.

In the event of a fire, the following may be formed :

- carbon monoxide (CO)

- carbon dioxide (CO2)

## 5.3. Advice for firefighters

Stakeholders must be equipped with fire protection clothing and self-contained breathing apparatus

# SECTION 6 : ACCIDENTAL RELEASE MEASURES

# 6.1. Personal precautions, protective equipment and emergency procedures

Consult the safety measures listed under headings 7 and 8.

### For non first aid worker

Avoid any contact with the skin and eyes.

### For first aid worker

First aid workers will be equipped with suitable personal protective equipment (See section 8).

## 6.2. Environmental precautions

Contain and control the leaks or spills with non-combustible absorbent materials such as sand, earth, vermiculite, diatomaceous earth in drums for waste disposal.

Prevent any material from entering drains or waterways.

# 6.3. Methods and material for containment and cleaning up

## Neutralise with an acidic decontaminant.

If the ground is contaminated, once the product has been recovered by sponging with an inert and non-combustible absorbent material, wash the contaminated area in plenty of water.

Clean preferably with a detergent, do not use solvents.

# 6.4. Reference to other sections

No data available.

# **SECTION 7 : HANDLING AND STORAGE**

Requirements relating to storage premises apply to all facilities where the mixture is handled.

## 7.1. Precautions for safe handling

#### Always wash hands after handling.

Remove and wash contaminated clothing before re-using.

Ensure that there is adequate ventilation, especially in confined areas.

Emergency showers and eye wash stations will be required in facilities where the mixture is handled constantly.

## Fire prevention :

Handle in well-ventilated areas.

Prevent access by unauthorised personnel.

# Recommended equipment and procedures :

For personal protection, see section 8.

Observe precautions stated on label and also industrial safety regulations.

Packages which have been opened must be reclosed carefully and stored in an upright position.

#### Prohibited equipment and procedures :

No smoking, eating or drinking in areas where the mixture is used.

# 7.2. Conditions for safe storage, including any incompatibilities

No data available.

# Storage

Keep the container tightly closed in a dry, well-ventilated place.

The floor must be impermeable and form a collecting basin so that, in the event of an accidental spillage, the liquid cannot spread beyond this area.

Keep out of reach of children.

Store away from frost and heat.

# Packaging

Always keep in packaging made of an identical material to the original.

## 7.3. Specific end use(s)

No data available.

# SECTION 8 : EXPOSURE CONTROLS/PERSONAL PROTECTION

## 8.1. Control parameters

### **Occupational exposure limits :**

- Germany - AGW (	BAuA - TRGS	900, 02/2022) :		
CAS	VME :	VME :	Excess	Notes
112-34-5		10 ppm		1.5 (I)
		67 mg/m <sup>3</sup>		
141-43-5		0.2 ppm		1(I)
		$0.5 \text{ mg/m}^3$		

- France (INRS - Outils 65 / 2021-1849, 2021-1763, decree of 09/12/2021) :

CAS	VME-ppm :	VME-mg/m3 :	VLE-ppm :	VLE-mg/m3 :	Notes :	TMP No :
112-34-5	10	67.5	15	101.2	-	-
141-43-5	1	2.5	3	7.6	-	49. 49 Bis
1310-73-2	-	2	-	-	-	-

- Switzerland (Suva 2021) :

CAS	VMÉ	VLE	Valeur plafond Notations
112-34-5	10 ppm	15 ppm	
	$67 \text{ mg/m}^3$	$101 \text{ mg/m}^3$	
141-43-5	2 ppm	4 ppm	
	5 mg/m <sup>3</sup>	$10 \text{ mg/m}^3$	
1310-73-2	2 ppm	2 ppm	

- UK / WEL (Workplace exposure limits, EH40/2005, Fourth Edition 2020) :

CAS	TWA:	STEL:	Ceiling :	Definition :	Criteria :
112-34-5	10 ppm	15 ppm			
	67.5 mg/m <sup>3</sup>	101.2 mg/m <sup>3</sup>			
141-43-5	1 ppm	3 ppm		Sk	
	2.5 mg/m <sup>3</sup>	7.6 mg/m <sup>3</sup>			
1310-73-2		2 mg/m <sup>3</sup>			

## 8.2. Exposure controls

# Personal protection measures, such as personal protective equipment

Pictogram(s) indicating the obligation of wearing personal protective equipment (PPE) :



Use personal protective equipment that is clean and has been properly maintained.

Store personal protective equipment in a clean place, away from the work area.

Never eat, drink or smoke during use. Remove and wash contaminated clothing before re-using. Ensure that there is adequate ventilation, especially in confined areas.

# - Eye / face protection

Avoid contact with eyes.

Use eye protectors designed to protect against liquid splashes

Before handling, wear safety goggles with protective sides accordance with standard EN166.

In the event of high danger, protect the face with a face shield.

Prescription glasses are not considered as protection.

Individuals wearing contact lenses should wear prescription glasses during work where they may be exposed to irritant vapours.

Provide eyewash stations in facilities where the product is handled constantly.

# - Hand protection

Use suitable protective gloves that are resistant to chemical agents in accordance with standard EN ISO 374-1.

Gloves must be selected according to the application and duration of use at the workstation.

Protective gloves need to be selected according to their suitability for the workstation in question : other chemical products that may be handled, necessary physical protections (cutting, pricking, heat protection), level of dexterity required.

Type of gloves recommended :

- Natural latex
- PVC (polyvinyl chloride)
- Butyl Rubber (Isobutylene-isoprene copolymer)

## - Body protection

Avoid skin contact.

Wear suitable protective clothing.

Suitable type of protective clothing :

In the event of substantial spatter, wear liquid-tight protective clothing against chemical risks (type 3) in accordance with EN14605/A1 to prevent skin contact.

In the event of a risk of splashing, wear protective clothing against chemical risks (type 6) in accordance with EN13034/A1 to prevent skin contact.

Wear suitable protective clothing, in particular overalls and boots. These items must be kept in good condition and cleaned after use.

Wear suitable protective clothing and, in particular, an apron and boots. These items of clothing shall be maintained in good condition and cleaned after use.

Suitable type of protective boots :

In the event of minor spatter, wear protective boots or half-boots against chemical risks in accordance with standard EN13832-2.

In the event of prolonged contact, wear boots or half-boots with liquid-chemical-resistant and waterproof soles and uppers in accordance with standard EN13832-3.

Work clothing worn by personnel shall be laundered regularly.

After contact with the product, all parts of the body that have been soiled must be washed.

N/A

# - Respiratory protection

In normal use, a respiratory equipment is not obligatory.

9.1. Information on basic physical and chemical properties	
Physical state	
Physical state :	Fluid liquid.
Colour	
N/A	
Odour	
Parfume	
Odour threshold :	Not stated.
Melting point	
Melting point/melting range :	Not relevant.
Freezing point	
Freezing point / Freezing range :	Not stated.
<b>Boiling point or initial boiling point and boiling range</b> Boiling point/boiling range :	Not relevant.
Flammability	
Flammability (solid, gas) :	Not stated.
Lower and upper explosion limit	
Explosive properties, lower explosivity limit (%) :	Not stated.
Explosive properties, upper explosivity limit (%) :	Not stated.
Flash point	
Flash Point Interval :	FP > 100°C.
Auto-ignition temperature	
Self-ignition temperature :	Not relevant.
Decomposition temperature	
Decomposition point/decomposition range :	Not relevant.
рН	
pH (aqueous solution) :	Not stated.
pH :	14.00 +/- 0.50.
	Strongly basic.
Kinematic viscosity	
Viscosity :	Not stated.
Solubility	
Water solubility :	Soluble.
Fat solubility :	Not stated.
Partition coefficient n-octanol/water (log value) Partition coefficient: n-octanol/water :	Not stated.
	TVI Statett.
Vapour pressure Vapour pressure (50°C) :	Not relevant.
Density and/or relative density	not retorant.
Density and/of relative density Density :	1.020 +/- 0.005
Relative vapour density	
Vapour density :	Not stated.
9.2. Other information	
No data available.	
9.2.1. Information with regard to physical hazard classes	
No data available.	
9.2.2. Other safety characteristics	
No data available.	

### SECTION 10 : STABILITY AND REACTIVITY

## 10.1. Reactivity

Mixture which by chemical action can corrode and even destroy metals.

### **10.2.** Chemical stability

This mixture is stable under the recommended handling and storage conditions in section 7.

#### 10.3. Possibility of hazardous reactions

When exposed to high temperatures, the mixture can release hazardous decomposition products, such as carbon monoxide and dioxide, fumes and nitrogen oxide.

## 10.4. Conditions to avoid

- Avoid :
- frost
- heat

#### 10.5. Incompatible materials

Keep away from :

- strong acids

- metals

Do not mix with others products.

# 10.6. Hazardous decomposition products

The thermal decomposition may release/form :

- carbon monoxide (CO)

- carbon dioxide (CO2)

# SECTION 11 : TOXICOLOGICAL INFORMATION

## 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Exposure to vapours from solvents in the mixture in excess of the stated occupational exposure limit may result in adverse health effects such as mucous membrane and respiratory system irritation and adverse effects on kidney, liver and central nervous system.

Symptoms produced will include headaches, numbness, dizziness, fatigue, muscular asthenia and, in extreme cases, loss of consciousness.

May cause irreversible damage to the skin; namely, visible necrosis through the epidermis and into the dermis, following exposure for up to three minutes.

Corrosive reactions are typified by ulcers, bleeding, bloody scabs, and, by the end of observation at 14 days, by discolouration due to blanching of the skin, complete areas of alopecia, and scars.

Repeated or prolonged contact with the mixture may cause removal of natural oil from the skin resulting in non-allergic contact dermatitis and absorption through the skin.

# 11.1.1. Substances

No toxicological data available for the substances.

# 11.1.2. Mixture

The mixture is classified as dangerous for health, given the available data and the calculation rules defined in Regulation (EC) 1272/2008

# Skin corrosion/skin irritation :

Corrosive classification is based on an extreme pH value.

## 11.2. Information on other hazards

## **SECTION 12 : ECOLOGICAL INFORMATION**

### 12.1. Toxicity

### 12.1.2. Mixtures

The mixture is not classified as dangerous for the environment according to the calculation rules defined in Regulation (EC) 1272/2008

## 12.2. Persistence and degradability

Les agents de surface contenus dans cette préparation respectent les critères de biodégradabilité comme définis dans la réglementation (CE) n° 648/2004 relatif aux détergents.

#### 12.3. Bioaccumulative potential

No data available.

### 12.4. Mobility in soil

No data available.

### 12.5. Results of PBT and vPvB assessment

No data available.

# 12.6. Endocrine disrupting properties

No data available.

## 12.7. Other adverse effects

No data available.

# SECTION 13 : DISPOSAL CONSIDERATIONS

Proper waste management of the mixture and/or its container must be determined in accordance with Directive 2008/98/EC.

# **13.1.** Waste treatment methods

Do not pour into drains or waterways.

## Waste :

Waste management is carried out without endangering human health, without harming the environment and, in particular without risk to water, air, soil, plants or animals.

Recycle or dispose of waste in compliance with current legislation, preferably via a certified collector or company.

Do not contaminate the ground or water with waste, do not dispose of waste into the environment.

## Soiled packaging :

Empty container completely. Keep label(s) on container. Give to a certified disposal contractor.

# SECTION 14 : TRANSPORT INFORMATION

Transport product in compliance with provisions of the ADR for road, RID for rail, IMDG for sea and ICAO/IATA for air transport (ADR 2021 - IMDG 2020 [40-20] - ICAO/IATA 2022 [63]).

# 14.1. UN number or ID number

1824

**14.2. UN proper shipping name** UN1824=SODIUM HYDROXIDE SOLUTION

## 14.3. Transport hazard class(es)

- Classification :



14.4. Packing group

Π

## 14.5. Environmental hazards

# 14.6. Special precautions for user

ADR/RID	Class	Code	Pack gr.	Label	Ident.	LQ	Provis.	EQ	Cat.	Tunnel
	8	C5	II	8	80	1 L	-	E2	2	Е
	•		•		÷				•	
IMDG	Class	2°Label	Pack gr.	LQ	EMS	Provis.	EQ	Stowage	Segregation	]
								Handling		
	8	-	II	1 L	F-A. S-B	-	E2	Category A	SGG18 SG35	
										_
IATA	Class	2°Label	Pack gr.	Passager	Passager	Cargo	Cargo	note	EQ	]
	8	-	II	851	1 L	855	30 L	A3 A803	E2	
	8	-	II	Y840	0.5 L	-	-	A3 A803	E2	1

For limited quantities, see part 2.7 of the OACI/IATA and chapter 3.4 of the ADR and IMDG.

For excepted quantities, see part 2.6 of the OACI/IATA and chapter 3.5 of the ADR and IMDG.

# 14.7. Maritime transport in bulk according to IMO instruments

No data available.

### **SECTION 15: Regulatory information**

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### - Classification and labelling information included in section 2:

The following regulations have been used:

- EU Regulation No. 1272/2008 amended by EU Regulation No. 2021/643 (ATP 16)
- EU Regulation No. 1272/2008 amended by EU Regulation No. 2021/849 (ATP 17)

## - Container information:

No data available.

### -Restrictions applied under Title VIII of Regulation (EC) No. 1907/2006 (REACH):

The mixture contains at least one restricted substance under Annex XVII of Regulation (EC) No. 1907/2006 (REACH): https://echa.europa.eu/substances-restricted-under-reach. Please refer to Section 3 to identify the substance involved.

### - Particular provisions :

No data available.

# - Labelling for detergents (EC Regulation No. 648/2004,907/2006) :

- less than 5% of: anionic surfactants
- less than 5% of: non-ionic surfactants
- less than 5% of: EDTA and salts thereof

#### 15.2. Chemical safety assessment

No data available.

## **SECTION 16 : OTHER INFORMATION**

Since the user's working conditions are not known by us, the information supplied on this safety data sheet is based on our current level of knowledge and on national and community regulations.

The mixture must not be used for other uses than those specified in section 1 without having first obtained written handling instructions.

It is at all times the responsibility of the user to take all necessary measures to comply with legal requirements and local regulations.

The information in this safety data sheet must be regarded as a description of the safety requirements relating to the mixture and not as a guarantee of the properties thereof.

## Wording of the phrases mentioned in section 3 :

H290	May be corrosive to metals.
H302	Harmful if swallowed.
H312	Harmful in contact with skin.
H314	Causes severe skin burns and eye damage.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H335	May cause respiratory irritation.

### Abbreviations :

REACH : Registration, Evaluation, Authorization and Restriction of Chemical Substances.

UFI : Unique formulation identifier.

STEL : Short-term exposure limit

TWA : Time Weighted Averages

TMP : French Occupational Illness table

TLV : Threshold Limit Value (exposure)

AEV : Average Exposure Value.

ADR : European agreement concerning the international carriage of dangerous goods by Road.

IMDG : International Maritime Dangerous Goods.

IATA : International Air Transport Association.

ICAO : International Civil Aviation Organisation

RID : Regulations concerning the International carriage of Dangerous goods by rail.

GHS05 : Corrosion

PBT: Persistent, bioaccumulable and toxic.

vPvB : Very persistent, very bioaccumulable.

SVHC : Substances of very high concern.