DESOFOR PREMIUM RED

Date: 06/09/2022 Page 1/11 Revision: N°6 (19/08/2022)

SAFETY DATA SHEET

(REACH regulation (EC) n° 1907/2006 - n° 2020/878)

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product name: DESOFOR PREMIUM RED

Product code:107591-107601.

1.2. Relevant identified uses of the substance or mixture and uses advised against

DETERGENT DISINFECTANT AIR FRESHENER

Main use category: Product for professional use.

1.3. Details of the supplier of the safety data sheet

IPC

10 Quai Malbert, 29200, BREST, FRANCE.

Tel.: +33 (0)2 98 43 45 44. Fax: +33 (0)2 98 44 22 53

ipc@groupe-ipc.com

1.4. Emergency telephone number: +33 (0)1 45 42 59 59.

Association/Organisation: INRS / ORFILA http://www.centres-antipoison.net.

Other emergency numbers

European emergency call number: 112

SECTION 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

In compliance with EC regulation No. 1272/2008 and its amendments.

Skin irritation, Category 2 (Skin Irrit. 2, H315).

Serious eye damage, Category 1 (Eye Dam. 1, H318).

Hazardous to the aquatic environment - Chronic hazard, Category 3 (Aquatic Chronic 3, H412).

This mixture does not present a physical hazard. Refer to the recommendations regarding the other products present on the site.

2.2. Label elements

Biocidal detergent mixture (see section 15).

In compliance with EC regulation No. 1272/2008 and its amendments.

Hazard pictograms:



GHS05

Signal Word : DANGER

Product identifiers:

EC 500-046-6 ALPHA.-DECYL-.OMEGA.-HYDROXY-1,2-ETHANEDIYL

Hazard statements:

H315 Causes skin irritation.
H318 Causes serious eye damage.

H412 Harmful to aquatic life with long lasting effects.

Precautionary statements - Prevention:

P273 Avoid release to the environment.

P280 Wear protective gloves, protective clothing, eye protection and face protection.

Precautionary statements - Response:

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and

easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER or a doctor.

Date: 06/09/2022 Page 2/11 Revision: N°6 (19/08/2022)

DESOFOR PREMIUM RED

Precautionary statements - Disposal:

P501 Dispose of contents and container to approved waste disposal facility in accordance with national

regulations.

2.3. Other hazards

The mixture does not contain substances classified as 'Substances of Very High Concern' (SVHC) >= 0.1% published by the European CHemicals Agency (ECHA) under article 57 of REACH: http://echa.europa.eu/fr/candidate-list-table

The mixture fulfils neither the PBT nor the vPvB criteria for mixtures in accordance with annexe XIII of the REACH regulations EC 1907/2006.

The mixture does not contain substances> 0.1% with endocrine disrupting properties in accordance with the criteria of the Delegated Regulation (EU) 2017/2100 of the Commission or Regulation (EU) 2018/605 of the Commission.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.2. Mixtures

Composition:

Identification	(EC) 1272/2008	Note	%
	(-,	NOLE	7.4
INDEX: 0402	GHS07, GHS05		$0 \le x \% < 2.5$
CAS: 26183-52-8	Dgr		
EC: 500-046-6	Acute Tox. 4, H302		
	Eye Dam. 1, H318		
ALPHADECYLOMEGAHYDROXY-1,2-E			
THANEDIYL			
INDEX: 0091	GHS07, GHS05, GHS09		$0 \le x \% < 2.5$
CAS: 68424-85-1	Dgr		
EC: 270-325-2	Acute Tox. 4, H302		
REACH: 01-2119965180-41-XXXX	Skin Corr. 1B, H314		
	Eye Dam. 1, H318		
QUATERNARY AMMONIUM COMPOUNDS,	Aquatic Acute 1, H400		
BENZYL-C12-16-ALKYLDIMETHYL,	M Acute = 10		
CHLORIDES	Aquatic Chronic 1, H410		
	M Chronic = 1		

Specific concentration limits:

Specific concentration minus:		
Identification	Specific concentration limits	ATE
INDEX: 0402		oral: ATE = 1000 mg/kg BW
CAS: 26183-52-8		
EC: 500-046-6		
ALPHADECYLOMEGAHYDROXY-1,2-E		
THANEDIYL		
INDEX: 0091		oral: ATE = 795 mg/kg BW
CAS: 68424-85-1		
EC: 270-325-2		
REACH: 01-2119965180-41-XXXX		
QUATERNARY AMMONIUM COMPOUNDS,		
BENZYL-C12-16-ALKYLDIMETHYL,		
CHLORIDES		

Information on ingredients:

(Full text of H-phrases: see section 16)

SECTION 4 : FIRST AID MEASURES

As a general rule, in case of doubt or if symptoms persist, always call a doctor.

NEVER induce swallowing by an unconscious person.

4.1. description of first aid measures

In the event of exposure by inhalation:

Remove the victim away from the product. Provide fresh air. Consult a doctor in case the symptoms persist.

If allergic manifestation, consult a doctor.

In the event of splashes or contact with eyes:

Wash thoroughly with fresh, clean water for 15 minutes holding the eyelids open.

Regardless of the initial state, refer the patient to an ophthalmologist and show him the label.

If it appears a redness or visual discomfort, consult an ophthalmologist.

DESOFOR PREMIUM RED

Date: 06/09/2022 Page 3/11

Revision: N°6 (19/08/2022)

In the event of splashes or contact with skin:

Remove contaminated clothing and wash the skin thoroughly with soap and water or a recognised cleaner.

Watch out for any remaining product between skin and clothing, watches, shoes, etc.

If the contaminated aera is widespread and/or there is damage to the skin, a doctor must be consulted or the patient transferred to hospital.

Clothes may be reused only after cleaning.

If case of an allergic reaction, consult a doctor.

In the event of swallowing:

Do not give the patient anything orally.

In the event of swallowing, if the quantity is small (no more than one mouthful), rinse the mouth with water and consult a doctor.

Keep the person exposed at rest. Do not force vomiting.

Seek medical attention immediately, showing the label.

If swallowed accidentally, call a doctor to ascertain whether observation and hospital care will be necessary. Show the label.

4.2. Most important symptoms and effects, both acute and delayed

No data available.

4.3. Indication of any immediate medical attention and special treatment needed

No data available.

SECTION 5 : FIREFIGHTING MEASURES

Non-flammable.

5.1. Extinguishing media

Suitable methods of extinction

In the event of a fire, use:

- sprayed water or water mist
- foam
- multipurpose ABC powder
- BC powder
- carbon dioxide (CO2)

Unsuitable methods of extinction

In the event of a fire, do not use:

- water jet

5.2. Special hazards arising from the substance or mixture

A fire will often produce a thick black smoke. Exposure to decomposition products may be hazardous to health.

Do not breathe in smoke.

In the event of a fire, the following may be formed:

- carbon monoxide (CO)
- carbon dioxide (CO2)
- Nitrogen oxides (NOx)

5.3. Advice for firefighters

Due to the toxicity of the gas emitted on thermal decomposition of the products, fire-fighting personnel are to be equipped with autonomous insulating breathing apparatus.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Consult the safety measures listed under headings 7 and 8.

For non first aid worker

Avoid any contact with the skin and eyes.

No action shall be taken involving any personal risk or without suitable training. Evacuate the area.

For first aid worker

First aid workers will be equipped with suitable personal protective equipment (See section 8).

6.2. Environmental precautions

Contain and control the leaks or spills with non-combustible absorbent materials such as sand, earth, vermiculite, diatomaceous earth in drums for waste disposal.

Prevent any material from entering drains or waterways.

Version: N°1 (19/08/2022)

DESOFOR PREMIUM RED

6.3. Methods and material for containment and cleaning up

If the ground is contaminated, once the product has been recovered by sponging with an inert and non-combustible absorbent material, wash the contaminated area in plenty of water.

Date: 06/09/2022 Page 4/11 Revision: N°6 (19/08/2022)

Clean preferably with a detergent, do not use solvents.

Clean preferably with water. Avoid the use of solvents.

6.4. Reference to other sections

No data available.

SECTION 7: HANDLING AND STORAGE

Requirements relating to storage premises apply to all facilities where the mixture is handled.

7.1. Precautions for safe handling

Always wash hands after handling.

Remove and wash contaminated clothing before re-using.

Ensure that there is adequate ventilation, especially in confined areas.

Emergency showers and eye wash stations will be required in facilities where the mixture is handled constantly.

Fire prevention:

Handle in well-ventilated areas.

Prevent access by unauthorised personnel.

Recommended equipment and procedures:

For personal protection, see section 8.

Observe precautions stated on label and also industrial safety regulations.

Avoid eye contact with this mixture at all times.

Packages which have been opened must be reclosed carefully and stored in an upright position.

Prohibited equipment and procedures:

No smoking, eating or drinking in areas where the mixture is used.

7.2. Conditions for safe storage, including any incompatibilities

No data available.

Storage

Keep the container tightly closed in a dry, well-ventilated place.

The floor must be impermeable and form a collecting basin so that, in the event of an accidental spillage, the liquid cannot spread beyond this area.

Store in its original packing, closed well. Keep out of light, heat, frost and humidity.

Packaging

Always keep in packaging made of an identical material to the original.

7.3. Specific end use(s)

No data available.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

No data available.

QUATERNARY AMMONIUM COMPOUNDS, BENZYL-C12-16-ALKYLDIMETHYL, CHLORIDES (CAS: 68424-85-1)

Final use:Exposure method:
Workers.
Dermal contact.

Potential health effects: Long term systemic effects.

DNEL: 5.7 mg/kg body weight/day

Exposure method: Inhalation.

Potential health effects: Long term systemic effects.

DNEL: 3.96 mg of substance/m3

Final use: Consumers.

Exposure method: Ingestion.

Potential health effects: Long term systemic effects.

Version: N°1 (19/08/2022)

DESOFOR PREMIUM RED

Date: 06/09/2022 Page 5/11

Revision: N°6 (19/08/2022)

DNEL: 3.4 mg/kg body weight/day

Exposure method: Dermal contact.

Potential health effects: Long term systemic effects. DNEL: 3.4 mg/kg body weight/day

Exposure method: Inhalation.

Potential health effects: Long term systemic effects. DNEL: 1.64 mg of substance/m3

Predicted no effect concentration (PNEC):

QUATERNARY AMMONIUM COMPOUNDS, BENZYL-C12-16-ALKYLDIMETHYL, CHLORIDES (CAS: 68424-85-1)

Environmental compartment: Soil. PNEC: 7 mg/kg

Fresh water. Environmental compartment: PNEC: 0.0009 mg/l

Environmental compartment: Sea water. PNEC: 0.00096 mg/l

Environmental compartment: Intermittent waste water.

PNEC: 0.00016 mg/l

Environmental compartment: Fresh water sediment.

PNEC: 12.27 mg/kg

Environmental compartment: Marine sediment. PNEC: 13.09 mg/kg

Environmental compartment: Waste water treatment plant.

PNEC: 0.4 mg/l

8.2. Exposure controls

Personal protection measures, such as personal protective equipment

Pictogram(s) indicating the obligation of wearing personal protective equipment (PPE):





Use personal protective equipment that is clean and has been properly maintained.

Store personal protective equipment in a clean place, away from the work area.

Never eat, drink or smoke during use. Remove and wash contaminated clothing before re-using. Ensure that there is adequate ventilation, especially in confined areas.

- Eye / face protection

Avoid contact with eyes.

Use eye protectors designed to protect against liquid splashes

Before handling, wear safety goggles with protective sides accordance with standard EN166.

In the event of high danger, protect the face with a face shield.

Prescription glasses are not considered as protection.

Individuals wearing contact lenses should wear prescription glasses during work where they may be exposed to irritant vapours.

Provide eyewash stations in facilities where the product is handled constantly.

- Hand protection

Use suitable protective gloves that are resistant to chemical agents in accordance with standard EN ISO 374-1.

Gloves must be selected according to the application and duration of use at the workstation.

Protective gloves need to be selected according to their suitability for the workstation in question: other chemical products that may be handled, necessary physical protections (cutting, pricking, heat protection), level of dexterity required.

Version: N°1 (19/08/2022)

Date: 06/09/2022 Page 6/11 Revision: N°6 (19/08/2022) **IPC DESOFOR PREMIUM RED**

Type of gloves recommended:

- Nitrile rubber (butadiene-acrylonitrile copolymer rubber (NBR))
- Natural latex
- Neoprene® (Polychloroprene)
- PVC (polyvinyl chloride)

- Body protection

Avoid skin contact.

Wear suitable protective clothing.

Suitable type of protective clothing:

In the event of substantial spatter, wear liquid-tight protective clothing against chemical risks (type 3) in accordance with EN14605/A1 to prevent skin contact.

In the event of a risk of splashing, wear protective clothing against chemical risks (type 6) in accordance with EN13034/A1 to prevent skin contact.

Work clothing worn by personnel shall be laundered regularly.

After contact with the product, all parts of the body that have been soiled must be washed.

Wash contaminated clothing before reuse.

- Respiratory protection

Use respiratory protection at high exposure levels for example during the crossing of the limit value at the workplace In normal use, a breathing protection is not required.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Physical state

Physical state: Fluid liquid.

Colour

Color: Limpid pink red

Odour

Odour threshold: Not stated. Odour: Strawberry

Melting point

Melting point/melting range: Not relevant.

Freezing point

Freezing point / Freezing range: Not stated.

Boiling point or initial boiling point and boiling range

Boiling point/boiling range: Not relevant.

Flammability

Not stated. Flammability (solid, gas):

Lower and upper explosion limit

Explosive properties, lower explosivity limit (%): Not stated. Not stated. Explosive properties, upper explosivity limit (%):

Flash point

Flash point interval: Not relevant.

Auto-ignition temperature

Self-ignition temperature: Not relevant.

Decomposition temperature

Decomposition point/decomposition range: Not relevant.

pН

pH (aqueous solution): Not stated. 6.50 +/- 1.50. pH:

Neutral.

Kinematic viscosity

Viscosity: Not stated.

Solubility

Water solubility: Soluble. Fat solubility: Not stated.

$\label{eq:Revision:N°6 (19/08/2022)} \textbf{DESOFOR PREMIUM RED}$

Date: 06/09/2022 Page 7/11

Partition coefficient n-octanol/water (log value)

Partition coefficient: n-octanol/water: Not stated.

Vapour pressure

Vapour pressure (50°C): Not relevant.

Density and/or relative density

Density: 1.00 g/cm3 +/- 0.01

Relative vapour density

Vapour density: Not stated.

9.2. Other information

No data available.

9.2.1. Information with regard to physical hazard classes

No data available.

9.2.2. Other safety characteristics

No data available.

SECTION 10: STABILITY AND REACTIVITY

10.1. Reactivity

No data available.

10.2. Chemical stability

This mixture is stable under the recommended handling and storage conditions in section 7.

10.3. Possibility of hazardous reactions

When exposed to high temperatures, the mixture can release hazardous decomposition products, such as carbon monoxide and dioxide, fumes and nitrogen oxide.

10.4. Conditions to avoid

Avoid:

- frost
- exposure to light
- heat

10.5. Incompatible materials

Keep away from:

- bases

Do not use in combination with other products.

10.6. Hazardous decomposition products

The thermal decomposition may release/form:

- carbon monoxide (CO)
- carbon dioxide (CO2)
- nitrogen oxides (NOx)

SECTION 11: TOXICOLOGICAL INFORMATION

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

May cause irreversible damage to the skin; namely inflammation of the skin or the formation of erythema and eschar or oedema following exposure up to four hours.

May have irreversible effects on the eyes, such as tissue damage in the eye, or serious physical decay of sight, which is not fully reversible by the end of observation at 21 days.

Serious eye damage is typified by the destruction of cornea, persistent corneal opacity and iritis.

11.1.1. Substances

Acute toxicity:

QUATERNARY AMMONIUM COMPOUNDS, BENZYL-C12-16-ALKYLDIMETHYL, CHLORIDES (CAS: 68424-85-1)

Oral route : LD50 = 795 mg/kg Species : Rat

ALPHA.-DECYL-.OMEGA.-HYDROXY-1,2-ETHANEDIYL (CAS: 26183-52-8)

Oral route : LD50 = 1000 mg/kg

Species: Rat

Date: 06/09/2022 Page 8/11 Revision: N°6 (19/08/2022) Version: N°1 (19/08/2022) **IPC**

DESOFOR PREMIUM RED

LD50 > 2000 mg/kgDermal route:

Species: Rat

Respiratory or skin sensitisation:

ALPHA.-DECYL-.OMEGA.-HYDROXY-1,2-ETHANEDIYL (CAS: 26183-52-8)

Guinea Pig Maximisation Test (GMPT): Non-sensitiser.

Species: Others

Germ cell mutagenicity:

QUATERNARY AMMONIUM COMPOUNDS, BENZYL-C12-16-ALKYLDIMETHYL, CHLORIDES (CAS: 68424-85-1)

No mutagenic effect.

Mutagenesis (in vitro): Negative. Ames test (in vitro): Negative.

ALPHA.-DECYL-.OMEGA.-HYDROXY-1,2-ETHANEDIYL (CAS: 26183-52-8)

No mutagenic effect.

Mutagenesis (in vitro): Negative.

OECD Guideline 473 (In vitro Mammalian Chromosome Aberration Test)

Carcinogenicity:

ALPHA.-DECYL-.OMEGA.-HYDROXY-1,2-ETHANEDIYL (CAS: 26183-52-8)

Carcinogenicity Test: Negative.

No carcinogenic effect.

Species: Rat

Specific target organ systemic toxicity - repeated exposure :

ALPHA.-DECYL-.OMEGA.-HYDROXY-1,2-ETHANEDIYL (CAS: 26183-52-8)

Oral route: C > 80 mg/kg bodyweight/jour

Duration of exposure: 90 days

OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity in Rodents)

Dermal route: C = 80 mg/kg bodyweight/jour

Duration of exposure: 90 days

OECD Guideline 411 (Subchronic Dermal Toxicity: 90-Day Study)

11.1.2. Mixture

No toxicological data available for the mixture.

11.2. Information on other hazards

Monograph(s) from the IARC (International Agency for Research on Cancer):

CAS 5989-27-5: IARC Group 3: The agent is not classifiable as to its carcinogenicity to humans.

CAS 67-63-0: IARC Group 3: The agent is not classifiable as to its carcinogenicity to humans.

CAS 64-17-5: IARC Group 1: The agent is carcinogenic to humans.

SECTION 12: ECOLOGICAL INFORMATION

Harmful to aquatic life with long lasting effects.

The product must not be allowed to run into drains or waterways.

12.1. Toxicity

12.1.1. Substances

QUATERNARY AMMONIUM COMPOUNDS, BENZYL-C12-16-ALKYLDIMETHYL, CHLORIDES (CAS: 68424-85-1)

Fish toxicity: LC50 = 1 mg/l

Factor M = 1

Duration of exposure: 96 h

Crustacean toxicity: EC50 = 0.1 mg/l

Version: N°1 (19/08/2022)

IPC

DESOFOR PREMIUM RED

Factor M = 10

Species : Daphnia magna Duration of exposure : 48 h

Algae toxicity: ECr50 = 0.1 mg/l

Factor M = 10

Species: Pseudokirchnerella subcapitata

Duration of exposure: 72 h

NOEC = 0.01 mg/lFactor M = 1

Species: Pseudokirchnerella subcapitata

OECD Guideline 201 (Alga, Growth Inhibition Test)

Date: 06/09/2022 Page 9/11 Revision: N°6 (19/08/2022)

ALPHA.-DECYL-.OMEGA.-HYDROXY-1,2-ETHANEDIYL (CAS: 26183-52-8)

Fish toxicity: LC50 < 7 mg/l

Duration of exposure: 96 h

Crustacean toxicity: EC50 = 5.3 mg/l

Duration of exposure: 48 h

Algae toxicity: ECr50 < 47 mg/l

Duration of exposure: 72 h

12.1.2. Mixtures

No aquatic toxicity data available for the mixture.

12.2. Persistence and degradability

12.2.1. Substances

QUATERNARY AMMONIUM COMPOUNDS, BENZYL-C12-16-ALKYLDIMETHYL, CHLORIDES (CAS: 68424-85-1)

Biodegradability: Rapidly degradable.

ALPHA.-DECYL-.OMEGA.-HYDROXY-1,2-ETHANEDIYL (CAS: 26183-52-8)

Biodegradability: Rapidly degradable.

12.2.2. Mixtures

Surfactant(s) contained in this preparation complies (comply) with the biodegradability criteria as laid down in Regulation (EC) No 648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be at their direct request or at the request of a detergent manufacturer.

12.3. Bioaccumulative potential

12.3.1. Substances

QUATERNARY AMMONIUM COMPOUNDS, BENZYL-C12-16-ALKYLDIMETHYL, CHLORIDES (CAS: 68424-85-1)

Octanol/water partition coefficient : $\log \text{Koe} < 3$.

12.4. Mobility in soil

No data available.

12.5. Results of PBT and vPvB assessment

No data available.

12.6. Endocrine disrupting properties

No data available.

12.7. Other adverse effects

No data available.

SECTION 13: DISPOSAL CONSIDERATIONS

Proper waste management of the mixture and/or its container must be determined in accordance with Directive 2008/98/EC.

13.1. Waste treatment methods

Do not pour into drains or waterways.

Version: N°1 (19/08/2022)

DESOFOR PREMIUM RED

Waste:

IPC

Waste management is carried out without endangering human health, without harming the environment and, in particular without risk to water, air, soil, plants or animals.

Date: 06/09/2022 Page 10/11

Revision: N°6 (19/08/2022)

Recycle or dispose of waste in compliance with current legislation, preferably via a certified collector or company.

Do not contaminate the ground or water with waste, do not dispose of waste into the environment.

Soiled packaging:

Empty container completely. Keep label(s) on container.

Give to a certified disposal contractor.

SECTION 14: TRANSPORT INFORMATION

Exempt from transport classification and labelling.

14.1. UN number or ID number

14.2. UN proper shipping name

14.3. Transport hazard class(es)

14.4. Packing group

14.5. Environmental hazards

14.6. Special precautions for user

14.7. Maritime transport in bulk according to IMO instruments

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

The mixture is a biocidal product. It must not be used for applications other than those described in this safety data sheet and in the technical documents concerning the product.

- Classification and labelling information included in section 2:

The following regulations have been used:

- EU Regulation No. 1272/2008 amended by EU Regulation No. 2022/692 (ATP 18)

- Container information:

The mixture does not contain any substance restricted under Annex XVII of Regulation (EC) No. 1907/2006 (REACH): https://echa.europa.eu/substances-restricted-under-reach.

- Particular provisions :

No data available.

- Labelling for detergents (EC Regulation No. 648/2004,907/2006):

- less than 5% of: non-ionic surfactants
- disinfectants
- perfumes
- allergenic fragrances:

geraniol

citronellol

- Labelling for biocidal products (Regulation (UE) n° 528/2012):

Eastering for biocidar products (regulation (CE) in 320/2012):							
	Name	CAS	%		Product-type		
	QUATERNARY AMMONIUM COMPOUNDS,	68424-85-1	15.00	g/kg	02		
	BENZYL-C12-16-ALKYLDIMETHYL,						
	CHLORIDES						

Product-type 2: Disinfectants and algaecides not intended for direct application to humans or animals.

15.2. Chemical safety assessment

No data available.

Version: N°1 (19/08/2022)

IPC

DESOFOR PREMIUM RED

Date : 06/09/2022 Page 11/11 Revision : N°6 (19/08/2022)

SECTION 16: OTHER INFORMATION

Since the user's working conditions are not known by us, the information supplied on this safety data sheet is based on our current level of knowledge and on national and community regulations.

The mixture must not be used for other uses than those specified in section 1 without having first obtained written handling instructions.

It is at all times the responsibility of the user to take all necessary measures to comply with legal requirements and local regulations.

The information in this safety data sheet must be regarded as a description of the safety requirements relating to the mixture and not as a guarantee of the properties thereof.

Wording of the phrases mentioned in section 3:

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H318 Causes serious eye damage. H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

Abbreviations:

LD50: The dose of a test substance resulting in 50% lethality in a given time period.

LC50 : The concentration of a test substance resulting in 50% lethality in a given period.

EC50 : The effective concentration of substance that causes 50% of the maximum response.

ECr50: The effective concentration of substance that causes 50% reduction in growth rate.

NOEC: The concentration with no observed effect.

REACH: Registration, Evaluation, Authorization and Restriction of Chemical Substances.

ATE: Acute Toxicity Estimate

BW: Body Weight

DNEL: Derived No-Effect Level

PNEC: Predicted No-Effect Concentration

STEL : Short-term exposure limit TWA : Time Weighted Averages

TMP : French Occupational Illness table TLV : Threshold Limit Value (exposure)

AEV: Average Exposure Value.

ADR: European agreement concerning the international carriage of dangerous goods by Road.

IMDG: International Maritime Dangerous Goods. IATA: International Air Transport Association. ICAO: International Civil Aviation Organisation

RID: Regulations concerning the International carriage of Dangerous goods by rail.

GHS05: Corrosion

PBT: Persistent, bioaccumulable and toxic. vPvB: Very persistent, very bioaccumulable. SVHC: Substances of very high concern.