SAFETY DATA SHEET

(REACH regulation (EC) n° 1907/2006 - n° 2015/830)

SECTION 1 : IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product name : EASY TAB LG Product code : 30621

1.2. Relevant identified uses of the substance or mixture and uses advised against

Detergent.

Professional use.

1.3. Details of the supplier of the safety data sheet

Registered company name : IPC.

Address : 10 Quai Malbert.29200.BREST.FRANCE.

Telephone : +33 (0)2 98 43 45 44. Fax : .

ipc@ipc-sa.com

1.4. Emergency telephone number : +33 (0)1 45 42 59 59.

Association/Organisation : INRS / ORFILA http://www.centres-antipoison.net.

SECTION 2 : HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

In compliance with EC regulation No. 1272/2008 and its amendments.

Serious eye damage, Category 1 (Eye Dam. 1, H318).

This mixture does not present a physical hazard. Refer to the recommendations regarding the other products present on the site.

This mixture does not present an environmental hazard. No known or foreseeable environmental damage under standard conditions of use.

2.2. Label elements

Detergent mixture (see section 15).

In compliance with EC regulation No. 1272/2008 and its amendments.

Hazard pictograms :



GHS05	
Signal Word :	
DANGER	
Product identifiers : EC 931-534-0	OLÉFINE SULFONATE
Hazard statements :	
H318	Causes serious eye damage.
Precautionary statement	is - Prevention :
P280	Wear protective gloves/protective clothing/eye protection/face protection.
Precautionary statement	is - Response :
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310	Immediately call a POISON CENTER, a doctor.

2.3. Other hazards

The mixture does not contain substances classified as 'Substances of Very High Concern' (SVHC) >= 0.1% published by the European CHemicals Agency (ECHA) under article 57 of REACH: http://echa.europa.eu/fr/candidate-list-table

The mixture satisfies neither the PBT nor the vPvB criteria for mixtures in accordance with annexe XIII of the REACH regulations EC 1907/2006.

SECTION 3 : COMPOSITION/INFORMATION ON INGREDIENTS

3.2. Mixtures

Composition :			
Identification	(EC) 1272/2008	Note	%
INDEX: 77_92_9	GHS07		$25 \le x \% \le 50$
CAS: 77-92-9	Wng		
EC: 201-069-1	Eye Irrit. 2, H319		
REACH: 01-2119457026-42			
CITRIC ACID			
INDEX: 607-144-00-9	GHS07	[1]	$25 \le x \% \le 50$
CAS: 124-04-9	Wng		
EC: 204-673-3	Eye Irrit. 2, H319		
REACH: 01-2119457561-38			
ADIPIC ACID			
INDEX: 68439_49_6	GHS07		$2.5 \le x \% \le 10$
CAS: 68439-49-6	Wng		
	Eye Irrit. 2, H319		
FATTY ALCOHOL POLYGLYCOLIC ETHER			
INDEX: 68439_57_6	GHS05		$2.5 \le x \% \le 10$
CAS: 68439-57-6	Dgr		
EC: 931-534-0	Skin Irrit. 2, H315		
REACH: 01-2119513401-57	Eye Dam. 1, H318		
OLÉFINE SULFONATE			

Information on ingredients :

[1] Substance for which maximum workplace exposure limits are available.

SECTION 4 : FIRST AID MEASURES

As a general rule, in case of doubt or if symptoms persist, always call a doctor.

NEVER induce swallowing by an unconscious person.

4.1. Description of first aid measures

In the event of exposure by inhalation :

In the event of massive inhalation, remove the person to fresh air and keep warm and at rest.

In the event of splashes or contact with eyes :

Wash thoroughly with fresh, clean water for 15 minutes holding the eyelids open.

Regardless of the initial state, refer the patient to an ophthalmologist and show him the label.

In the event of splashes or contact with skin :

Watch out for any remaining product between skin and clothing, watches, shoes, etc. Wash skin with water. If irritation persists, consult a doctor. Show him the label.

In the event of swallowing :

Seek medical attention, showing the label.

Keep at rest. Do not induce vomiting.

- **4.2. Most important symptoms and effects, both acute and delayed** No data available.
- **4.3. Indication of any immediate medical attention and special treatment needed** No data available.

SECTION 5 : FIREFIGHTING MEASURES

Non-flammable.

5.1. Extinguishing media

Suitable methods of extinction

In the event of a fire, use :

- sprayed water or water mist
- foam

- powder

- carbon dioxide (CO2)

Unsuitable methods of extinction

In the event of a fire, do not use :

- water jet

5.2. Special hazards arising from the substance or mixture

A fire will often produce a thick black smoke. Exposure to decomposition products may be hazardous to health.

Do not breathe in smoke.

In the event of a fire, the following may be formed :

- carbon monoxide (CO)

- carbon dioxide (CO2)

5.3. Advice for firefighters

Due to the toxicity of the gas emitted on thermal decomposition of the products, fire-fighting personnel are to be equipped with autonomous insulating breathing apparatus.

SECTION 6 : ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Consult the safety measures listed under headings 7 and 8.

For non first aid worker

Avoid any contact with the skin and eyes.

Avoid dust inhalation.

For first aid worker

First aid workers will be equipped with suitable personal protective equipment (See section 8).

6.2. Environmental precautions

Prevent any material from entering drains or waterways.

6.3. Methods and material for containment and cleaning up

Retrieve the product by mechanical means (sweeping/vacuuming).

6.4. Reference to other sections

No data available.

SECTION 7 : HANDLING AND STORAGE

Requirements relating to storage premises apply to all facilities where the mixture is handled.

7.1. Precautions for safe handling

Always wash hands after handling.

Remove and wash contaminated clothing before re-using.

Emergency showers and eye wash stations will be required in facilities where the mixture is handled constantly.

Fire prevention :

Prevent access by unauthorised personnel.

Recommended equipment and procedures :

For personal protection, see section 8.

Observe precautions stated on label and also industrial safety regulations.

Avoid eye contact with this mixture at all times.

Prohibited equipment and procedures :

No smoking, eating or drinking in areas where the mixture is used.

7.2. Conditions for safe storage, including any incompatibilities

No data available.

Packaging

Always keep in packaging made of an identical material to the original.

7.3. Specific end use(s)

No data available.

124-04-9 5 mg/m3 2 verived no effect level (DNEL) or derived minimum effect level (DMEL): OLÉFINE SULFONATE (CAS: 68439-57-6) Final use: Dermal contact. Exposure method: Dermal contact. Potential health effects: DNEL : DNEL : Inhalation. Potential health effects: Inhalation. DNEL : Infaluse: Exposure method: Ingestrion. Potential health effects: Ingestrion. DNEL : 152,22 mg of substance/m3 Final use: Consumers. Exposure method: Ingestrion. Potential health effects: DNEL : DNEL : 12,95 mg/kg body weight/day Exposure method: Dermal contact. Potential health effects: Dremal contact. DNEL : 1295 mg/kg body weight/day Exposure method: Inhalation. Potential health effects: Long term systemic effects. DNEL : 1295 mg/kg body weight/day Exposure method: Inhalation. Potential health effects: Long term systemic effects. DNEL : 0LÓÉINE SULFONATE (CAS: 68439-	eria :
CAS TWA : STEL : Ceiling : Definition : Crit 124-04-9 5 mg/m3 intervision in the set of the se	eria :
124-04-9 5 mg/m3 erived no effect level (DNEL) or derived minimum effect level (DMEL): OLÉFINE SULFONATE (CAS: 68439-57-6) Final use: Vorkers. Exposure method: Dermal contact. Potential health effects: Long term systemic effects. DNEL : 1152,22 mg of substance/m3 Final use: Consumers. Exposure method: Ingestion. Potential health effects: Long term systemic effects. DNEL : 122,95 mg/kg body weight/day Final use: Consumers. Exposure method: Ingestion. Potential health effects: Long term systemic effects. DNEL : 12,95 mg/kg body weight/day Exposure method: Dermal contact. Potential health effects: Long term systemic effects. DNEL : 1295 mg/kg body weight/day Exposure method: Inhalation. Potential health effects: Long term systemic effects. DNEL : 1295 mg/kg body weight/day Exposure method: Inhalation. Potential health effects: Long term systemic effects. DNEL : 0.0061 mg/kg	y
OLÉFINE SULFONATE (CAS: 68439-57-6)Final use:Exposure method:Potential health effects:DNEL :Exposure method:Potential health effects:DNEL :Exposure method:Potential health effects:DNEL :Inhalation.Potential health effects:DNEL :Exposure method:Potential health effects:DNEL :Exposure method:Potential health effects:DNEL :Intermethod:Potential health effects:DNEL :DNEL :Exposure method:Potential health effects:DNEL :Inhalation.Potential health effects:DNEL :DNEL :Exposure method:Potential health effects:DNEL :DNEL :Exposure method:Potential health effects:DNEL :DNEL :Exposure method:Potential health effects:DNEL :DNEL :Inhalation.Long term systemic effects.DNEL :OLÉFINE SULFONATE (CAS: 68439-57-6)Environmental compartment:PNEC :OLÓE1 mg/RgEnvironmental compartment:PNEC :OLÓ2 mg/IEnvironmental compartment:PNEC :Environmental compartment:PNEC :On0042 mg/IEnvironmental compartment:Intermittent waste water.	y
OLÉFINE SULFONATE (CAS: 68439-57-6)Final use:Exposure method:Potential health effects:DNEL :Exposure method:Potential health effects:DNEL :Exposure method:Potential health effects:DNEL :Inhalation.Potential health effects:DNEL :Exposure method:Potential health effects:DNEL :Exposure method:Potential health effects:DNEL :Intermethod:Potential health effects:DNEL :DNEL :Exposure method:Potential health effects:DNEL :Inhalation.Potential health effects:DNEL :DNEL :Exposure method:Potential health effects:DNEL :DNEL :Exposure method:Potential health effects:DNEL :DNEL :Exposure method:Potential health effects:DNEL :DNEL :Inhalation.Long term systemic effects.DNEL :OLÉFINE SULFONATE (CAS: 68439-57-6)Environmental compartment:PNEC :OLÓE1 mg/RgEnvironmental compartment:PNEC :OLÓ2 mg/IEnvironmental compartment:PNEC :Environmental compartment:PNEC :On0042 mg/IEnvironmental compartment:Intermittent waste water.	y
Final use:Workers.Exposure method:Dermal contact.Potential health effects:Dermal contact.DNEL :2158,33 mg/kg body weight/daExposure method:Inhalation.Potential health effects:Long term systemic effects.DNEL :152,22 mg of substance/m3Final use:Consumers.Exposure method:Ingestion.Potential health effects:Long term systemic effects.DNEL :12,95 mg/kg body weight/dayExposure method:Dermal contact.Potential health effects:Dorg term systemic effects.DNEL :12,95 mg/kg body weight/dayExposure method:Dermal contact.Potential health effects:Long term systemic effects.DNEL :1295 mg/kg body weight/dayExposure method:Dermal contact.Potential health effects:Long term systemic effects.DNEL :1295 mg/kg body weight/dayExposure method:Inhalation.Potential health effects:Long term systemic effects.DNEL :1295 mg/kg body weight/dayExposure method:Inhalation.Potential health effects:Long term systemic effects.DNEL :1025 mg/kg body meight/dayExposure method:Nextern systemic effects.DNEL :0.0061 mg/kgEnvironmental compartment:Soil.PNEC :0.0042 mg/lEnvironmental compartment:Sea water.PNEC :0.0042 mg/lEnvironmental compartment:Intermittent waste water. <td>y</td>	y
Potential health effects: DNEL :Long term systemic effects. 2158,33 mg/kg body weight/daExposure method: Potential health effects: DNEL :Inhalation. Long term systemic effects. 152,22 mg of substance/m3Final use: Exposure method: Potential health effects: DNEL :Consumers. Ingestion. Long term systemic effects. 12,95 mg/kg body weight/dayExposure method: Potential health effects: DNEL :Dermal contact. Long term systemic effects. 12,95 mg/kg body weight/dayExposure method: Potential health effects: DNEL :Dermal contact. Long term systemic effects. 12,95 mg/kg body weight/dayExposure method: Potential health effects: DNEL :Dermal contact. Long term systemic effects. 1295 mg/kg body weight/dayExposure method: Potential health effects: DNEL :Inhalation. Long term systemic effects. Long term systemic effects. Long term systemic effects. DNEL :OLÉFINE SULFONATE (CAS: 68439-57-6) Environmental compartment: PNEC :Soil. 0.0061 mg/kgEnvironmental compartment: PNEC :Sea water. 0.0042 mg/lEnvironmental compartment: PNEC :Sea water. 0.0042 mg/lEnvironmental compartment: PNEC :Intermittent waste water.	y
DNEL :2158,33 mg/kg body weight/daExposure method: Potential health effects: DNEL :Inhalation. Long term systemic effects. 152,22 mg of substance/m3Final use: Exposure method: Potential health effects: DNEL :Consumers. Ingestion. Long term systemic effects. 12,95 mg/kg body weight/dayExposure method: Potential health effects: DNEL :Dermal contact. Long term systemic effects. 12,95 mg/kg body weight/dayExposure method: Potential health effects: DNEL :Dermal contact. Long term systemic effects. 12,95 mg/kg body weight/dayExposure method: Potential health effects: DNEL :Inhalation. Long term systemic effects. 1295 mg/kg body weight/dayExposure method: Potential health effects: DNEL :Inhalation. Long term systemic effects. 45,04 mg of substance/m3redicted no effect concentration (PNEC): OLÉFINE SULFONATE (CAS: 68439-57-6) Environmental compartment: PNEC :Soil. 0.0061 mg/kgEnvironmental compartment: PNEC :Fresh water. 0.042 mg/lEnvironmental compartment: PNEC :Sea water. 0.0042 mg/lEnvironmental compartment: PNEC :Sea water. 0.0042 mg/l	y
Exposure method: Potential health effects: DNEL :Inhalation. Long term systemic effects. 152,22 mg of substance/m3Final use: Exposure method: Potential health effects: DNEL :Consumers. Ingestion. Long term systemic effects. 12,95 mg/kg body weight/dayExposure method: Potential health effects: DNEL :Dermal contact. Long term systemic effects. 12,95 mg/kg body weight/dayExposure method: Potential health effects: DNEL :Dermal contact. Long term systemic effects. 1295 mg/kg body weight/dayExposure method: Potential health effects: DNEL :Dermal contact. Long term systemic effects. 1295 mg/kg body weight/dayRedicted no effect concentration (PNEC): OLÉFINE SULFONATE (CAS: 68439-57-6) Environmental compartment: PNEC :Soil. 0.0061 mg/kgEnvironmental compartment: PNEC :Fresh water. 0.042 mg/lEnvironmental compartment: PNEC :Sea water. 0.0042 mg/lEnvironmental compartment: PNEC :Sea water. 0.0042 mg/l	y
Potential health effects: DNEL :Long term systemic effects. 152,22 mg of substance/m3Final use: Exposure method: Potential health effects: DNEL :Consumers. Ingestion. Long term systemic effects. 12,95 mg/kg body weight/dayExposure method: Potential health effects: DNEL :Dermal contact. Long term systemic effects. 12,95 mg/kg body weight/dayExposure method: Potential health effects: DNEL :Dermal contact. Long term systemic effects. Long term systemic effects. Long term systemic effects. Dore train health effects: DNEL :Potential health effects: DNEL :Dermal contact. Long term systemic effects. Long term systemic effects. Long term systemic effects. Long term systemic effects. doug term systemic effects. DNEL :Potential health effects: DNEL :Soil. 0.0061 mg/kgEnvironmental compartment: PNEC :Soil. 0.0042 mg/lEnvironmental compartment: PNEC :Sea water. 0.0042 mg/lEnvironmental compartment: PNEC :Intermittent waste water.	
Potential health effects: DNEL :Long term systemic effects. 152,22 mg of substance/m3Final use: Exposure method: Potential health effects: DNEL :Consumers. Ingestion. Long term systemic effects. 12,95 mg/kg body weight/dayExposure method: Potential health effects: DNEL :Dermal contact. Long term systemic effects. 12,95 mg/kg body weight/dayExposure method: Potential health effects: DNEL :Dermal contact. Long term systemic effects. Long term systemic effects. Long term systemic effects. Dore train health effects: DNEL :Potential health effects: DNEL :Dermal contact. Long term systemic effects. Long term systemic effects. Long term systemic effects. Long term systemic effects. doug term systemic effects. DNEL :Potential health effects: DNEL :Soil. 0.0061 mg/kgEnvironmental compartment: PNEC :Soil. 0.0042 mg/lEnvironmental compartment: PNEC :Sea water. 0.0042 mg/lEnvironmental compartment: PNEC :Intermittent waste water.	
DNEL :152,22 mg of substance/m3Final use:Consumers.Exposure method:Ingestion.Potential health effects:Long term systemic effects.DNEL :Dermal contact.Potential health effects:Dermal contact.DNEL :Long term systemic effects.DNEL :Dermal contact.Potential health effects:Dermal contact.DNEL :Long term systemic effects.DNEL :Soil.OLÉFINE SULFONATE (CAS: 68439-57-6)Environmental compartment:Soil.PNEC :0.0061 mg/kgEnvironmental compartment:Sea water.PNEC :0.0042 mg/lEnvironmental compartment:Sea water.PNEC :0.0042 mg/l	
Exposure method: Potential health effects: DNEL :Ingestion. Long term systemic effects. 12,95 mg/kg body weight/dayExposure method: Potential health effects: DNEL :Dermal contact. Long term systemic effects. 1295 mg/kg body weight/dayExposure method: Potential health effects: DNEL :Inhalation. Long term systemic effects. 1295 mg/kg body weight/dayExposure method: Potential health effects: DNEL :Inhalation. Long term systemic effects. Long term systemic effects. 45,04 mg of substance/m3redicted no effect concentration (PNEC): OLÉFINE SULFONATE (CAS: 68439-57-6) Environmental compartment: PNEC :Soil. 0.0061 mg/kgEnvironmental compartment: PNEC :Fresh water. 0.042 mg/lEnvironmental compartment: PNEC :Sea water. 0.0042 mg/lEnvironmental compartment:Sea water. 0.0042 mg/lEnvironmental compartment:Intermittent waste water.	
Exposure method: Potential health effects: DNEL :Ingestion. Long term systemic effects. 12,95 mg/kg body weight/dayExposure method: Potential health effects: DNEL :Dermal contact. Long term systemic effects. 1295 mg/kg body weight/dayExposure method: Potential health effects: DNEL :Dermal contact. Long term systemic effects. 1295 mg/kg body weight/dayExposure method: Potential health effects: DNEL :Inhalation. Long term systemic effects. Long term systemic effects. A5,04 mg of substance/m3redicted no effect concentration (PNEC): OLÉFINE SULFONATE (CAS: 68439-57-6) Environmental compartment: PNEC :Soil. 0.0061 mg/kgEnvironmental compartment: PNEC :Fresh water. 0.042 mg/lEnvironmental compartment: PNEC :Sea water. 0.0042 mg/lEnvironmental compartment:Sea water. 0.0042 mg/lEnvironmental compartment:Intermittent waste water.	
Potential health effects: DNEL :Long term systemic effects. 12,95 mg/kg body weight/dayExposure method: Potential health effects: DNEL :Dermal contact. Long term systemic effects. 1295 mg/kg body weight/dayExposure method: Potential health effects: DNEL :Inhalation. Long term systemic effects. Long term systemic effects. Long term systemic effects. Long term systemic effects. dot weight/dayFexposure method: Potential health effects: DNEL :Inhalation. Long term systemic effects. Long term systemic effects. dot mg of substance/m3redicted no effect concentration (PNEC): OLÉFINE SULFONATE (CAS: 68439-57-6) Environmental compartment: PNEC :Soil. 0.0061 mg/kgEnvironmental compartment: PNEC :Fresh water. 0.042 mg/lEnvironmental compartment: PNEC :Sea water. 0.0042 mg/lEnvironmental compartment: PNEC :Sea water. 0.0042 mg/lEnvironmental compartment:Intermittent waste water.	
DNEL :12,95 mg/kg body weight/dayExposure method:Dermal contact.Potential health effects:Long term systemic effects.DNEL :1295 mg/kg body weight/dayExposure method:Inhalation.Potential health effects:Long term systemic effects.DNEL :100 term systemic effects.Potential health effects:Long term systemic effects.DNEL :45,04 mg of substance/m3redicted no effect concentration (PNEC):Soil.OLÉFINE SULFONATE (CAS: 68439-57-6)Soil.Environmental compartment:Soil.PNEC :0.0061 mg/kgEnvironmental compartment:Fresh water.PNEC :0.0042 mg/lEnvironmental compartment:Sea water.PNEC :0.0042 mg/lEnvironmental compartment:Intermittent waste water.	
Potential health effects: DNEL :Long term systemic effects. 1295 mg/kg body weight/dayExposure method: Potential health effects: DNEL :Inhalation. Long term systemic effects. 45,04 mg of substance/m3redicted no effect concentration (PNEC): OLÉFINE SULFONATE (CAS: 68439-57-6) Environmental compartment: PNEC :Soil. 0.0061 mg/kgEnvironmental compartment: PNEC :Fresh water. 0.042 mg/lEnvironmental compartment: PNEC :Sea water. 0.0042 mg/lEnvironmental compartment: PNEC :Intermittent waste water.	
Potential health effects: DNEL :Long term systemic effects. 1295 mg/kg body weight/dayExposure method: Potential health effects: DNEL :Inhalation. Long term systemic effects. 45,04 mg of substance/m3redicted no effect concentration (PNEC): OLÉFINE SULFONATE (CAS: 68439-57-6) Environmental compartment: PNEC :Soil. 0.0061 mg/kgEnvironmental compartment: PNEC :Fresh water. 0.042 mg/lEnvironmental compartment: PNEC :Sea water. 0.0042 mg/lEnvironmental compartment: PNEC :Intermittent waste water.	
DNEL :1295 mg/kg body weight/dayExposure method:Inhalation.Potential health effects:Long term systemic effects.DNEL :45,04 mg of substance/m3redicted no effect concentration (PNEC):OLÉFINE SULFONATE (CAS: 68439-57-6)Environmental compartment:Soil.PNEC :0.0061 mg/kgEnvironmental compartment:Fresh water.PNEC :0.042 mg/lEnvironmental compartment:Sea water.PNEC :0.0042 mg/lEnvironmental compartment:Intermittent waste water.	
Exposure method: Potential health effects: DNEL :Inhalation. Long term systemic effects. 45,04 mg of substance/m3redicted no effect concentration (PNEC): OLÉFINE SULFONATE (CAS: 68439-57-6) Environmental compartment: PNEC :Soil. 0.0061 mg/kgEnvironmental compartment: PNEC :Fresh water. 0.042 mg/lEnvironmental compartment: PNEC :Sea water. 0.0042 mg/lEnvironmental compartment: PNEC :Intermittent waste water.	
Potential health effects: DNEL :Long term systemic effects. 45,04 mg of substance/m3redicted no effect concentration (PNEC): OLÉFINE SULFONATE (CAS: 68439-57-6) Environmental compartment: PNEC :Soil. 0.0061 mg/kgEnvironmental compartment: PNEC :Fresh water. 0.042 mg/lEnvironmental compartment: PNEC :Sea water. 0.0042 mg/lEnvironmental compartment: PNEC :Intermittent waste water.	
DNEL :45,04 mg of substance/m3redicted no effect concentration (PNEC):Soil.OLÉFINE SULFONATE (CAS: 68439-57-6)Soil.Environmental compartment:Soil.PNEC :0.0061 mg/kgEnvironmental compartment:Fresh water.PNEC :0.042 mg/lEnvironmental compartment:Sea water.PNEC :0.0042 mg/lEnvironmental compartment:Intermittent waste water.	
redicted no effect concentration (PNEC): OLÉFINE SULFONATE (CAS: 68439-57-6) Environmental compartment: Soil. PNEC : Soil. Environmental compartment: Fresh water. PNEC : 0.042 mg/l Environmental compartment: Sea water. PNEC : 0.0042 mg/l Environmental compartment: Intermittent waste water.	
PNEC : 0.042 mg/l Environmental compartment: Sea water. PNEC : 0.0042 mg/l Environmental compartment: Intermittent waste water.	
Environmental compartment:Sea water.PNEC :0.0042 mg/lEnvironmental compartment:Intermittent waste water.	
PNEC : 0.0042 mg/l Environmental compartment: Intermittent waste water.	
PNEC : 0.0042 mg/l Environmental compartment: Intermittent waste water.	
PNEC : 0.042 mg/l	
Environmental compartment: Fresh water sediment.	
PNEC : 2.025 mg/kg	
Environmental compartment: Marine sediment. PNEC : 0.2025 mg/kg	
11120. 0.2023 mg/kg	
Environmental compartment: Waste water treatment plant.	
PNEC : 4 mg/l	
CITRIC ACID (CAS: 77-92-9)	
Environmental compartment: Soil.	
PNEC: 33.1 mg/kg	

Environmental compartment:	Fresh water sediment.
PNEC :	34.6 mg/kg
Environmental compartment:	Marine sediment.
PNEC :	3.46 mg/kg

8.2. Exposure controls

Personal protection measures, such as personal protective equipment

Use personal protective equipment that is clean and has been properly maintained.

Store personal protective equipment in a clean place, away from the work area.

Never eat, drink or smoke during use. Remove and wash contaminated clothing before re-using. Ensure that there is adequate ventilation, especially in confined areas.

- Eye / face protection

Avoid contact with eyes.

Before handling powders or dust emission, wear mask goggles in accordance with standard EN166.

Prescription glasses are not considered as protection.

Provide eyewash stations in facilities where the product is handled constantly.

- Hand protection

Wear suitable protective gloves in the event of prolonged or repeated skin contact.

Use suitable protective gloves that are resistant to chemical agents in accordance with standard EN374.

Gloves must be selected according to the application and duration of use at the workstation.

Protective gloves need to be selected according to their suitability for the workstation in question : other chemical products that may be handled, necessary physical protections (cutting, pricking, heat protection), level of dexterity required.

Recommended properties :

- Impervious gloves in accordance with standard EN374

- Body protection

Work clothing worn by personnel shall be laundered regularly.

After contact with the product, all parts of the body that have been soiled must be washed.

- Respiratory protection

Avoid breathing dust.

Type of FFP mask :

Wear a disposable half-mask dust filter in accordance with standard EN149.

SECTION 9 : PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties	
General information :	
Physical state :	Solid.
Appearance : tablet	
Color . blue	
Important health, safety and environmental information	
	5 10/

pH (aqueous solution) :	5 à 1%
pH :	Not relevant.
Boiling point/boiling range :	Not relevant.
Flash point interval :	Not relevant.
Vapour pressure (50°C) :	Not relevant.
Density :	Not stated.
Water solubility :	Soluble.
Melting point/melting range :	Not relevant.
Self-ignition temperature :	Not relevant.
Decomposition point/decomposition range :	Not relevant.
9.2. Other information	

No data available.

9

SECTION 10 : STABILITY AND REACTIVITY

10.1. Reactivity

No data available.

10.2. Chemical stability

This mixture is stable under the recommended handling and storage conditions in section 7.

10.3. Possibility of hazardous reactions

No data available.

10.4. Conditions to avoid

Avoid :

- formation of dusts

- humidity

Dusts can form an explosive mixture with air.

10.5. Incompatible materials

Keep away from :

- bases

10.6. Hazardous decomposition products

The thermal decomposition may release/form :

- carbon monoxide (CO)
- carbon dioxide (CO2)

SECTION 11 : TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

May have irreversible effects on the eyes, such as tissue damage in the eye, or serious physical decay of sight, which is not fully reversible by the end of observation at 21 days.

Serious eye damage is typified by the destruction of cornea, persistent corneal opacity and iritis.

11.1.1. Substances

Acute toxicity :

OECD Guideline 403 (Acute Inhalation Toxicity)

CITRIC ACID (CAS: 77-92-9) Oral route :	LD50 = 5400 mg/kg Species : Mouse OECD Guideline 401 (Acute Oral Toxicity)
Dermal route :	LD50 > 2000 mg/kg Species : Rat

11.1.2. Mixture

No toxicological data available for the mixture.

SECTION 12 : ECOLOGICAL INFORMATION

12.1. Toxicity

12.1.2. Mixtures

No aquatic toxicity data available for the mixture.

12.2. Persistence and degradability

The surfactants contained in this preparation comply with the biodegradability criteria as laid down in Regulation (EC) No 648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of Member States and will be provided with their request or at the request of a detergent manufacturer.

12.2.1. Substances

OLÉFINE SULFONATE (CAS: 68439-57-6) Biodegradability :

Rapidly degradable.

FATTY ALCOHOL POLYGLYCOLIC ETHER (CAS: 68439-49-6)

Biodegradability :

Rapidly degradable.

CITRIC ACID (CAS: 77-92-9) Biodegradability :

Rapidly degradable.

12.3. Bioaccumulative potential

No data available.

12.4. Mobility in soil

No data available.

12.5. Results of PBT and vPvB assessment

No data available.

12.6. Other adverse effects

No data available.

SECTION 13 : DISPOSAL CONSIDERATIONS

Proper waste management of the mixture and/or its container must be determined in accordance with Directive 2008/98/EC.

13.1. Waste treatment methods

Do not pour into drains or waterways.

Waste :

Waste management is carried out without endangering human health, without harming the environment and, in particular without risk to water, air, soil, plants or animals.

Recycle or dispose of waste in compliance with current legislation, preferably via a certified collector or company.

Do not contaminate the ground or water with waste, do not dispose of waste into the environment.

Soiled packaging :

Empty container completely. Keep label(s) on container.

Give to a certified disposal contractor.

SECTION 14 : TRANSPORT INFORMATION

Exempt from transport classification and labelling.

Transport product in compliance with provisions of the ADR for road, RID for rail, IMDG for sea and ICAO/IATA for air transport (ADR 2015 - IMDG 2014 - ICAO/IATA 2015).

SECTION 15 : REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

- Classification and labelling information included in section 2:

The following regulations have been used:

- EU Regulation No. 1272/2008 amended by EU Regulation No. 487/2013.
- EU Regulation No. 1272/2008 amended by EU Regulation No. 758/2013.
- EU Regulation No. 1272/2008 amended by EU Regulation No. 944/2013.
- EU Regulation No. 1272/2008 amended by EU Regulation No. 605/2014.
- EU Regulation No. 1272/2008 amended by EU Regulation No. 1297/2014.

- Container information:

No data available.

- Particular provisions :

No data available.

- Labelling for detergents (EC Regulation No. 648/2004,907/2006) :
 - less than 5 % : anionic surfactants
 - 5 % or over but less than 15 % : nonionic surfactants

15.2. Chemical safety assessment

No data available.

SECTION 16 : OTHER INFORMATION

Since the user's working conditions are not known by us, the information supplied on this safety data sheet is based on our current level of knowledge and on national and community regulations.

The mixture must not be used for other uses than those specified in section 1 without having first obtained written handling instructions.

It is at all times the responsibility of the user to take all necessary measures to comply with legal requirements and local regulations.

The information in this safety data sheet must be regarded as a description of the safety requirements relating to the mixture and not as a guarantee of the properties thereof.

Wording of the phrases mentioned in section 3 :

H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.

Abbreviations :

DNEL : Derived No-Effect Level

PNEC : Predicted No-Effect Concentration

ADR : European agreement concerning the international carriage of dangerous goods by Road.

IMDG : International Maritime Dangerous Goods.

IATA : International Air Transport Association.

ICAO : International Civil Aviation Organisation

RID : Regulations concerning the International carriage of Dangerous goods by rail.

WGK : Wassergefahrdungsklasse (Water Hazard Class).

GHS05 : Corrosion

PBT: Persistent, bioaccumulable and toxic.

vPvB : Very persistent, very bioaccumulable.

SVHC : Substances of very high concern.