### EASY FILET MOYEN

Issued on 01/31/2019 - Rel. # 1 on 11/28/2022

In conformity to Regulation (EU) 2020/878

### 1.1. Product identifier

EASY FILET MOYEN

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Sectors of use: Industrial Manufacturing[SU3], Private households[SU21], Public domain[SU22] Product category: Adhesives, Sealants

Uses advised against Do not use for purposes other than those listed

### 1.3. Details of the supplier of the safety data sheet

IPC 10 Quai Malbert 29200 BREST France Tél : +33(0)2.98.43.45.44 Fax : +33 (0)2.98.44.22.53 ipc@groupe-ipc.com

### 1.4. Emergency telephone number

INRS (Institut National de Recherche et de Sécurité) : 01.45.42.59.59 2.1.1 Classification

# **SECTION 2. Hazards identification**

# 2.1. Classification of the substance or mixture

2.1.1 Classification according to Regulation (EC) No 1272/2008:

#### EASY FILET MOYEN

Issued on 01/31/2019 - Rel. # 1 on 11/28/2022

#2/12

In conformity to Regulation (EU) 2020/878

Pictograms: GHS07

Hazard Class and Category Code(s): Skin Irrit. 2, Skin Sens. 1, Eye Irrit. 2

Hazard statement Code(s): H315 - Causes skin irritation. H317 - May cause an allergic skin reaction. H319 - Causes serious eye irritation.

If brought into contact with eyes, the product causes significant irritations which may last for more than 24 hours, if brought into contact with skin, it causes significant inflammation with erythema, scabs, or edema The product, if brought into contact with skin can cause skin sensitization.

### 2.2. Label elements

Labelling according to Regulation (EC) No 1272/2008:

Pictogram, Signal Word Code(s): GHS07 - Warning

Hazard statement Code(s):

H315 - Causes skin irritation. H317 - May cause an allergic skin reaction.

H319 - Causes serious eye irritation.

Supplemental Hazard statement Code(s): not applicable

Precautionary statements: General P101 - If medical advice is needed, have product container or label at hand. P102 - Keep out of reach of children. Prevention P261 - Avoid breathing vapours. P280 - Wear protective gloves/protective clothing/eye protection/face protection. Response P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P333+P313 - If skin irritation or rash occurs: Get medical advice/attention. P337+P313 - If eye irritation persists: Get medical advice/attention. P363 - Wash contaminated clothing before reuse. Disposal P501 - Dispose of contents/container in accordance to local, regional, national regulations.

Contains: 2-hydroxyethyl methacrylate 98%

### 2.3. Other hazards

Based on the available data, no PBT or vPvB substances are present in accordance with Regulation (EC) 1907/2006, annex XIII

### EASY FILET MOYEN

Issued on 01/31/2019 - Rel. # 1 on 11/28/2022

In conformity to Regulation (EU) 2020/878

No information on other hazards

### **SECTION 3. Composition/information on ingredients**

### 3.1 Substances

Irrilevant

### 3.2 Mixtures

Refer to paragraph 16 for full text of hazard statements

Substance	Concentration[ w/w]	Classification	Index	CAS	EINECS	REACh
2-hydroxyethyl methacrylate 98%	>= 20 < 30%	Skin Irrit. 2, H315; Skin Sens. 1, H317; Eye Irrit. 2, H319 ATE oral = 5.000,0 mg/kg ATE dermal = 5.000,0 mg/kg	ND	868-77-9	212-782-2	01-211949 0169-29-00 00
cumene hydroperoxide	>= 0,1 < 1%	Flam. Liq. 3, H226; Org. Perox. E, H242; Acute Tox. 4, H302; Acute Tox. 4, H312; Skin Corr. 1B, H314; Acute Tox. 3, H331; STOT SE 3, H335; STOT RE 2, H373; Aquatic Chronic 2, H411 Limits: Skin Corr. 1B, H314 %C >=10; Skin Irrit. 2, H315 3<= %C <10; Eye Dam. 1, H318 3<= %C <10; Eye Irrit. 2, H319 1<= %C <3; STOT SE 3, H335 1<= %C <10; Acute toxicity M-factor = 1 Chronic toxicity M-factor = 1 ATE oral = 382,0 mg/kg ATE dermal = 1.100,0 mg/kg ATE inhal = 2,0mg/l/4 h	617-002-00-8	80-15-9	201-254-7	ND

# **SECTION 4. First aid measures**

### 4.1. Description of first aid measures

Inhalation:

Air the area. Move immediately the contaminated patient from the area and keep him at rest in a well ventilated area. If you feel unwell seek medical advice.

#3/12

### EASY FILET MOYEN

Issued on 01/31/2019 - Rel. # 1 on 11/28/2022

In conformity to Regulation (EU) 2020/878

Direct contact with skin (of the pure product).:

Take contaminated clothing Immediately off.

Wash immediately with plenty of running water and possibly with soap, the areas of the body that have, or are only suspected to have, come in contact with the product.

Direct contact with eyes (of the pure product).:

Wash immediately and thoroughly with running water, keeping eyelids open for at least 10 minutes, then protect your eyes with a dry sterile gauze. Seek medical advice immediately

Do not use eye drops or ointments of any kind before the examination or advice from an oculist.

Ingestion: Rinse mouth. Do not induce vomiting. Call a doctor immediately.

# 4.2. Most important symptoms and effects, both acute and delayed

No data available.

### 4.3. Indication of any immediate medical attention and special treatment needed

If skin irritation occurs: Get medical advice/attention. If eye irritation persists: Get medical advice/attention. If medical advice is needed, have product container or label at hand.

### **SECTION 5. Firefighting measures**

### 5.1. Extinguishing media

Advised extinguishing agents: Water spray, CO2, foam, dry chemical, depending on the materials involved in the fire.

Extinguishing means to avoid: Water jets. Use water jets only to cool the surfaces of the containers exposed to fire.

### 5.2. Special hazards arising from the substance or mixture

No data available.

### 5.3. Advice for firefighters

Use protection for the breathing apparatus Safety helmet and full protective suit. The spray water can be used to protect the people involved in the extinction You may also use selfrespirator, especially when working in confined and poorly ventilated area and if you use halogenated extinguishers (Halon 1211 fluobrene, Solkan 123, NAF, etc...) Keep containers cool with water spray

### **SECTION 6.** Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

6.1.1 For non-emergency personnel: Leave the area surrounding the spill or release. Do not smoke Wear mask, gloves and protective clothing. #4/12

### EASY FILET MOYEN

Issued on 01/31/2019 - Rel. # 1 on 11/28/2022

In conformity to Regulation (EU) 2020/878

6.1.2 For emergency responders:Wear mask, gloves and protective clothing.Eliminate all unguarded flames and possible sources of ignition. No smoking.Provision of sufficient ventilation.Evacuate the danger area and, in case, consult an expert.

### 6.2. Environmental precautions

Contain spill with earth or sand. If the product has entered a watercourse in sewers or has contaminated soil or vegetation, notify it to the authorities. Discharge the remains in compliance with the regulations

### 6.3. Methods and material for containment and cleaning up

6.3.1 For containment: Rapidly recover the product, wear a mask and protective clothing Recover the product for reuse, if possible, or for removal. Possibly absorb it with inert material. Prevent it from entering the sewer system.

6.3.2 For cleaning up: After wiping up, wash with water the area and materials involved

6.3.3 Other information: Nothing in particular.

### 6.4. Reference to other sections

Refer to paragraphs 8 and 13 for more information

# **SECTION 7. Handling and storage**

#### 7.1. Precautions for safe handling

Avoid contact and inhalation of vapors Wear protective gloves/protective clothing/eye protection/face protection. In residential areas do not use on large surfaces. At work do not eat or drink. Contaminated work clothing should not be allowed out of the workplace. See also paragraph 8 below.

#### 7.2. Conditions for safe storage, including any incompatibilities

Keep in original container closed tightly. Do not store in open or unlabeled containers. Keep containers upright and safe by avoiding the possibility of falls or collisions. Store in a cool place, away from sources of heat and `direct exposure of sunlight.

### 7.3. Specific end use(s)

Industrial Manufacturing: Handle with extreme caution. Store in a well ventilated place away from heat sources.

Private households:

### EASY FILET MOYEN

Issued on 01/31/2019 - Rel. # 1 on 11/28/2022

In conformity to Regulation (EU) 2020/878

Handle with extreme caution. Store in a well ventilated place away from heat sources.

Public domain:

Handle with care. Store in a ventilated area and away from heat, keep the container tightly closed.

### **SECTION 8. Exposure controls/personal protection**

### 8.1. Control parameters

- Substance: 2-hydroxyethyl methacrylate 98% DNEL Systemic effects Long term Workers inhalation = 4,9 (mg/m3) Systemic effects Long term Workers dermal = 1,3 (mg/kg bw/day) PNEC Sweet water = 0,482 (mg/l)sediment Sweet water = 3,79 (mg/kg/sediment) STP = 10 (mg/l)ground = 0,476 (mg/kg ground)

- Substance: cumene hydroperoxide DNEL Systemic effects Long term Workers inhalation = 6 (mg/m3)PNEC Sweet water = 0,0031 (mg/l)sediment Sweet water = 0,023 (mg/kg/sediment) Sea water = 0,00031 (mg/l) sediment Sea water = 0,0023 (mg/kg/sediment) intermittent emissions = 0.031 (mg/l)STP = 0.35 (mg/l)ground = 0.0029 (mg/kg ground)

### 8.2. Exposure controls

Appropriate engineering controls: Industrial Manufacturing: No specific monitoring foreseen

Private households: No specific monitoring foreseen

Public domain: No specific monitoring foreseen

Individual protection measures:

(a) Eye / face protection When handling the pure product use safety glasses (spectacles cage) (EN 166).

(b) Skin protection

(i) Hand protection







### EASY FILET MOYEN

Issued on 01/31/2019 - Rel. # 1 on 11/28/2022

In conformity to Regulation (EU) 2020/878

When handling the pure product use chemical resistant protective gloves (EN 374-1/EN374-2/EN374-3)

(ii) Other

When handling the pure product wear full protective skin clothing.

(c) Respiratory protection Not needed for normal use.

(d) Thermal hazards No hazard to report

Environmental exposure controls:

Use according to good working practices to avoid pollution into the environment.

# **SECTION 9.** Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties

Physical and chemical properties	Value	Determination method
Physical state	Liquid	
	Liquid	
Colour	Blue	
Odour	Characteristic	
рН	irrelevant	
Melting point/freezing point	not determined	
Evaporation rate	irrelevant	
Flammability	nonflammable	
Boiling point or initial boiling point and boiling range	irrelevant	
Partition coefficient n-octanol/water (log value)	irrelevant	
Auto-ignition temperature	irrelevant	
Odour threshold	irrelevant	
Decomposition temperature	irrelevant	
Density and/or relative density	1,05 g/ml	
Solubility(ies)	Organic Solvent	
Water solubility	non solubile	
Lower and upper explosion limit	not explosive	
Relative vapour density	not determined	
Vapour pressure	not determined	
Kinematic viscosity	500 - 800 mPa.s	

### 9.2. Other information

#### 9.2.1 Information with regard to physical hazard classes

Irrilevant

### EASY FILET MOYEN

Issued on 01/31/2019 - Rel. # 1 on 11/28/2022

#### 9.2.2 Other safety characteristics

Irrilevant

# SECTION 10. Stability and reactivity 10.1. Reactivity

# No reactivity hazards

### 10.2. Chemical stability

No hazardous reaction when handled and stored according to provisions.

#### 10.3. Possibility of hazardous reactions

There are no hazardous reactions

#### 10.4. Conditions to avoid

Nothing to report

### 10.5. Incompatible materials

It can generate inflammable gases to contact with elementary metals, nitrides. It can ignite in contact with oxidants mineral acids, strong oxidants agents, strong reducing agents.

#### 10.6. Hazardous decomposition products

Does not decompose when used for intended uses.

### **SECTION 11. Toxicological information**

#### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

ATE(mix) oral = 50.263,2 mg/kg ATE(mix) dermal = 144.736,8 mg/kg ATE(mix) inhal = 264,5 mg/l/4 h

(a) acute toxicity: cumene hydroperoxide: 594/5000
The substance is corrosive to the eyes, the skin and the respiratory tract. Corrosive by ingestion. Inhalation of this substance may cause pulmonary edema (see Notes). The effects can be delayed. Medical observation is indicated. ACUTE RISKS / SYMPTOMS
INHALATION Sore throat. Burning sensation. Cough. Respiratory difficulty. Shortness of breath. Symptoms may occur late (see Notes).
CUTE Redness. Ache. Skin burns.
EYES Redness. Ache. Serious deep burns.

### EASY FILET MOYEN

In conformity to Regulation (EU) 2020/878 INGESTION Burning sensation. Abdominal pain. Shock or collapse. (b) skincorrosion/irritation: If brought into contact with the skin, the product causes significant inflammation with ervthema, scabs, or edema, (c) serious eye damage/irritation: If brought into contact with eyes, the product, causes significant irritations which may last for more than 24 hours. 2-hvdroxyethyl methacrylate 98%: Serious eye damage / eye irritation rabbit. Draize, (own analysis), irritating Irritating to eves Category 2B (UN-GHS) (d) respiratoryorskinsensitisation: The product, if brought into contact with skin can cause skin sensitization. 2-hydroxyethyl methacrylate 98%: Respiratory or skin sensitization guinea pig, GPMT - Sensitizer Skin sensitization Category 1B (UN-GHS) (e) germ cell mutagenicity: based on available data, the classification criteria are not met (f) carcinogenicity: based on available data, the classification criteria are not met (g) eproductivetoxicity: based on available data, the classification criteria are not met (h) specific target organ toxicity (STOT) single exposure: based on available data, the classification criteria are not met (i) specific target organ toxicity (STOT) repeated exposure2-hydroxyethyl methacrylate 98%: Repeated Toxicity administration rat, oral, 7th Sept., OECD 422 - NOAEL - 100 mg / kg cumene hydroperoxide: Species: Rat NOAEL: 0.031 mg / I Application method: inhalation (dust / mist / fumes) Exposure time: 90 d (i) aspiration hazard: based on available data, the classification criteria are not met **SELON 220:** LD50 (rat) Oral (mg/kg body weight) = 65789 LD50 Dermal (rat or rabbit) (mg/kg body weight) = 144736 CL50 Inhalation (rat) vapour/dust/mist/fume (mg/l/4h) or gas (ppmV/4h) = 394.7Related to contained substances: 2-hydroxyethyl methacrylate 98%: Toxicokinetics, metabolism and distribution The substance is rapidly metabolized General indications Contact with the eyes and skin should be avoided, as well as the breathing of the product vapors. LD50 (rat) Oral (mg/kg body weight) = 5000 LD50 Dermal (rat or rabbit) (mg/kg body weight) = 5000 cumene hydroperoxide: ROUTES OF EXPOSURE: The substance can be absorbed into the body by inhalation, through the skin and by ingestion. INHALATION RISK: No indication can be given about the rate in which a harmful concentration in the air is reached on evaporation of this substance at 20 ° C. N O T E The symptoms of pulmonary edema often do not occur within a few hours and are exacerbated by physical exertion. Rest and medical observation are therefore essential. Immediate administration of an appropriate inhalation therapy by a physician or personnel authorized by him should be considered. LD50 (rat) Oral (mg/kg body weight) = 382 LD50 Dermal (rat or rabbit) (mg/kg body weight) = 1100 CL50 Inhalation (rat) vapour/dust/mist/fume (mg/l/4h) or gas (ppmV/4h) = 2.01

### 11.2. Information on other hazards

No data available.

#9/12

Issued on 01/31/2019 - Rel. # 1 on 11/28/2022

### EASY FILET MOYEN

Issued on 01/31/2019 - Rel. # 1 on 11/28/2022

In conformity to Regulation (EU) 2020/878

### 12.1. Toxicity

Use according to good working practices to avoid pollution into the environment.

### 12.2. Persistence and degradability

No data available.

### 12.3. Bioaccumulative potential

No data available.

### 12.4. Mobility in soil

No data available.

### 12.5. Results of PBT and vPvB assessment

Based on the available data, no PBT or vPvB substances are present in accordance with Regulation (EC) 1907/2006, annex XIII

### 12.6. Endocrine disrupting properties

Based on available data, there are no substances that interfere with the Endocrine System in accordance with Regulation (EU) 2017/2100

### 12.7. Other adverse effects

No adverse effects

### **SECTION 13. Disposal considerations**

### 13.1. Waste treatment methods

Do not reuse empty containers. Dispose of them in accordance with the regulations in force. Any remaining product should be disposed of according to applicable regulations by addressing to authorized companies. Recover if possible. Send to authorized discharge plants or for incineration under controlled conditions. Operate according to local and National rules in force

### **SECTION 14. Transport information**

### 14.1. UN number or ID number

Not included in the scope of application regulations concerning the transport of dangerous goods: by road (ADR); by rail (RID); by air (ICAO / IATA); by sea (IMDG).

# 10 / 12

### EASY FILET MOYEN

# 11 / 12

Issued on 01/31/2019 - Rel. # 1 on 11/28/2022

In conformity to Regulation (EU) 2020/878

14.2. UN proper shipping name

None

14.3. Transport hazard class(es)

None

14.4. Packing group

None

14.5. Environmental hazards

None

### 14.6. Special precautions for user

No data available.

### 14.7. Maritime transport in bulk according to IMO instruments

It is not intended to carry bulk

### **SECTION 15. Regulatory information**

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

REGULATION (EU) No 1357/2014 - waste: HP4 - Irritant — skin irritation and eye damage HP13 - Sensitising

Substances in the Candidate List (REACH Article 59) Based on available data, no SVHC substances are present

### 15.2. Chemical safety assessment

The supplier has made an assessment of chemical safety

# **SECTION 16. Other information**

### 16.1. Other information

Description of the hazard statements exposed to point 3

H315 = Causes skin irritation.

- H317 = May cause an allergic skin reaction.
- H319 = Causes serious eye irritation.
- H226 = Flammable liquid and vapour.
- H242 = Heating may cause a fire.

### EASY FILET MOYEN

Issued on 01/31/2019 - Rel. # 1 on 11/28/2022

In conformity to Regulation (EU) 2020/878

H302 = Harmful if swallowed.

H312 = Harmful in contact with skin.

H314 = Causes severe skin burns and eve damage.

H331 = Toxic if inhaled.

H335 = May cause respiratory irritation.

H373 = May cause damage to organs through prolonged or repeated exposure .

H411 = Toxic to aquatic life with long lasting effects.

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

Classification according to Regulation (EC) Nr. 1272/2008

- Causes skin irritation. Classification procedure: Calculation method H315
- May cause an allergic skin reaction. Classification procedure: Calculation method H317 -

-Classification procedure: H319 Causes serious eye irritation. Calculation method

### **GENERAL BIBLIOGRAPHY:**

- Council Regulation (EC) 1907/2006 of the European Parliament (REACH)
- Regulation (EC) 1272/2008 of the European Parliament (CLP) and subsequent updates
- Council Regulation (EC) no 758/2013 of the European Parliament
- Regulation (EC) no 2020/878 of the European Parliament
- Regulation (EC) No 528/2012 European Parliament and subsequent updates
- Commission Regulation (EC) No 790/2009 of 10 August 2009 Commission Regulation (EU) No 286/2011 of 10 March 2011
- Commission Regulation (EU) No 618/2012 of 10 July 2012
- Commission Regulation (EU) No 487/2013 of 8 May 2013
- Council Regulation (EU) No 517/2013 of 13 May 2013
- Commission Regulation (EU) No 758/2013 of 7 August 2013
- Commission Regulation (EU) No 944/2013 of 2 October 2013
- Commission Regulation (EU) No 605/2014 of 5 June 2014
- Commission Regulation (EU) 2015/491 of 23 March 2015
- Commission Regulation (EU) No 1297/2014 of 5 December 2014- Council Regulation (EC) 648/2004 of the European Parliament and subsequent updates
- The Merck Index
- Handling Chemical Safety
- Niosh Registry of Toxic Effects of Chemical Substances
- INRS Fiche Toxicologique
- Patty-Industrial Hygiene and Toxicology
- N.I. Sax-Dangerous properties of Industrial Materials-7 Ed., 1989

#### Note to the user:

the information in this tab are based on knowledge available to us on the date of the latest version.

The user must ensure the fitness and completeness of the information in relation to the specific use of the product. You should not interpret it as a guarantee of any specific property of the product.

For the use of the product does not fall under our direct control, the obligation of the user to observe under their own liability laws and regulations on hygiene and safety. Do not assume liability for improper use.

This tab replaces and cancels all previous

# 12 / 12