#### **IPC**

KOLORS BIOTECH

Date: 08/11/2018 Page 1/11 Revision: N°2 (17/11/2017)

## SAFETY DATA SHEET

(REACH regulation (EC) n° 1907/2006 - n° 2015/830)

## SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

#### 1.1. Product identifier

Product name: KOLORS BIOTECH

Product code: 10380-10381

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Degreaser, disinfectant.

Professional use.

## 1.3. Details of the supplier of the safety data sheet

Registered company name: IPC.

Address: 10 Quai Malbert.29200.BREST.FRANCE.

Telephone: +33 (0)2 98 43 45 44. Fax:.

ipc@ipc-sa.com

## 1.4. Emergency telephone number: +33 (0)1 45 42 59 59.

Association/Organisation: INRS / ORFILA http://www.centres-antipoison.net.

#### **SECTION 2: HAZARDS IDENTIFICATION**

#### 2.1. Classification of the substance or mixture

#### In compliance with EC regulation No. 1272/2008 and its amendments.

This mixture does not present a physical hazard. Refer to the recommendations regarding the other products present on the site.

This mixture does not present a health hazard with the exception of possible occupational exposure thresholds (see paragraphs 3 and 8).

This mixture does not present an environmental hazard. No known or foreseeable environmental damage under standard conditions of use.

# 2.2. Label elements

Biocidal detergent mixture (see section 15).

# In compliance with EC regulation No. 1272/2008 and its amendments.

Additional labeling:

EUH210 Safety data sheet available on request.

Precautionary statements - Response:

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and

easy to do. Continue rinsing.

Precautionary statements - Disposal:

P501 Dispose of contents/container as non-hazardous waste under the full responsibility of the holder of the

waste. Do not dispose of residues in sewers and waterways.

#### 2.3. Other hazards

The mixture does not contain substances classified as 'Substances of Very High Concern' (SVHC) >= 0.1% published by the European CHemicals Agency (ECHA) under article 57 of REACH: http://echa.europa.eu/fr/candidate-list-table

The mixture fulfils neither the PBT nor the vPvB criteria for mixtures in accordance with annexe XIII of the REACH regulations EC 1907/2006.

## SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

# 3.2. Mixtures

**Composition:** 

Composition :			
Identification	(EC) 1272/2008	Note	%
INDEX: 603-096-00-8	GHS07	[1]	$2.5 \le x \% < 10$
CAS: 112-34-5	Wng		
EC: 203-961-6	Eye Irrit. 2, H319		
REACH: 01-2119475104-44			
2-(2-BUTOXYETHOXY)ETHANOL			

Version: N°1 (17/11/2017)

**IPC** 

## KOLORS BIOTECH

Date: 08/11/2018 Page 2/11 Revision: N°2 (17/11/2017)

$ 2.5 \le x \% < 10$
$0 \le x \% < 2.5$
$0 \le x \% < 2.5$
$0 \le x \% < 0.1$

(Full text of H-phrases: see section 16)

## Information on ingredients:

[1] Substance for which maximum workplace exposure limits are available.

#### **SECTION 4 : FIRST AID MEASURES**

As a general rule, in case of doubt or if symptoms persist, always call a doctor.

NEVER induce swallowing by an unconscious person.

# 4.1. Description of first aid measures

## In the event of exposure by inhalation:

In the event of massive inhalation, remove the person to fresh air and keep warm and at rest.

# In the event of splashes or contact with eyes:

Wash thoroughly with fresh, clean water for 15 minutes holding the eyelids open.

Regardless of the initial state, refer the patient to an ophthalmologist and show him the label.

#### In the event of splashes or contact with skin:

Wash skin with water. If irritation persists, consult a doctor. Show him the label.

#### In the event of swallowing:

In the event of swallowing, if the quantity is small (no more than one mouthful), rinse the mouth with water and consult a doctor.

Keep the person exposed at rest. Do not force vomiting.

Seek medical attention, showing the label.

If swallowed accidentally, call a doctor to ascertain whether observation and hospital care will be necessary. Show the label.

## 4.2. Most important symptoms and effects, both acute and delayed

No data available.

# 4.3. Indication of any immediate medical attention and special treatment needed

No data available.

# **SECTION 5: FIREFIGHTING MEASURES**

Non-flammable.

# 5.1. Extinguishing media

## Suitable methods of extinction

In the event of a fire, use:

- sprayed water or water mist
- foam
- multipurpose ABC powder
- BC powder

#### **IPC**

Revision: N°2 (17/11/2017)

Date: 08/11/2018 Page 3/11

#### KOLORS BIOTECH

- carbon dioxide (CO2)

#### Unsuitable methods of extinction

In the event of a fire, do not use:

- water jet

#### 5.2. Special hazards arising from the substance or mixture

A fire will often produce a thick black smoke. Exposure to decomposition products may be hazardous to health.

Do not breathe in smoke.

In the event of a fire, the following may be formed:

- carbon monoxide (CO)
- carbon dioxide (CO2)

# 5.3. Advice for firefighters

Due to the toxicity of the gas emitted on thermal decomposition of the products, fire-fighting personnel are to be equipped with autonomous insulating breathing apparatus.

## **SECTION 6: ACCIDENTAL RELEASE MEASURES**

## 6.1. Personal precautions, protective equipment and emergency procedures

Consult the safety measures listed under headings 7 and 8.

#### For first aid worker

First aid workers will be equipped with suitable personal protective equipment (See section 8).

## 6.2. Environmental precautions

Contain and control the leaks or spills with non-combustible absorbent materials such as sand, earth, vermiculite, diatomaceous earth in drums for waste disposal.

Prevent any material from entering drains or waterways.

#### 6.3. Methods and material for containment and cleaning up

Clean preferably with a detergent, do not use solvents.

#### 6.4. Reference to other sections

No data available.

## **SECTION 7: HANDLING AND STORAGE**

Requirements relating to storage premises apply to all facilities where the mixture is handled.

## 7.1. Precautions for safe handling

Always wash hands after handling.

Ensure that there is adequate ventilation, especially in confined areas.

#### Fire prevention:

Handle in well-ventilated areas.

Prevent access by unauthorised personnel.

#### Recommended equipment and procedures:

For personal protection, see section 8.

Observe precautions stated on label and also industrial safety regulations.

Packages which have been opened must be reclosed carefully and stored in an upright position.

## Prohibited equipment and procedures:

No smoking, eating or drinking in areas where the mixture is used.

## 7.2. Conditions for safe storage, including any incompatibilities

Keep out of the reach of children.

## Storage

Keep the container tightly closed in a dry, well-ventilated place.

The floor must be impermeable and form a collecting basin so that, in the event of an accidental spillage, the liquid cannot spread beyond this area.

Recommended storage temperature:  $+5^{\circ}\text{C}$  to  $+40^{\circ}\text{C}$ 

# Packaging

Always keep in packaging made of an identical material to the original.

#### IPC

Revision: N°2 (17/11/2017)

Date: 08/11/2018 Page 4/11

# 7.3. Specific end use(s)

No data available.

# SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

#### 8.1. Control parameters

## Occupational exposure limits:

- European Union (2017/2398, 2017/164, 2009/161, 2006/15/CE, 2000/39/CE, 98/24/CE):

	11 (2017)2070, 20	<u> </u>	01, 2000, 10, 02,	=000.07.02,7	0.2 1. 02) .
CAS	VME-mg/m	3 : VME-ppm :	VLE-mg/m3:	VLE-ppm:	Notes:
112-34-5	67.5	10	101.2	15	-
141-43-5	2.5	1	7.6	3	Peau
78-93-3	600	200	900	300	-

- ACGIH TLV (American Conference of Governmental Industrial Hygienists, Threshold Limit Values, 2010):

KOLORS BIOTECH

CAS	TWA:	STEL:	Ceiling:	Definition:	Criteria:
64-17-5		1000 ppm		A3	
141-43-5	3 ppm	6 ppm			
67-63-0	200 ppm	400 ppm		A4; BEI	
78-93-3	200 ppm	300 ppm		BEI	

- Germany - AGW (BAuA - TRGS 900, 29/01/2018) :

CAS	VME:	VME :	Excess	Notes
112-34-5		10 ppm		1,5 (I)
		$67 \text{ mg/m}^3$		
64-17-5		500 ppm		2(II)
		960 mg/m <sup>3</sup>		
141-43-5		0,2 ppm		1(I)
		$0.5 \text{ mg/m}^3$		
67-63-0		200 ppm		2(II)
		$500 \text{ mg/m}^3$		
78-93-3		200 ppm		1(I)
		$600 \text{ mg/m}^3$		

- France (INRS - ED984:2016):

CAS	VME-ppm:	VME-mg/m3:	VLE-ppm:	VLE-mg/m3:	Notes:	TMP No:
112-34-5	10	67.5	15	101.2	-	-
64-17-5	1000	1900	5000	9500	-	84
141-43-5	1	2.5	3	7.6	-	49, 49 Bis
67-63-0	-	-	400	980	-	84
78-93-3	200	600	300	900	*	84

- UK / WEL (Workplace exposure limits, EH40/2005, 2011):

CAS	TWA:	STEL:	Ceiling:	Definition:	Criteria:
112-34-5	10 ppm	15 ppm			
	67,5 mg/m <sup>3</sup>	101,2 mg/m <sup>3</sup>			
64-17-5	1000 ppm	- ppm			
	1920 mg/m <sup>3</sup>	- mg/m <sup>3</sup>			
141-43-5	1 ppm	3 ppm		Sk	
	2,5 mg/m <sup>3</sup>	7,6 mg/m <sup>3</sup>			
67-63-0	400 ppm	500 ppm			
	999 mg/m <sup>3</sup>	1250 mg/m <sup>3</sup>			
78-93-3	200 ppm	300 ppm		Sk, BMGV	
	600 mg/m <sup>3</sup>	899 mg/m <sup>3</sup>			

# 

PROPAN-2-OL (CAS: 67-63-0)

**Final use:**Exposure method:
Workers.
Dermal contact.

Potential health effects: Long term systemic effects.

DNEL: 888 mg/kg body weight/day

Exposure method: Inhalation.

Potential health effects: Long term systemic effects.

Version: N°1 (17/11/2017)

IPC

KOLORS BIOTECH

Date: 08/11/2018 Page 5/11

Revision: N°2 (17/11/2017)

DNEL: 500 mg of substance/m3

Final use:

Exposure method: Potential health effects:

DNEL:

Exposure method: Potential health effects:

DNEL:

Exposure method: Potential health effects:

DNEL:

2-AMINOETHANOL (CAS: 141-43-5)

Final use:

Exposure method: Potential health effects:

DNEL:

Exposure method: Potential health effects:

DNEL:

Final use:

Exposure method: Potential health effects:

DNEL:

Exposure method: Potential health effects:

DNEL:

Exposure method:

Potential health effects:

DNEL:

ETHANOL (CAS: 64-17-5)

Final use:

Exposure method: Potential health effects:

DNEL:

Exposure method:

Potential health effects:

DNEL:

Exposure method:

Potential health effects:

DNEL:

Final use:

Exposure method: Potential health effects:

DNEL:

Exposure method:

Consumers.

Ingestion.

Long term systemic effects.

26 mg/kg body weight/day

Dermal contact.

Long term systemic effects. 319 mg/kg body weight/day

Inhalation.

Long term systemic effects.

89 mg of substance/m3

Workers.

Dermal contact.

Long term systemic effects.

1 mg/kg body weight/day

Inhalation.

Long term local effects.

3.3 mg of substance/m3

Consumers.

Ingestion.

Long term systemic effects.

3.75 mg/kg body weight/day

Dermal contact.

Long term systemic effects.

0.24 mg/kg body weight/day

Inhalation.

Long term local effects.

2 mg of substance/m3

Workers.

Dermal contact.

Long term systemic effects.

343 mg/kg body weight/day

Inhalation.

Short term local effects.

1900 mg of substance/m3

Inhalation.

Long term systemic effects.

950 mg of substance/m3

Consumers.

Ingestion.

Short term systemic effects.

87 mg/kg body weight/day

Dermal contact.

Revision: N°2 (17/11/2017) Version: N°1 (17/11/2017)

Date: 08/11/2018 Page 6/11

KOLORS BIOTECH

Potential health effects: Long term systemic effects. DNEL: 206 mg/kg body weight/day

Exposure method: Inhalation.

Potential health effects: Short term local effects. DNEL: 950 mg of substance/m3

Exposure method: Inhalation.

Potential health effects: Long term systemic effects. DNEL: 114 mg of substance/m3

Predicted no effect concentration (PNEC):

PROPAN-2-OL (CAS: 67-63-0)

Environmental compartment: Soil. PNEC: 28 mg/kg

Environmental compartment: Fresh water. PNEC: 140.9 mg/l

Environmental compartment: Sea water. PNEC: 140.9 mg/l

Environmental compartment: Intermittent waste water.

PNEC: 140.9 mg/l

Environmental compartment: Waste water treatment plant.

PNEC: 2251 mg/l

2-AMINOETHANOL (CAS: 141-43-5)

Environmental compartment: Soil.

PNEC: 0.035 mg/kg

Fresh water. Environmental compartment: PNEC: 0.085 mg/l

Environmental compartment: Sea water. PNEC: 0.0085 mg/l

Environmental compartment: Intermittent waste water.

PNEC: 0.025 mg/l

Environmental compartment: Fresh water sediment.

PNEC: 0.425 mg/kg

Environmental compartment: Marine sediment. PNEC: 0.0425 mg/kg

Environmental compartment: Waste water treatment plant.

PNEC: 100 mg/l

ETHANOL (CAS: 64-17-5)

Environmental compartment: Soil. PNEC: 0.63 mg/kg

Environmental compartment: Fresh water. PNEC: 0.96 mg/l

Environmental compartment: Sea water.

Version: N°1 (17/11/2017)

KOLORS BIOTECH

Date: 08/11/2018 Page 7/11 Revision: N°2 (17/11/2017)

PNEC: 0.79 mg/l

Intermittent waste water. Environmental compartment:

PNEC: 2.75 mg/l

Environmental compartment: Fresh water sediment.

PNEC: 3.6 mg/kg

Marine sediment. Environmental compartment: PNEC: 2.9 mg/kg

Environmental compartment: Waste water treatment plant.

PNEC: 580 mg/l

## 8.2. Exposure controls

## Personal protection measures, such as personal protective equipment

Use personal protective equipment that is clean and has been properly maintained.

Store personal protective equipment in a clean place, away from the work area.

Never eat, drink or smoke during use. Remove and wash contaminated clothing before re-using. Ensure that there is adequate ventilation, especially in confined areas.

## - Eye / face protection

Avoid contact with eyes.

Use eye protectors designed to protect against liquid splashes

Before handling, wear safety goggles in accordance with standard EN166.

#### - Hand protection

Wear suitable protective gloves in the event of prolonged or repeated skin contact.

Type of gloves recommended:

- Nitrile rubber (butadiene-acrylonitrile copolymer rubber (NBR))

# - Body protection

Work clothing worn by personnel shall be laundered regularly.

After contact with the product, all parts of the body that have been soiled must be washed.

#### **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

# 9.1. Information on basic physical and chemical properties

**General information:** 

Physical state: Fluid liquid.

Color: dark blue

Important health, safety and environmental information

10.80 +/- 0.5.

Slightly basic. Not specified.

Boiling point/boiling range: Flash point interval: Not relevant. Vapour pressure (50°C): Not relevant. Density: 1.00 +/- 0.01 Water solubility: Soluble. Melting point/melting range: Not specified. Not specified. Self-ignition temperature : Decomposition point/decomposition range: Not specified.

## 9.2. Other information

No data available.

# **SECTION 10: STABILITY AND REACTIVITY**

# 10.1. Reactivity

No data available.

# 10.2. Chemical stability

This mixture is stable under the recommended handling and storage conditions in section 7.

Version: N°1 (17/11/2017)

**IPC** 

## KOLORS BIOTECH

Date: 08/11/2018 Page 8/11 Revision: N°2 (17/11/2017)

## 10.3. Possibility of hazardous reactions

When exposed to high temperatures, the mixture can release hazardous decomposition products, such as carbon monoxide and dioxide, fumes and nitrogen oxide.

#### 10.4. Conditions to avoid

Avoid:

- frost
- heat

#### 10.5. Incompatible materials

Do not mix with other products.

#### 10.6. Hazardous decomposition products

The thermal decomposition may release/form:

- carbon monoxide (CO)
- carbon dioxide (CO2)

## **SECTION 11: TOXICOLOGICAL INFORMATION**

# 11.1. Information on toxicological effects

Splashes in the eyes may cause irritation and reversible damage

#### 11.1.1. Substances

## Acute toxicity:

2-BUTANONE (CAS: 78-93-3)

Oral route: LD50 = 4000 mg/kg

LC50 = 34 mg/lInhalation route (n/a):

Duration of exposure: 4 h

2-AMINOETHANOL (CAS: 141-43-5)

Oral route: LD50 = 1089 mg/kg

Species: Rat

OECD Guideline 401 (Acute Oral Toxicity)

ETHANOL (CAS: 64-17-5)

Oral route: LD50 = 10470 mg/kg

Species: Rat

OECD Guideline 401 (Acute Oral Toxicity)

LD50 > 2000 mg/kg Dermal route:

Species: Rabbit

OECD Guideline 402 (Acute Dermal Toxicity)

Inhalation route (n/a): LC50 = 51 mg/l

Species: Rat

Duration of exposure: 4 h

# 11.1.2. Mixture

No toxicological data available for the mixture.

# SECTION 12: ECOLOGICAL INFORMATION

## 12.1. Toxicity

## 12.1.1. Substances

2-AMINOETHANOL (CAS: 141-43-5)

LC50 = 349 mg/lFish toxicity:

Species: Cyprinus carpio Duration of exposure: 96 h

NOEC = 1.2 mg/l

Version: N°1 (17/11/2017)

KOLORS BIOTECH

Species: Oryzias latipes

Crustacean toxicity: EC50 = 65 mg/l

Species : Daphnia magna Duration of exposure : 48 h

NOEC = 0.85 mg/l Species: Daphnia magna Duration of exposure: 21 days

OECD Guideline 211 (Daphnia magna Reproduction Test)

Date: 08/11/2018 Page 9/11 Revision: N°2 (17/11/2017)

Algae toxicity: ECr50 = 2.5 mg/l

Species: Scenedesmus capricornutum

Duration of exposure: 72 h

OECD Guideline 201 (Alga, Growth Inhibition Test)

ETHANOL (CAS: 64-17-5)

Fish toxicity: LC50 = 13000 mg/l

Species: Oncorhynchus mykiss Duration of exposure: 96 h

OECD Guideline 203 (Fish, Acute Toxicity Test)

Crustacean toxicity: EC50 = 5012 mg/l

Species : Ceriodaphnia dubia Duration of exposure : 48 h

#### **12.1.2.** Mixtures

No aquatic toxicity data available for the mixture.

## 12.2. Persistence and degradability

The surfactants contained in this preparation comply with the biodegradability criteria as laid down in Regulation (EC) No 648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of Member States and will be provided with their request or at the request of a detergent manufacturer.

#### 12.2.1. Substances

2-AMINOETHANOL (CAS: 141-43-5)

Biodegradability: Rapidly degradable.

ETHANOL (CAS: 64-17-5)

Biodegradability: Rapidly degradable.

# 12.3. Bioaccumulative potential

No data available.

# 12.4. Mobility in soil

No data available.

## 12.5. Results of PBT and vPvB assessment

No data available.

## 12.6. Other adverse effects

No data available.

# **SECTION 13: DISPOSAL CONSIDERATIONS**

Proper waste management of the mixture and/or its container must be determined in accordance with Directive 2008/98/EC.

# 13.1. Waste treatment methods

Do not pour into drains or waterways.

#### Waste

Waste management is carried out without endangering human health, without harming the environment and, in particular without risk to water, air, soil, plants or animals.

Recycle or dispose of waste in compliance with current legislation, preferably via a certified collector or company.

Do not contaminate the ground or water with waste, do not dispose of waste into the environment.

Version: N°1 (17/11/2017)

Revision: N°2 (17/11/2017)

Date: 08/11/2018 Page 10/11

## Soiled packaging:

Empty container completely. Keep label(s) on container.

Give to a certified disposal contractor.

## **SECTION 14: TRANSPORT INFORMATION**

Exempt from transport classification and labelling.

14.1. UN number

14.2. UN proper shipping name

14.3. Transport hazard class(es)

14.4. Packing group

14.5. Environmental hazards

14.6. Special precautions for user

## **SECTION 15: REGULATORY INFORMATION**

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

## - Classification and labelling information included in section 2:

The following regulations have been used:

- EU Regulation No. 1272/2008 amended by EU Regulation No. 2016/1179. (ATP 9)

#### - Container information:

No data available.

#### - Particular provisions:

No data available.

## - Labelling for detergents (EC Regulation No. 648/2004,907/2006):

- less than 5 %: nonionic surfactants

## - Labelling for biocidal products (Regulation 1896/2000, 1687/2002, 2032/2003, 1048/2005, 1849/2006, 1451/2007 and Directive 98/8/EC)

KOLORS BIOTECH

Name	CAS	%	Product-type
DIDECYLDIMETHYLAMMONIUM	7173-51-5	8.00 g/kg	02
CHLORIDE			04

Product-type 2: Disinfectants and algaecides not intended for direct application to humans or animals.

Product-type 4: Food and feed area.

## 15.2. Chemical safety assessment

No data available.

## **SECTION 16: OTHER INFORMATION**

Since the user's working conditions are not known by us, the information supplied on this safety data sheet is based on our current level of knowledge and on national and community regulations.

The mixture must not be used for other uses than those specified in section 1 without having first obtained written handling instructions.

It is at all times the responsibility of the user to take all necessary measures to comply with legal requirements and local regulations.

The information in this safety data sheet must be regarded as a description of the safety requirements relating to the mixture and not as a guarantee of the properties thereof.

# Wording of the phrases mentioned in section 3:

H225 Highly flammable liquid and vapour.

H302 Harmful if swallowed. H312 Harmful in contact with skin.

H314 Causes severe skin burns and eye damage.

H319 Causes serious eye irritation.

Version: N°1 (17/11/2017)

IPC KOLORS BIOTECH

H332 Harmful if inhaled.

H335 May cause respiratory irritation.
H336 May cause drowsiness or dizziness.

H412 Harmful to aquatic life with long lasting effects.

## **Abbreviations:**

DNEL: Derived No-Effect Level

PNEC: Predicted No-Effect Concentration

ADR: European agreement concerning the international carriage of dangerous goods by Road.

Date: 08/11/2018 Page 11/11 Revision: N°2 (17/11/2017)

IMDG: International Maritime Dangerous Goods. IATA: International Air Transport Association. ICAO: International Civil Aviation Organisation

RID: Regulations concerning the International carriage of Dangerous goods by rail.

 $WGK: Wasserge fahrdungsklasse \ (Water\ Hazard\ Class).$ 

PBT: Persistent, bioaccumulable and toxic. vPvB: Very persistent, very bioaccumulable. SVHC: Substances of very high concern.