SAFETY DATA SHEET

(REACH regulation (EC) n° 1907/2006 - n° 2020/878)

SECTION 1 : IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product name : KOLORS BIOTECH Product code : 103800-103810-103900-10480-10481

1.2. Relevant identified uses of the substance or mixture and uses advised against

Degreaser, disinfectant.

Household and professional use

1.3. Details of the supplier of the safety data sheet

IPC

10 Quai Malbert, 29200, BREST, FRANCE. Tel. : +33 (0)2 98 43 45 44. Fax : +33 (0)2 98 44 22 53 ipc@groupe-ipc.com

1.4. Emergency telephone number : +33 (0)1 45 42 59 59.

Association/Organisation : INRS / ORFILA http://www.centres-antipoison.net.

SECTION 2 : HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

In compliance with EC regulation No. 1272/2008 and its amendments.

This mixture does not present a physical hazard. Refer to the recommendations regarding the other products present on the site. This mixture does not present a health hazard with the exception of possible occupational exposure thresholds (see paragraphs 3 and 8). This mixture does not present an environmental hazard. No known or foreseeable environmental damage under standard conditions of use.

2.2. Label elements

Biocidal detergent mixture (see section 15).

In compliance with EC regulation No. 1272/2008 and its amendments.

Precautionary statements - Response :

Treepense T	
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and
	easy to do. Continue rinsing.
Precautionary statements - Disposal ·	

Precautionary statements - Disposal P501

Dispose of contents/container as non-hazardous waste under the full responsibility of the holder of the waste. Do not dispose of residues in sewers and waterways.

2.3. Other hazards

The mixture does not contain substances classified as 'Substances of Very High Concern' (SVHC) >= 0.1% published by the European CHemicals Agency (ECHA) under article 57 of REACH: http://echa.europa.eu/fr/candidate-list-table

The mixture fulfils neither the PBT nor the vPvB criteria for mixtures in accordance with annexe XIII of the REACH regulations EC 1907/2006.

The mixture does not contain substances> = 0.1% with endocrine disrupting properties in accordance with the criteria of the Delegated Regulation (EU) 2017/2100 of the Commission or Regulation (EU) 2018/605 of the Commission.

SECTION 3 : COMPOSITION/INFORMATION ON INGREDIENTS

3.2. Mixtures

Composition :

Composition .			
Identification	Classification (EC) 1272/2008	Note	%
INDEX: 603-096-00-8	GHS07	[1]	$2.5 \le x \% \le 10$
CAS: 112-34-5	Wng	[XVII]	
EC: 203-961-6	Eye Irrit. 2, H319		
REACH: 01-2119475104-44			
2-(2-BUTOXYETHOXY)ETHANOL			
2-(2-BUTOXYETHOXY)ETHANOL			

INDEX: 603_002_00_5	GHS07, GHS02	[1]	2.5 <= x % < 10
CAS: 64-17-5	Dgr		
EC: 200-578-6	Flam. Liq. 2, H225		
REACH: 01-2119457610-43	Eye Irrit. 2, H319		
ETHANOL			
Specific concentration limits:			
Identification	Specific concentration limits	ATE	
INDEX: 603 002 00 5	Eye Irrit. 2A: H319 C>= 50%	inhalation: $ATE = 1$	51 mg/l 4h
CAS: 64-17-5			
EC: 200-578-6		oral: ATE = 10470	mg/kg BW
REACH: 01-2119457610-43			0.0

ETHANOL

Information on ingredients :

(Full text of H-phrases: see section 16)

[XVII] Restricted substance under Regulation (EC) No. 1907/2006 (REACH), Annex XVII.

[1] Substance for which maximum workplace exposure limits are available.

SECTION 4 : FIRST AID MEASURES

As a general rule, in case of doubt or if symptoms persist, always call a doctor.

NEVER induce swallowing by an unconscious person.

4.1. description of first aid measures

In the event of exposure by inhalation :

In the event of massive inhalation, remove the person to fresh air and keep warm and at rest.

In the event of splashes or contact with eyes :

Wash thoroughly with fresh, clean water for 15 minutes holding the eyelids open.

Regardless of the initial state, refer the patient to an ophthalmologist and show him the label.

In the event of splashes or contact with skin :

Wash skin with water. If irritation persists, consult a doctor. Show him the label.

In the event of swallowing :

In the event of swallowing, if the quantity is small (no more than one mouthful), rinse the mouth with water and consult a doctor.

Keep the person exposed at rest. Do not force vomiting.

Seek medical attention, showing the label.

If swallowed accidentally, call a doctor to ascertain whether observation and hospital care will be necessary. Show the label.

4.2. Most important symptoms and effects, both acute and delayed

No data available.

4.3. Indication of any immediate medical attention and special treatment needed

No data available.

SECTION 5 : FIREFIGHTING MEASURES

Non-flammable.

5.1. Extinguishing media

Suitable methods of extinction

In the event of a fire, use :

- sprayed water or water mist
- foam
- multipurpose ABC powder
- BC powder
- carbon dioxide (CO2)

Unsuitable methods of extinction

In the event of a fire, do not use :

- water jet

5.2. Special hazards arising from the substance or mixture

A fire will often produce a thick black smoke. Exposure to decomposition products may be hazardous to health. Do not breathe in smoke.

In the event of a fire, the following may be formed :

- carbon monoxide (CO)

- carbon dioxide (CO2)

5.3. Advice for firefighters

Due to the toxicity of the gas emitted on thermal decomposition of the products, fire-fighting personnel are to be equipped with autonomous insulating breathing apparatus.

SECTION 6 : ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Consult the safety measures listed under headings 7 and 8.

For non first aid worker

Avoid contact with eyes.

For first aid worker

First aid workers will be equipped with suitable personal protective equipment (See section 8).

6.2. Environmental precautions

Contain and control the leaks or spills with non-combustible absorbent materials such as sand, earth, vermiculite, diatomaceous earth in drums for waste disposal.

Prevent any material from entering drains or waterways.

6.3. Methods and material for containment and cleaning up

Clean preferably with a detergent, do not use solvents.

6.4. Reference to other sections

No data available.

SECTION 7 : HANDLING AND STORAGE

Requirements relating to storage premises apply to all facilities where the mixture is handled.

7.1. Precautions for safe handling

Always wash hands after handling.

Ensure that there is adequate ventilation, especially in confined areas.

Fire prevention :

Handle in well-ventilated areas.

Prevent access by unauthorised personnel.

Recommended equipment and procedures :

For personal protection, see section 8.

Observe precautions stated on label and also industrial safety regulations.

Packages which have been opened must be reclosed carefully and stored in an upright position.

Prohibited equipment and procedures :

No smoking, eating or drinking in areas where the mixture is used.

7.2. Conditions for safe storage, including any incompatibilities

No data available.

Storage

Keep out of reach of children.

Keep the container tightly closed in a dry, well-ventilated place.

The floor must be impermeable and form a collecting basin so that, in the event of an accidental spillage, the liquid cannot spread beyond this area.

Recommended storage temperature: + 5°C to + 40°C

Packaging

Always keep in packaging made of an identical material to the original.

7.3. Specific end use(s)

No data available.

SECTION 8 : EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Occupational exposure limits :

- European Union (2022/431, 2019/1831, 2017/2398, 2017/164, 2009/161, 2006/15/CE, 2000/39/CE, 98/24/CE) :

	VME-mg/m3 :	VME-ppm :	VLE-mg/m3:	VLE-ppm :	Notes :	
112-34-5	67.5	10	101.2	15	-	
- Germany - AGW (I	BAuA - TRGS	900, 02/2022) :				
CAS	VME :	VME :	Excess	Notes]	
112-34-5		10 ppm		1.5 (I)		
		67 mg/m3				
64-17-5		200 ppm		4(II)		
		380 mg/m3				
- Belgium (Royal de	cree of 11/05/20	021):				
CAS	TWA:	STEL :	Ceiling :	Definition :	Criteria :	
112-34-5	10 ppm	15 ppm				
	67.5 mg/m3	101.2 mg/m3				
64-17-5	1000 ppm					
	1907 mg/m3					
- France (INRS - Out	tils 65 / 2021-1	849, 2021-1763	, decree of 09/1	2/2021):		
CAS	VME-ppm :	VME-mg/m3:	VLE-ppm :	VLE-mg/m3:	Notes :	TMP No :
112-34-5	10	67.5	15	101.2	-	-
112-34-5 64-17-5	10 1000	67.5 1900	15 5000	101.2 9500	-	- 84
	1000		-	-	-	- 84
64-17-5	1000		-	9500	- -	- 84
64-17-5 - Switzerland (Suva 2	1000 2021) :	1900 VLE 15 ppm	5000	9500	- -	- 84
64-17-5 - Switzerland (Suva 2 CAS	1000 2021) : VME 10 ppm 67 mg/m3	1900 VLE 15 ppm 101 mg/m3	5000	9500	- -	- 84
64-17-5 - Switzerland (Suva 2 CAS	1000 2021) : VME 10 ppm 67 mg/m3 500 ppm	1900 VLE 15 ppm 101 mg/m3 1000 ppm	5000	9500	- -	<u>-</u> 84
64-17-5 - Switzerland (Suva 2 CAS 112-34-5	1000 2021) : VME 10 ppm 67 mg/m3	1900 VLE 15 ppm 101 mg/m3	5000	9500	- -	- 84
64-17-5 - Switzerland (Suva 2 CAS 112-34-5	1000 2021) : VME 10 ppm 67 mg/m3 500 ppm 960 mg/m3	1900 VLE 15 ppm 101 mg/m3 1000 ppm 1920 mg/m3	5000 Valeur plafond	9500 Notations	- -	<u>-</u> 84
64-17-5 - Switzerland (Suva 2 CAS 112-34-5 64-17-5	1000 2021) : VME 10 ppm 67 mg/m3 500 ppm 960 mg/m3	1900 VLE 15 ppm 101 mg/m3 1000 ppm 1920 mg/m3	5000 Valeur plafond	9500 Notations	- -	- 84
64-17-5 - Switzerland (Suva 2 CAS 112-34-5 64-17-5 - UK / WEL (Workp	1000 2021) : VME 10 ppm 67 mg/m3 500 ppm 960 mg/m3 lace exposure li TWA : 10 ppm	1900 VLE 15 ppm 101 mg/m3 1000 ppm 1920 mg/m3 imits, EH40/200	5000 Valeur plafond 05, Fourth Editio	9500 Notations on 2020) :		<u>-</u> 84
64-17-5 - Switzerland (Suva 2 CAS 112-34-5 64-17-5 - UK / WEL (Workp CAS 112-34-5	1000 2021) : VME 10 ppm 67 mg/m3 500 ppm 960 mg/m3 lace exposure li TWA : 10 ppm 67.5 mg/m3	1900 VLE 15 ppm 101 mg/m3 1000 ppm 1920 mg/m3 imits, EH40/200 STEL :	5000 Valeur plafond 05, Fourth Editio	9500 Notations on 2020) :		<u>-</u> 84
64-17-5 - Switzerland (Suva 2 CAS 112-34-5 64-17-5 - UK / WEL (Workp CAS	1000 2021) : VME 10 ppm 67 mg/m3 500 ppm 960 mg/m3 lace exposure li TWA : 10 ppm	1900 VLE 15 ppm 101 mg/m3 1000 ppm 1920 mg/m3 imits, EH40/200 STEL : 15 ppm	5000 Valeur plafond 05, Fourth Editio	9500 Notations on 2020) :		<u>-</u> 84

Derived no effect level (DNEL) or derived minimum effect level (DMEL):

ETHANOL (CAS: 64-17-5)

Final use:

Exposure method: Potential health effects: DNEL :

Exposure method: Potential health effects: DNEL :

Exposure method: Potential health effects: DNEL :

Final use:

Exposure method: Potential health effects: DNEL :

Exposure method: Potential health effects:

Workers.

Dermal contact. Long term systemic effects. 343 mg/kg body weight/day

Inhalation. Short term local effects. 1900 mg of substance/m3

Inhalation. Long term systemic effects. 950 mg of substance/m3

Consumers.

Ingestion. Short term systemic effects. 87 mg/kg body weight/day

Dermal contact. Long term systemic effects.

DNEL :	206 mg/kg body weight/day
Exposure method:	Inhalation.
Potential health effects:	Short term local effects.
DNEL :	950 mg of substance/m3
Exposure method:	Inhalation.
Potential health effects:	Long term systemic effects.
DNEL :	114 mg of substance/m3
Predicted no effect concentration (PNEC):	
ETHANOL (CAS: 64-17-5) Environmental compartment: PNEC :	Soil. 0.63 mg/kg
Environmental compartment:	Fresh water.
PNEC :	0.96 mg/l
Environmental compartment:	Sea water.
PNEC :	0.79 mg/l
Environmental compartment:	Intermittent waste water.
PNEC :	2.75 mg/l
Environmental compartment:	Fresh water sediment.
PNEC :	3.6 mg/kg
Environmental compartment:	Marine sediment.
PNEC :	2.9 mg/kg
Environmental compartment:	Waste water treatment plant.
PNEC :	580 mg/l

8.2. Exposure controls

Personal protection measures, such as personal protective equipment

Use personal protective equipment that is clean and has been properly maintained.

Store personal protective equipment in a clean place, away from the work area.

Never eat, drink or smoke during use. Remove and wash contaminated clothing before re-using. Ensure that there is adequate ventilation, especially in confined areas.

- Eye / face protection

Avoid contact with eyes.

Use eye protectors designed to protect against liquid splashes

Before handling, wear safety goggles in accordance with standard EN166.

- Hand protection

Wear suitable protective gloves in the event of prolonged or repeated skin contact.

Type of gloves recommended :

- Nitrile rubber (butadiene-acrylonitrile copolymer rubber (NBR))

- Body protection

Work clothing worn by personnel shall be laundered regularly. After contact with the product, all parts of the body that have been soiled must be washed.

SECTION 9 : PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Physical state Physical state :

Fluid liquid.

```
Colour
```

Dark blue

Odour Odour threshold :	Not stated.
Unscented	
Melting point	
Melting point/melting range :	Not specified.
Freezing point Freezing point / Freezing range :	Not stated.
Boiling point or initial boiling point and boiling Boiling point/boiling range :	n g range Not specified.
Flammability Flammability (solid, gas) :	Not stated.
Lower and upper explosion limit Explosive properties, lower explosivity limit (%)Not stated.
: Explosive properties, upper explosivity limit (%)Not stated.
Flash point Flash point interval :	Not relevant.
Auto-ignition temperature Self-ignition temperature :	Not specified.
Decomposition temperature Decomposition point/decomposition range :	Not specified.
рН pH:	10.80 +/- 0.5.
pH (aqueous solution) :	Slightly basic. Not stated.
Kinematic viscosity Viscosity :	Not stated.
Solubility	
Water solubility :	Soluble.
Fat solubility :	Not stated.
Partition coefficient n-octanol/water (log valu Partition coefficient: n-octanol/water :	e) Not stated.
Vapour pressure Vapour pressure (50°C) :	Not relevant.
Density and/or relative density Density :	 1.00 +/- 0.01 Method for determining the density : ISO 649-2 (Laboratory glassware - Density hydrometers for general purposes - Part 2: Test methods and use).
Relative vapour density Vapour density :	Not stated.
Particle characteristics The mixture does not contain nanoforms.	
9.2. Other information No data available.	
9.2.1. Information with regard to physical haz No data available.	zard classes
9.2.2. Other safety characteristics No data available.	

SECTION 10 : STABILITY AND REACTIVITY

10.1. Reactivity

No data available.

10.2. Chemical stability

This mixture is stable under the recommended handling and storage conditions in section 7.

10.3. Possibility of hazardous reactions

When exposed to high temperatures, the mixture can release hazardous decomposition products, such as carbon monoxide and dioxide, fumes and nitrogen oxide.

10.4. Conditions to avoid

Avoid :

- frost

- heat

10.5. Incompatible materials

Do not mix with other products.

10.6. Hazardous decomposition products

The thermal decomposition may release/form :

- carbon monoxide (CO)

- carbon dioxide (CO2)

SECTION 11 : TOXICOLOGICAL INFORMATION

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Splashes in the eyes may cause irritation and reversible damage

11.1.1. Substances

Acute toxicity :

ETHANOL (CAS: 64-17-5)	
Oral route :	LD50 = 10470 mg/kg bodyweight/day Species : Rat OECD Guideline 401 (Acute Oral Toxicity)
Dermal route :	LD50 > 2000 mg/kg bodyweight/day Species : Rabbit OECD Guideline 402 (Acute Dermal Toxicity)
Inhalation route (n/a) :	LC50 = 51 mg/l Species : Rat Duration of exposure : 4 h

11.1.2. Mixture

No toxicological data available for the mixture.

11.2. Information on other hazards

SECTION 12 : ECOLOGICAL INFORMATION

12.1. Toxicity

12.1.1. Substances

ETHANOL (CAS: 64-17-5)	
Fish toxicity :	

LC50 = 13000 mg/l Species : Oncorhynchus mykiss Duration of exposure : 96 h OECD Guideline 203 (Fish, Acute Toxicity Test)

Crustacean toxicity :

EC50 = 5012 mg/l Species : Ceriodaphnia dubia Duration of exposure : 48 h

12.1.2. Mixtures

No aquatic toxicity data available for the mixture.

12.2. Persistence and degradability

The surfactants contained in this preparation comply with the biodegradability criteria as laid down in Regulation (EC) No 648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of Member States and will be provided with their request or at the request of a detergent manufacturer.

12.2.1. Substances

ETHANOL (CAS: 64-17-5) Biodegradability :

Rapidly degradable.

12.3. Bioaccumulative potential

No data available.

12.4. Mobility in soil

No data available.

12.5. Results of PBT and vPvB assessment

No data available.

12.6. Endocrine disrupting properties

No data available.

12.7. Other adverse effects

No data available.

SECTION 13 : DISPOSAL CONSIDERATIONS

Proper waste management of the mixture and/or its container must be determined in accordance with Directive 2008/98/EC.

13.1. Waste treatment methods

Do not pour into drains or waterways.

Waste :

Waste management is carried out without endangering human health, without harming the environment and, in particular without risk to water, air, soil, plants or animals.

Recycle or dispose of waste in compliance with current legislation, via a certified collector or company.

Do not contaminate the ground or water with waste, do not dispose of waste into the environment.

Soiled packaging :

Empty container completely. Keep label(s) on container.

Give to a certified disposal contractor.

SECTION 14 : TRANSPORT INFORMATION

Exempt from transport classification and labelling.

14.1. UN number or ID number

14.2. UN proper shipping name

14.3. Transport hazard class(es)

14.4. Packing group

- 14.5. Environmental hazards
- 14.6. Special precautions for user
- 14.7. Maritime transport in bulk according to IMO instruments

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Classification and labelling information included in section 2:

The following regulations have been used:

- EU Regulation No. 1272/2008 amended by EU Regulation No. 2022/692 (ATP 18)

Container information:

No data available.

Restrictions applied under Title VIII of Regulation (EC) No. 1907/2006 (REACH):

The mixture contains at least one restricted substance under Annex XVII of Regulation (EC) No. 1907/2006 (REACH): https://echa.europa.eu/substances-restricted-under-reach. Please refer to Section 3 to identify the substance involved.

Explosives precursors :

The mixture does not contain any substance subject to Regulation (EU) 2019/1148 on the marketing and use of explosives precursors.

Particular provisions :

No data available.

Labelling for detergents (EC Regulation No. 648/2004,907/2006) :

- less than 5 % : non-ionic surfactants

- disinfectants

Labelling for biocidal products (Regulation (UE) n° 528/2012) :

Name	CAS	%	Product-type
ETHANOL	64-17-5	39.60 g/k	rg 02
		_	04
DIDECYLDIMETHYLAMMONIUM	7173-51-5	8.00 g/k	g 02
CHLORIDE			04

Product-type 2 : Disinfectants and algaecides not intended for direct application to humans or animals.

Product-type 4 : Food and feed area.

15.2. Chemical safety assessment

No data available.

SECTION 16 : OTHER INFORMATION

Since the user's working conditions are not known by us, the information supplied on this safety data sheet is based on our current level of knowledge and on national and community regulations.

The mixture must not be used for other uses than those specified in section 1 without having first obtained written handling instructions.

It is at all times the responsibility of the user to take all necessary measures to comply with legal requirements and local regulations.

The information in this safety data sheet must be regarded as a description of the safety requirements relating to the mixture and not as a guarantee of the properties thereof.

Changes from the previous version :

- Section 1

- Section 2

Wording of the phrases mentioned in section 3 :

H225Highly flammable liquid and vapour.H319Causes serious eye irritation.

Abbreviations and acronyms :

LD50 : The dose of a test substance resulting in 50% lethality in a given time period.

LC50 : The concentration of a test substance resulting in 50% lethality in a given period.

EC50 : The effective concentration of substance that causes 50% of the maximum response.

REACH : Registration, Evaluation, Authorization and Restriction of Chemical Substances.

ATE : Acute Toxicity Estimate

BW : Body Weight

DNEL : Derived No-Effect Level

PNEC : Predicted No-Effect Concentration

UFI : Unique formulation identifier.

STEL : Short-term exposure limit

TWA : Time Weighted Averages

TMP : French Occupational Illness table

TLV : Threshold Limit Value (exposure)

AEV : Average Exposure Value.

ADR : European agreement concerning the international carriage of dangerous goods by Road.

IMDG : International Maritime Dangerous Goods.

IATA : International Air Transport Association.

ICAO : International Civil Aviation Organisation

RID : Regulations concerning the International carriage of Dangerous goods by rail.

 $WGK: Wassergefahrdungsklasse \ (Water \ Hazard \ Class).$

PBT: Persistent, bioaccumulable and toxic.

vPvB : Very persistent, very bioaccumulable.

SVHC : Substances of very high concern.