### Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878 Reference number: 4043-103-20 Issue date: 7/30/2021 Version: 1.0

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product form : Mixture

Product name : KOLORS MOUSSE

Product code : 10697

Type of product : Biocide, Detergent

Vaporizer : Aerosol
Product group : Trade product

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### 1.2.1. Relevant identified uses

Main use category : Professional use

Industrial/Professional use spec : For professional use only

#### 1.2.2. Uses advised against

No additional information available

### 1.3. Details of the supplier of the safety data sheet

**IPC** 

10 Quai Malbert, 29200, BREST, FRANCE.

Tel.: +33 (0)2 98 43 45 44. Fax: +33 (0)2 98 44 22 53.

ipc@groupe-ipc.com

### 1.4. Emergency telephone number

No additional information available

### **SECTION 2: Hazards identification**

### 2.1. Classification of the substance or mixture

### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Aerosol, Category 1 H222;H229
Skin corrosion/irritation, Category 1 H314
Serious eye damage/eye irritation, Category 1 H318

Full text of H and EUH statements: see section 16

### Adverse physicochemical, human health and environmental effects

No additional information available

### 2.2. Label elements

### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)





GHS05

Signal word (CLP)

Contains : 2-Propylheptyl alcohol, ethoxylated, ALCOOL C12-14, ETHOXYLATED

### Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Hazard statements (CLP) : H222 - Extremely flammable aerosol.

H229 - Pressurised container: May burst if heated.

H314 - Causes severe skin burns and eye damage.

Precautionary statements (CLP) : P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources.

No smoking.

P211 - Do not spray on an open flame or other ignition source.

P251 - Do not pierce or burn, even after use.

P260 - Do not breathe spray.

P280 - Wear protective gloves, eye protection.

P301+P330+P331 - IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing.

Rinse skin with water.

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

P310 - Immediately call a doctor.

P410+P412 - Protect from sunlight. Do not expose to temperatures exceeding 50 °C. P501 - Dispose of contents and container to compliance with local regulations.

### 2.3. Other hazards

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605

### **SECTION 3: Composition/information on ingredients**

#### 3.1. Substances

Not applicable

### 3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
butane substance with national workplace exposure limit(s) (FR)	CAS-No.: 106-97-8 EC-No.: 203-448-7 EC Index-No.: 601-004-00-0	10 – 20	Flam. Gas 1, H220 Press. Gas
ethanol; ethyl alcohol substance with national workplace exposure limit(s) (FR)	CAS-No.: 64-17-5 EC-No.: 200-578-6 EC Index-No.: 603-002-00-5	2.27304 – 2.8413	Flam. Liq. 2, H225 Eye Irrit. 2, H319
ALCOOL C12-14, ETHOXYLATED	CAS-No.: 68439-50-9	1.6 – 2	Eye Dam. 1, H318 Aquatic Chronic 3, H412
2-(2-butoxyethoxy)ethanol; diethylene glycol monobutyl ether	CAS-No.: 112-34-5 EC-No.: 203-961-6 EC Index-No.: 603-096-00-8 REACH-no: 01-2119475104-	1.592 – 1.99	Eye Irrit. 2, H319
Dipropyleneglycol substance with national workplace exposure limit(s) (FR); substance with a Community workplace exposure limit	CAS-No.: 34590-94-8 EC-No.: 252-104-2 REACH-no: 01-2119450011- 60	1.592 – 1.99	Not classified
3-butoxypropan-2-ol; propylene glycol monobutyl ether	CAS-No.: 5131-66-8 EC-No.: 225-878-4 EC Index-No.: 603-052-00-8 REACH-no: 01-2119475527- 28	1.592 – 1.99	Eye Irrit. 2, H319 Skin Irrit. 2, H315

### Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
2-PROPYLHEPTANOLETHOXYLATE	CAS-No.: 160875-66-1 REACH-no: 02-2119549160- 47	1.2672 – 1.584	Eye Dam. 1, H318 Acute Tox. 4 (Oral), H302
didecyldimethylammonium chloride	CAS-No.: 7173-51-5 EC-No.: 230-525-2 EC Index-No.: 612-131-00-6	0.636 – 0.795	Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Dermal), H312 Skin Corr. 1B, H314 Aquatic Acute 1, H400 (M=10) Aquatic Chronic 2, H411
Oxyde de dodécyldimethylamine	CAS-No.: 1643-20-5;308062- 28-4 EC-No.: 216-700-6; 608-528- 9	0.4776 – 0.597	Skin Irrit. 2, H315 Eye Dam. 1, H318 Aquatic Acute 1, H400 Aquatic Chronic 2, H411
morpholine substance with national workplace exposure limit(s) (FR)	CAS-No.: 110-91-8 EC-No.: 203-815-1 EC Index-No.: 613-028-00-9	0.23928 – 0.2991	Flam. Liq. 3, H226 Acute Tox. 4 (Oral), H302 Acute Tox. 3 (Dermal), H311 Acute Tox. 3 (Inhalation), H331 Skin Corr. 1B, H314

Specific concentration limits:		
Name	Product identifier	Specific concentration limits
ethanol; ethyl alcohol	CAS-No.: 64-17-5 EC-No.: 200-578-6 EC Index-No.: 603-002-00-5	( 50 ≤C < 100) Eye Irrit. 2, H319

Product subject to CLP Article 1.1.3.7. The disclosure rules of the components is modified in this case.

Full text of H and EUH statements: see section 16

### **SECTION 4: First aid measures**

### 4.1. Description of first aid measures

First-aid measures general : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).

First-aid measures after inhalation : Cough. Remove person to fresh air and keep comfortable for breathing. Immediately call a

POISON CENTER/doctor.

First-aid measures after skin contact : Take off immediately all contaminated clothing. Rinse skin with water/shower. Immediately

call a POISON CENTER/doctor.

First-aid measures after eye contact : Direct contact with the eyes is likely to be irritating. Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor.

First-aid measures after ingestion : Rinse mouth. Do NOT induce vomiting. Immediately call a POISON CENTER/doctor.

### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects : Causes severe skin burns and eye damage.

Symptoms/effects after inhalation : Shortness of breath.
Symptoms/effects after eye contact : Causes serious eye damage.

### 4.3. Indication of any immediate medical attention and special treatment needed

Avis au médecin.

7/30/2021 (Issue date) EN (English) 3/14

### Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

### **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

: Foam. Dry powder. Carbon dioxide. Water spray. Sand. Suitable extinguishing media

Unsuitable extinguishing media : Do not use a heavy water stream.

### 5.2. Special hazards arising from the substance or mixture

Fire hazard : Extremely flammable aerosol.

Explosion hazard Heat may build pressure, rupturing closed containers, spreading fire and increasing risk of

burns and injuries.

### 5.3. Advice for firefighters

Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any

chemical fire. Prevent fire fighting water from entering the environment. DO NOT fight fire

when fire reaches explosives. Evacuate area.

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

#### **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

General measures : No open flames. No smoking. Isolate from fire, if possible, without unnecessary risk.

Remove ignition sources. Use special care to avoid static electric charges.

6.1.1. For non-emergency personnel

**Emergency procedures** : Evacuate unnecessary personnel.

6.1.2. For emergency responders

Protective equipment : Equip cleanup crew with proper protection.

**Emergency procedures** : Ventilate area.

#### 6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Store away from other materials.

#### 6.4. Reference to other sections

See Heading 8. Exposure controls and personal protection.

### **SECTION 7: Handling and storage**

### 7.1. Precautions for safe handling

Additional hazards when processed : Hazardous waste due to potential risk of explosion. Do not pierce or burn, even after use. Precautions for safe handling

Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapour. Do not spray on an open flame or other ignition source. Do not breathe

aérosols. Avoid contact during pregnancy/while nursing.

Hygiene measures : Wash les mains thoroughly after handling.

#### 7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Proper grounding procedures to avoid static electricity should be followed. Comply with

applicable regulations.

Storage conditions : Keep only in the original container in a cool, well ventilated place away from : sources de

chaleur. Keep container closed when not in use. Do not expose to temperatures exceeding 50 °C/ 122 °F. Keep in fireproof place.

: Strong bases. Strong acids.

Incompatible products

7/30/2021 (Issue date) EN (English) 4/14

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Incompatible materials : Sources of ignition. Direct sunlight. Heat sources.

Storage temperature : 5-50 °C

### 7.3. Specific end use(s)

No additional information available

### SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

### 8.1.1 National occupational exposure and biological limit values

butane (106-97-8)		
France - Occupational Exposure Limits		
Local name	n-Butane	
VME (OEL TWA)	1900 mg/m³	
VME (OEL TWA) [ppm]	800 ppm	
morpholine (110-91-8)		
France - Occupational Exposure Limits		
Local name	Morpholine	
VME (OEL TWA)	36 mg/m³	
VME (OEL TWA) [ppm]	10 ppm	
VLE (OEL C/STEL)	72 mg/m³	
VLE (OEL C/STEL) [ppm]	20 ppm	
ethanol; ethyl alcohol (64-17-5)		
France - Occupational Exposure Limits		
Local name	Alcool éthylique	
VME (OEL TWA)	1900 mg/m³	
VME (OEL TWA) [ppm]	1000 ppm	
VLE (OEL C/STEL)	9500 mg/m³	
VLE (OEL C/STEL) [ppm]	5000 ppm	
Dipropyleneglycol (34590-94-8)		
EU - Indicative Occupational Exposure Limit (IOEL)		
Local name	(2-Methoxymethylethoxy)-propanol	
IOEL TWA	308 mg/m³	
IOEL TWA [ppm]	50 ppm	
Remark	Skin	
France - Occupational Exposure Limits		
Local name	(2-méthoxyméthylethoxy)-propanol	
VME (OEL TWA)	308 mg/m³	
VME (OEL TWA) [ppm]	50 ppm	

### 8.1.2. Recommended monitoring procedures

No additional information available

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

#### 8.1.3. Air contaminants formed

No additional information available

#### 8.1.4. DNEL and PNEC

No additional information available

#### 8.1.5. Control banding

No additional information available

### 8.2. Exposure controls

#### 8.2.1. Appropriate engineering controls

No additional information available

#### 8.2.2. Personal protection equipment

# Personal protective equipment:

Avoid all unnecessary exposure.

#### 8.2.2.1. Eye and face protection

### Eye protection:

Chemical goggles or face shield

#### 8.2.2.2. Skin protection

#### Skin and body protection:

Wear suitable protective clothing

#### Hand protection:

Wear protective gloves.

### 8.2.2.3. Respiratory protection

#### Respiratory protection:

Wear appropriate mask

### 8.2.2.4. Thermal hazards

No additional information available

#### 8.2.3. Environmental exposure controls

#### Other information:

Do not eat, drink or smoke during use.

### **SECTION 9: Physical and chemical properties**

### 9.1. Information on basic physical and chemical properties

Physical state : Liquid Colour : Blue.

Odour : characteristic.
Odour threshold : Not available
Melting point : Not available
Freezing point : Not available
Boiling point : Not available

Flammability : Extremely flammable aerosol.

Explosive limits : Not available
Lower explosive limit (LEL) : Not available
Upper explosive limit (UEL) : Not available
Flash point : Not applicable
Auto-ignition temperature : Not available
Decomposition temperature : Not available
pH : 12.8

Viscosity, kinematic : Not available Solubility : Not available Partition coefficient n-octanol/water (Log Kow) : Not available

7/30/2021 (Issue date) EN (English) 6/14

### Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Vapour pressure : Not available
Vapour pressure at 50 °C : Not available
Density : Not available

Relative density : 1

Relative vapour density at 20 °C : Not available : Not applicable Particle size Particle size distribution : Not applicable Particle shape : Not applicable Particle aspect ratio : Not applicable Particle aggregation state : Not applicable Particle agglomeration state : Not applicable Particle specific surface area : Not applicable Particle dustiness : Not applicable

#### 9.2. Other information

#### 9.2.1. Information with regard to physical hazard classes

% of flammable ingredients : 43.47728

#### 9.2.2. Other safety characteristics

No additional information available

### **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

Thermal decomposition generates: Corrosive vapours.

#### 10.2. Chemical stability

Not established. Extremely flammable aerosol. Contains gas under pressure; may explode if heated. Extreme risk of explosion by shock, friction, fire or other sources of ignition.

#### 10.3. Possibility of hazardous reactions

Not established.

### 10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures. Heat. Sparks. Open flame. Overheating.

#### 10.5. Incompatible materials

Strong acids. Strong bases.

### 10.6. Hazardous decomposition products

fume. Carbon monoxide. Carbon dioxide. Thermal decomposition generates : Corrosive vapours.

### **SECTION 11: Toxicological information**

#### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

	2-(2-butoxyethoxy)ethanol; diethylene glycol monobutyl ether (112-34-5)	
	LD50 oral rat	3384 mg/kg
	LD50 dermal rabbit	2700 mg/kg
Ì		

### Dipropyleneglycol (34590-94-8)

LD50 oral rat > 5000 mg/kg

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Dipropyleneglycol (34590-94-8)		
LD50 dermal rabbit	9510 mg/kg	
2-PROPYLHEPTANOLETHOXYLATE (160875-66-1)		
LD50 oral	> 2000 mg/kg bodyweight	
Skin corrosion/irritation	: Causes severe skin burns. pH: 12.8	
Serious eye damage/irritation	: Causes serious eye damage. pH: 12.8	
Respiratory or skin sensitisation	: Not classified	
Additional information	: Based on available data, the classification criteria are not met	
Germ cell mutagenicity	: Not classified	
Additional information	: Based on available data, the classification criteria are not met	
Carcinogenicity	: Not classified	
Additional information	: Based on available data, the classification criteria are not met	
Reproductive toxicity	: Not classified	
Additional information	: Based on available data, the classification criteria are not met	
STOT-single exposure	: Not classified	
Additional information	: Based on available data, the classification criteria are not met	
STOT-repeated exposure	: Not classified	
Additional information	: Based on available data, the classification criteria are not met	
Aspiration hazard	: Not classified	
Additional information	: Based on available data, the classification criteria are not met	
KOLORS MOUSSE NSF - 10697 - AE	ROSOL - IPC - 12x500mL	
Vaporizer	Aerosol	

### 11.2. Information on other hazards

### 11.2.1. Endocrine disrupting properties

No additional information available

### 11.2.2. Other information

Potential adverse human health effects and symptoms

: Based on available data, the classification criteria are not met

### **SECTION 12: Ecological information**

# 12.1. Toxicity

Hazardous to the aquatic environment, short-term

: Not classified

(acute)

Hazardous to the aquatic environment, long-term

: Not classified

(chronic)

2-(2-butoxyethoxy)ethanol; diethylene glycol monobutyl ether (112-34-5)		
LC50 - Fish [1]	1300 mg/l	
LC50 - Other aquatic organisms [1]	2750 mg/l	
EC50 - Crustacea [1]	2850 mg/l	
NOEC (acute)	> 100 mg/l	
Dipropyleneglycol (34590-94-8)		
LC50 - Fish [1]	10000 mg/l	

### Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

### 12.2. Persistence and degradability

KOLORS MOUSSE NSF - 10697 - AEROSOL - IPC - 12x500mL		
Persistence and degradability	Not established.	
2-(2-butoxyethoxy)ethanol; diethylene glycol monobutyl ether (112-34-5)		
Persistence and degradability	Not established.	
Dipropyleneglycol (34590-94-8)		
Persistence and degradability	Not established.	
3-butoxypropan-2-ol; propylene glycol monobutyl ether (5131-66-8)		
Persistence and degradability	Not established.	

90 % 28 jours

### 12.3. Bioaccumulative potential

Biodegradation

KOLORS MOUSSE NSF - 10697 - AEROSOL - IPC - 12x500mL		
Bioaccumulative potential	Not established.	
2-(2-butoxyethoxy)ethanol; diethylene glycol monobutyl ether (112-34-5)		
Bioaccumulative potential	Not established.	
Dipropyleneglycol (34590-94-8)		
Bioaccumulative potential	Not established.	
3-butoxypropan-2-ol; propylene glycol monobutyl ether (5131-66-8)		
Bioaccumulative potential	Not established.	

### 12.4. Mobility in soil

No additional information available

### 12.5. Results of PBT and vPvB assessment

No additional information available

### 12.6. Endocrine disrupting properties

No additional information available

### 12.7. Other adverse effects

Additional information : Avoid release to the environment.

### **SECTION 13: Disposal considerations**

### 13.1. Waste treatment methods

Product/Packaging disposal recommendations : Dispose in a safe manner in accordance with local/national regulations. Container under

pressure. Do not drill or burn even after use. Dispose of contents/container to le respect de

la réglementation locale.

Additional information : Flammable vapours may accumulate in the container.

Ecology - waste materials : Avoid release to the environment.

### **SECTION 14: Transport information**

In accordance with ADR / IMDG / IATA / ADN / RID

7/30/2021 (Issue date) EN (English) 9/14

### Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

### 14.1. UN number or ID number

UN-No. (ADR) : UN 1950 UN-No. (IMDG) : UN 1950 UN 1950 UN-No. (IATA) UN-No. (ADN) : UN 1950 UN-No. (RID) : UN 1950

### 14.2. UN proper shipping name

Proper Shipping Name (ADR) : AEROSOLS Proper Shipping Name (IMDG) : AEROSOLS

Proper Shipping Name (IATA) : Aerosols, flammable, containing substances in class 8, packing group iii

Proper Shipping Name (ADN) : AEROSOLS Proper Shipping Name (RID) : AEROSOLS

Transport document description (ADR) : UN 1950 AEROSOLS, 2.1 (8), (D) Transport document description (IMDG) : UN 1950 AEROSOLS, 2.1 (8)

Transport document description (IATA) : UN 1950 Aerosols, flammable, containing substances in class 8, packing group iii, 2.1 (8)

Transport document description (ADN) : UN 1950 AEROSOLS, 2.1 (8) Transport document description (RID) : UN 1950 AEROSOLS, 2.1 (8)

### 14.3. Transport hazard class(es)

#### ADR

Transport hazard class(es) (ADR) : 2.1 (8) Danger labels (ADR) : 2.1, 8



### IMDG

Transport hazard class(es) (IMDG) : 2.1 (8) Danger labels (IMDG) : 2.1, 8

### IATA

Transport hazard class(es) (IATA) : 2.1 (8)

Danger labels (IATA) 2.1, 8



#### ADN

Transport hazard class(es) (ADN) : 2.1 (8) Danger labels (ADN) 2.1, 8



#### **RID**

Transport hazard class(es) (RID) : 2.1 (8) Danger labels (RID) 2.1, 8



### Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

#### 14.4. Packing group

Packing group (ADR) : Not applicable
Packing group (IMDG) : Not applicable
Packing group (IATA) : Not applicable
Packing group (ADN) : Not applicable
Packing group (RID) : Not applicable

#### 14.5. Environmental hazards

Dangerous for the environment : No Marine pollutant : No

Other information : No supplementary information available

### 14.6. Special precautions for user

#### **Overland transport**

Classification code (ADR) : 5FC

Special provisions (ADR) : 190, 327, 344, 625

Limited quantities (ADR) : 1I

Excepted quantities (ADR) : E0

Packing instructions (ADR) : P207

Special packing provisions (ADR) : PP87, RR6, L2

Mixed packing provisions (ADR) : MP9

Transport category (ADR) : 1

Special provisions for carriage - Packages (ADR) : V14

Special provisions for carriage - Loading, unloading : CV9, CV12

and handling (ADR)

Special provisions for carriage - Operation (ADR) : S2 Tunnel restriction code (ADR) : D

### Transport by sea

Special provisions (IMDG) : 63, 190, 277, 327, 344, 381, 959

Packing instructions (IMDG) : P207, LP200
Special packing provisions (IMDG) : PP87, L2
EmS-No. (Fire) : F-D
EmS-No. (Spillage) : S-U
Stowage category (IMDG) : None
Stowage and handling (IMDG) : SW1, SW22
Segregation (IMDG) : SG69

### Air transport

PCA Excepted quantities (IATA) : E0
PCA Limited quantities (IATA) : Y203
PCA limited quantity max net quantity (IATA) : 30kgG
PCA packing instructions (IATA) : 203
PCA max net quantity (IATA) : 75kg
CAO packing instructions (IATA) : 203
CAO max net quantity (IATA) : 150kg

Special provisions (IATA) : A145, A167, A802

ERG code (IATA) : 10C

#### Inland waterway transport

Classification code (ADN) : 5FC

Special provisions (ADN) : 190, 327, 344, 625

Limited quantities (ADN) : 1 L
Excepted quantities (ADN) : E0

Equipment required (ADN) : PP, EP, EX, A Ventilation (ADN) : VE01, VE04

Number of blue cones/lights (ADN) : 1

#### Rail transport

Classification code (RID) : 5FC

7/30/2021 (Issue date) EN (English) 11/14

### Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Special provisions (RID) : 190, 327, 344, 625

Limited quantities (RID) : 1L Excepted quantities (RID) : E0

Packing instructions (RID) : P207, LP200 Special packing provisions (RID) : PP87, RR6, L2

Mixed packing provisions (RID) : MP9

Transport category (RID) : 1

Special provisions for carriage – Packages (RID) : W14

Special provisions for carriage - Loading, unloading : CW9, CW12

and handling (RID)

Colis express (express parcels) (RID) : CE2 Hazard identification number (RID) : 238

#### 14.7. Maritime transport in bulk according to IMO instruments

Not applicable

### **SECTION 15: Regulatory information**

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Substances subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 july 2012 concerning the export and import of hazardous chemicals: Didecyldimethylammonium chloride (7173-51-5)

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

Contains no substance subject to Regulation (EU) 2019/1148 of the European Parliament and of the Council of 20 June 2019 on the marketing and use of explosives precursors.

Other information, restriction and prohibition

n

: Contient 8g/kg de chlorure de didécyl diméthyl ammonium (CAS: 7173-51-5).

regulations

Type of product (Biocide)

: 2 - Disinfectants and algaecides not intended for direct application to humans or animals

4 - Food and feed area

Detergent Regulation (648/2004/EC): Ingredient data sheet:		
Component	CAS-No.	%
Hydrocarbures C4	87741-01-3	≥10%
butane	106-97-8	≥10%
propane	74-98-6	1 - 10%
ALCOHOL	64-17-5	1 - 10%
ALCOOL C12-14, ETHOXYLATED	68439-50-9	1 - 10%
2-(2-butoxyethoxy)ethanol; diethylene glycol monobutyl ether	112-34-5	1 - 10%
Dipropyleneglycol	34590-94-8	1 - 10%
3-butoxypropan-2-ol; propylene glycol monobutyl ether	5131-66-8	1 - 10%
2-PROPYLHEPTANOLETHOXILATE	160875-66-1	1 - 10%
GLUTAMIC ACID, N,N-DIACETIC ACID, TETRASODIUM SALT	51981-21-6	0.1 - 1%
2-AMINOETHANOL	141-43-5	0.1 - 1%
didecyldimethylammonium chloride	7173-51-5	0.1 - 1%
1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-C8-18(even numbered)	97862-59-4, 61789-40-0	0.1 - 1%
Oxyde de dodécyldimethylamine	1643-20-5;308062-28-4	0.1 - 1%

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Detergent Regulation (648/2004/EC): Ingredient data sheet:		
Component	CAS-No.	%
PROPANE-2-OL	67-63-0	0.1 - 1%
morpholine	110-91-8	0.1 - 1%
sodium hydroxide; caustic soda	1310-73-2	0.1 - 1%
THYMOLPHTALEINE	125-20-2	<0.1%
ammonia%	1336-21-6	<0.1%
butanone; ethyl methyl ketone	78-93-3	<0.1%

Detergent Regulation : Labelling of contents:		
Component	%	
aliphatic hydrocarbons	15-30%	
non-ionic surfactants, amphoteric surfactants	<5%	
disinfectants		

### 15.1.2. National regulations

France		
Occupational diseases		
Code	Description	
RG 65	Eczematiform lesions of allergic mechanism	
RG 84	Conditions caused by liquid organic solvents for professional use: saturated or unsaturated aliphatic or cyclic liquid hydrocarbons and mixtures thereof; liquid halogenated hydrocarbons; nitrated derivatives of aliphatic hydrocarbons; alcohols; glycols, glycol ethers; ketones; aldehydes; aliphatic and cyclic ethers, including tetrahydrofuran; esters; dimethylformamide and dimethylacetamine; acetonitrile and propionitrile; pyridine; dimethylsulfone and dimethylsulfoxide	

France				
No ICPE	Installations classées Désignation de la rubrique	Code Régime	Rayon	
4320.text	Aérosols extrêmement inflammables ou inflammables de catégorie 1 ou 2 contenant des gaz inflammables de catégorie 1 ou 2 ou des liquides inflammables de catégorie 1.			

### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

### **SECTION 16: Other information**

Data sources	: REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE
	COUNCIL of 16 December 2009 on elegationation labelling and pooks ging of authoroped

COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and

amending Regulation (EC) No 1907/2006.

Other information : None.

Full text of H- and EUH-statements:	
Acute Tox. 3 (Dermal)	Acute toxicity (dermal), Category 3
Acute Tox. 3 (Inhalation)	Acute toxicity (inhal.), Category 3

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Full text of H- and EUH-statements:		
Acute Tox. 4 (Dermal)	Acute toxicity (dermal), Category 4	
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4	
Aquatic Acute 1	Hazardous to the aquatic environment — Acute Hazard, Category 1	
Aquatic Chronic 2	Hazardous to the aquatic environment — Chronic Hazard, Category 2	
Aquatic Chronic 3	Hazardous to the aquatic environment — Chronic Hazard, Category 3	
Eye Dam. 1	Serious eye damage/eye irritation, Category 1	
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2	
Flam. Gas 1	Flammable gases, Category 1	
Flam. Liq. 2	Flammable liquids, Category 2	
Flam. Liq. 3	Flammable liquids, Category 3	
H220	Extremely flammable gas.	
H222	Extremely flammable aerosol.	
H225	Highly flammable liquid and vapour.	
H226	Flammable liquid and vapour.	
H229	Pressurised container: May burst if heated.	
H302	Harmful if swallowed.	
H311	Toxic in contact with skin.	
H312	Harmful in contact with skin.	
H314	Causes severe skin burns and eye damage.	
H315	Causes skin irritation.	
H318	Causes serious eye damage.	
H319	Causes serious eye irritation.	
H331	Toxic if inhaled.	
H400	Very toxic to aquatic life.	
H411	Toxic to aquatic life with long lasting effects.	
H412	Harmful to aquatic life with long lasting effects.	
Press. Gas	Gases under pressure	
Skin Corr. 1B	Skin corrosion/irritation, Category 1, Sub-Category 1B	
Skin Irrit. 2	Skin corrosion/irritation, Category 2	

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.