# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 Issue date: 06/04/2020 Revision date: 07/12/2023 Supersedes version of: 21/10/2021 Version: 3.0

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

### **1.1. Product identifier**

Product form Product name		Mixture OZ ONE 1
Product code	:	107561
Product identification	:	Aerosol

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

## 1.2.1. Relevant identified uses

Main use category

: Industrial use, Professional use

### 1.2.2. Uses advised against

No additional information available

**1.3. Details of the supplier of the safety data sheet** 

### Manufacturer

<u>IPC</u> 10 Quai Malbert, 29200, BREST, FRANCE. Tel. : +33 (0)2 98 43 45 44. Fax : +33 (0)2 98 44 22 53 ipc@groupe-ipc.com

## **1.4. Emergency telephone number**

Country	Organisation/Company	Address	Emergency number	Comment
United Kingdom	NHS 111/NHS 24/NHS Direct		111 0845 4647	or call a doctor

H229

# **SECTION 2: Hazards identification**

## 2.1. Classification of the substance or mixture

### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Aerosol 3

Full text of hazard classes, H- and EUH-statements: see section 16

### Adverse physicochemical, human health and environmental effects

Pressurised container: May burst if heated.

## 2.2. Label elements

Labelling according to Regulation (EC) No. 1	272/2008 [CLP]
Signal word (CLP)	: Warning
Hazard statements (CLP)	: H229 - Pressurised container: May burst if heated.
Precautionary statements (CLP)	: P102 - Keep out of reach of children.
	P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources.
	No smoking.
	P211 - Do not spray on an open flame or other ignition source.
	P251 - Do not pierce or burn, even after use.
	P260 - Do not breathe spray.
	P410+P412 - Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F.
Extra phrases	: Not to be used for any purpose other than the one the product was designed for.
	For professional use only.
	% by mass of the contents are flammable 17 %.

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

# 2.3. Other hazards

Contains no PBT and/or vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

# **SECTION 3: Composition/information on ingredients**

# 3.1. Substances

## Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
ethanol substance with national workplace exposure limit(s) (FR)	CAS-No.: 64-17-5 EC-No.: 200-578-6 EC Index-No.: 603-002-00-5 REACH-no: 01-2119457610- 43	10 – 20	Flam. Liq. 2, H225 Eye Irrit. 2, H319
Diethyl phthalate substance with national workplace exposure limit(s) (FR)	CAS-No.: 84-66-2 EC-No.: 201-550-6 REACH-no: 01-2119486682- 27	1 – 2	Not classified
1,3,4,6,7,8-hexahydro-4,6,6,7,8,8- hexamethylindeno[5,6-c]pyran	CAS-No.: 1222-05-5 EC-No.: 214-946-9 EC Index-No.: 603-212-00-7 REACH-no: 01-2119488227- 29	0.1 – 0.5	Aquatic Acute 1, H400 Aquatic Chronic 1, H410
3-(5,5,6-trimethylbicyclo[2.2.1]hept-2-yl)cyclohexan-1-ol	CAS-No.: 3407-42-9 EC-No.: 222-294-1 REACH-no: 01-2119979583- 21	0.1 – 0.5	Eye Irrit. 2, H319 Aquatic Acute 1, H400 Aquatic Chronic 2, H411
2-methylpropan-2-ol substance with national workplace exposure limit(s) (FR)	CAS-No.: 75-65-0 EC-No.: 200-889-7 EC Index-No.: 603-005-00-1 REACH-no: 01-2119444321- 51	< 0.1	Flam. Liq. 2, H225 Acute Tox. 4 (Inhalation), H332 (ATE=1.5 mg/l/4h) Eye Irrit. 2, H319 STOT SE 3, H335
2,6-di-tert-butyl-p-cresol substance with national workplace exposure limit(s) (FR)	CAS-No.: 128-37-0 EC-No.: 204-881-4 REACH-no: 01-2119555270- 46	< 0.1	Aquatic Acute 1, H400 Aquatic Chronic 1, H410

Specific concentration limits:				
Name	Product identifier	Specific concentration limits (%)		
ethanol	CAS-No.: 64-17-5 EC-No.: 200-578-6 EC Index-No.: 603-002-00-5 REACH-no: 01-2119457610- 43	(50 ≤ C < 100) Eye Irrit. 2, H319		

Product subject to CLP Article 1.1.3.7. The disclosure rules of the components is modified in this case. Full text of H- and EUH-statements: see section 16

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 4: First aid measures	
4.1. Description of first aid measures	
First-aid measures after inhalation First-aid measures after skin contact First-aid measures after eye contact First-aid measures after ingestion	<ul> <li>Remove person to fresh air and keep comfortable for breathing.</li> <li>Wash skin with plenty of water.</li> <li>Rinse eyes with water as a precaution.</li> <li>Call a poison center or a doctor if you feel unwell.</li> </ul>
4.2. Most important symptoms and ef	fects, both acute and delayed

No additional information available

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures	
5.1. Extinguishing media	
Suitable extinguishing media	: Water spray. Dry powder. Foam. Carbon dioxide.
5.2. Special hazards arising from the subs	tance or mixture
Explosion hazard Hazardous decomposition products in case of fire	<ul><li>Pressurised container: May burst if heated.</li><li>Toxic fumes may be released.</li></ul>
5.3. Advice for firefighters	
Protection during firefighting	: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release measures				
6.1. Personal precautions, protective equipment and emergency procedures				
6.1.1. For non-emergency personnel Emergency procedures	: Ventilate spillage area. No open flames, no sparks, and no smoking.			
6.1.2. For emergency responders				
Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".			
6.2. Environmental precautions				
Avoid release to the environment.				
6.3. Methods and material for containment and cleaning up				
Methods for cleaning up	: Mechanically recover the product.			

6.4. Reference to other sections

For further information refer to section 13.

SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Precautions for safe handling	: Ensure good ventilation of the work station. Wear personal protective equipment. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not pierce or burn, even after use.

: Dispose of materials or solid residues at an authorized site.

Other information

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

 Hygiene measures
 : Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions

: Protect from sunlight. Do not expose to temperatures exceeding 50 °C/ 122 °F. Store in a well-ventilated place. Keep cool.

7.3. Specific end use(s)

No additional information available

# SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

#### 8.1.1 National occupational exposure and biological limit values

No additional information available

### 8.1.2. Recommended monitoring procedures

No additional information available

#### 8.1.3. Air contaminants formed

No additional information available

#### 8.1.4. DNEL and PNEC

No additional information available

#### 8.1.5. Control banding

No additional information available

8.2. Exposure controls

### 8.2.1. Appropriate engineering controls

#### Appropriate engineering controls:

Ensure good ventilation of the work station.

## 8.2.2. Personal protection equipment

### Personal protective equipment symbol(s):



#### 8.2.2.1. Eye and face protection

Eye protection: Safety glasses

### 8.2.2.2. Skin protection

Skin and body protection: Wear suitable protective clothing

Hand protection: Protective gloves

### 8.2.2.3. Respiratory protection

#### Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

### 8.2.2.4. Thermal hazards

No additional information available

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

## 8.2.3. Environmental exposure controls

# Environmental exposure controls:

Avoid release to the environment.

# Other information:

Do not eat, drink or smoke during use. Provide local exhaust or general room ventilation.

# **SECTION 9: Physical and chemical properties**

# 9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Colour	: colourless to slightly yellow.
Odour	: perfumed.
Odour threshold	: Not available
Melting point	: Not applicable
Freezing point	: Not available
Boiling point	: Not available
Flammability	: Non flammable.
Explosive properties	: Pressurised container: May burst if heated.
Lower explosion limit	: Not available
Upper explosion limit	: Not available
Flash point	: 14 °C (PA)
Auto-ignition temperature	: Not available
Decomposition temperature	: Not available
рН	: Not applicable
Viscosity, kinematic	: Not available
Solubility	: Not available
Partition coefficient n-octanol/water (Log Kow)	: Not available
Vapour pressure	: Not available
Vapour pressure at 50°C	: Not available
Density	: 0.97 (PA)
Relative density	: Not available
Relative vapour density at 20°C	: Not available
Particle characteristics	: Not applicable

0 2	Othor	inform	ation
3.4.	Uller		αιισπ

9.2.1. Information with regard to physical hazard classes		
% of flammable ingredients	:	17 %
9.2.2. Other safety characteristics		
VOC content	:	17.2 % (163 g/l)

SECTION 10: Stability and reactivity
10.1. Reactivity
Pressurised container: May burst if heated.
10.2. Chemical stability
Stable under normal conditions.
10.3. Possibility of hazardous reactions
No dangerous reactions known under normal conditions of use.
10.4. Conditions to avoid
Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of ignition.
10.5. Incompatible materials

No additional information available

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

# 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

# **SECTION 11: Toxicological information**

# 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral)	Not classified Not classified
Acute toxicity (inhalation)	Not classified
ethanol (64-17-5)	
LD50 oral	10470 mg/kg
LD50 dermal	15800 mg/kg
LC50 Inhalation - Rat	50000 mg/m <sup>3</sup>
2-methylpropan-2-ol (75-65-0)	
LD50 dermal	> 2000 mg/kg
Skin corrosion/irritation :	Not classified
Additional information Serious eye damage/irritation Serious or skin sensitisation Additional information	pH: Not applicable Based on available data, the classification criteria are not met Not classified pH: Not applicable Not classified Based on available data, the classification criteria are not met
Germ cell mutagenicity	Not classified
Additional information :	Based on available data, the classification criteria are not met
Carcinogenicity	Not classified
Additional information	Based on available data, the classification criteria are not met
Reproductive toxicity	Not classified
Additional information :	Based on available data, the classification criteria are not met
STOT-single exposure Additional information	Not classified Based on available data, the classification criteria are not met
2-methylpropan-2-ol (75-65-0)	
STOT-single exposure	May cause respiratory irritation.
STOT-repeated exposure Additional information Aspiration hazard Additional information	
Product identification	Aerosol
11.2. Information on other hazards	

No additional information available

SECTION 12: Ecological information	
12.1. Toxicity	
Ecology - general	: The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment.
Hazardous to the aquatic environment, short-term (acute)	: Not classified

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Hazardous to the aquatic environment, long-term : Not classified (chronic)				
ethanol (64-17-5)				
LC50 - Fish [1]	11200 mg/l			
LC50 - Fish [2]	13000 mg/l			
EC50 - Crustacea [1]	12340 mg/l			
EC50 72h - Algae [1]	275 mg/l			
2-methylpropan-2-ol (75-65-0)				
EC50 - Crustacea [1]	933 mg/l			
12.2. Persistence and degradability				
2,6-di-tert-butyl-p-cresol (128-37-0)				
Biodegradation	4.5 %			
2-methylpropan-2-ol (75-65-0)				
Persistence and degradability	Readily biodegradable.			
Biodegradation	99 %			
12.3. Bioaccumulative potential				
2,6-di-tert-butyl-p-cresol (128-37-0)				
BCF - Fish [1]	230 – 2500 mg/l			
12.4. Mobility in soil				
No additional information available				
12.5. Results of PBT and vPvB assessment				
No additional information available				
12.6. Endocrine disrupting properties				
No additional information available				
12.7. Other adverse effects				
Additional information :	Avoid release to the environment.			

SECTION 13: Disposal considerations	
13.1. Waste treatment methods	
	<ul><li>Dispose of contents/container in accordance with licensed collector's sorting instructions.</li><li>Avoid release to the environment.</li></ul>

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

HP Code

```
: HP3 - "Flammable:"
```

– flammable liquid waste: liquid waste having a flash point below 60 °C or waste gas oil, diesel and light heating oils having a flash point > 55 °C and  $\leq$  75 °C;

- flammable pyrophoric liquid and solid waste: solid or liquid waste which, even in small quantities, is liable to ignite within five minutes after coming into contact with air;

- flammable solid waste: solid waste which is readily combustible or may cause or contribute to fire through friction;

– flammable gaseous waste: gaseous waste which is flammable in air at 20  $^{\circ}\text{C}$  and a standard pressure of 101.3 kPa;

- water reactive waste: waste which, in contact with water, emits flammable gases in dangerous quantities;

- other flammable waste: flammable aerosols, flammable self-heating waste, flammable organic peroxides and flammable self-reactive waste.

# **SECTION 14: Transport information**

ADR	IMDG	ΙΑΤΑ	ADN	RID
14.1. UN number or ID n	umber			
UN 1950	UN 1950	UN 1950	UN 1950	UN 1950
14.2. UN proper shippin	g name			
AEROSOLS	AEROSOLS	Aerosols, non-flammable, containing toxic gas	AEROSOLS	AEROSOLS
Transport document descr	iption			
UN 1950 AEROSOLS, 2.2, (E)	UN 1950 AEROSOLS, 2.2	UN 1950 Aerosols, non- flammable, containing toxic gas, 2.2	UN 1950 AEROSOLS, 2.2	UN 1950 AEROSOLS, 2.2
14.3. Transport hazard o	class(es)			
2.2	2.2	2.2	2.2	2.2
2		2		2
14.4. Packing group	I			
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.5. Environmental haz	ards			
Dangerous for the environment: No	Dangerous for the environment: No Marine pollutant: No	Dangerous for the environment: No	Dangerous for the environment: No	Dangerous for the environment: No

## 14.6. Special precautions for user

Special transport precautions

## **Overland transport**

Classification code (ADR)	:	5A
Special provisions (ADR)	:	190, 327, 344, 625
Limited quantities (ADR)	:	11
Excepted quantities (ADR)	:	E0
Packing instructions (ADR)	:	P207, LP02
Special packing provisions (ADR)	:	PP87, RR6, L2
Mixed packing provisions (ADR)	:	MP9

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Transport category (ADR) Special provisions for carriage - Packages (ADR) Special provisions for carriage - Loading, unloading and handling (ADR)	:	3 V14 CV9, CV12
Tunnel restriction code (ADR)	:	E
Transport by sea Special provisions (IMDG) Limited quantities (IMDG) Excepted quantities (IMDG) Packing instructions (IMDG) Special packing provisions (IMDG) EmS-No. (Fire) EmS-No. (Sillago)	::	63, 190, 277, 327, 344, 959 SP277 E0 P207, LP02 PP87, L2 F-D S-U
EmS-No. (Spillage) Stowage category (IMDG)	-	S-U None
	•	

### Air transport

No data available

# Inland waterway transport

No data available

### **Rail transport**

No data available

### 14.7. Maritime transport in bulk according to IMO instruments

Not applicable

regulations

## SECTION 15: Regulatory information

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

### 15.1.1. EU-Regulations

Other information, restriction and prohibition : Aerosol Generator Directive 75/324/EEC and its adaptations.

# **REACH Annex XVII (Restriction List)**

EU restriction list (REACH Annex XVII)			
Reference code	Applicable on		
3(a)	IPC OZ ONE 1 ; ethanol ; 2-methylpropan-2-ol		
3(b)	3-(5,5,6-trimethylbicyclo[2.2.1]hept-2-yl)cyclohexan-1-ol; ethanol; 2-methylpropan-2-ol		
3(c)	1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran ; 3-(5,5,6-trimethylbicyclo[2.2.1]hept-2-yl)cyclohexan- 1-ol		
40.	ethanol ; 2-methylpropan-2-ol		

## **REACH Annex XIV (Authorisation List)**

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

## **REACH Candidate List (SVHC)**

Contains no substance(s) listed on the REACH Candidate List

### PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

### **POP Regulation (Persistent Organic Pollutants)**

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

### Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

# VOC Directive (2004/42)

VOC content

: 17.2 % (163 g/l)

## **Explosives Precursors Regulation (2019/1148)**

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

### Drug Precursors Regulation (273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

#### 15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

# **SECTION 16: Other information**

Indication of changes			
Section	Changed item	Change	Comments
	Supersedes	Added	
	Revision date	Added	
	Issue date	Added	
1.1	Name	Modified	
1.1	Product code	Modified	
2.1	Classification according to Regulation (EC) No. 1272/2008 [CLP]	Modified	
2.2	Precautionary statements (CLP)	Modified	
2.2	Hazard statements (CLP)	Modified	
3	Composition/information on ingredients	Modified	
4.2	Symptoms/effects after skin contact	Modified	
4.2	Symptoms/effects after inhalation	Modified	
9.1	Density	Added	
9.1	Colour	Modified	
9.2	VOC content	Added	
12.1	Ecology - general	Modified	
13.1	Waste disposal recommendations	Modified	
15.1	VOC content	Added	

Abbreviations and acronyms:		
ADN	DN European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways	
ADR European Agreement concerning the International Carriage of Dangerous Goods by Road		
ATE	Acute Toxicity Estimate	
BCF	Bioconcentration factor	
BLV	Biological limit value	
BOD	Biochemical oxygen demand (BOD)	

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Abbreviations and	acronyms:
COD	Chemical oxygen demand (COD)
DMEL	Derived Minimal Effect level
DNEL	Derived-No Effect Level
EC-No.	European Community number
EC50	Median effective concentration
EN	European Standard
IARC	International Agency for Research on Cancer
ΙΑΤΑ	International Air Transport Association
IMDG	International Maritime Dangerous Goods
LC50	Median lethal concentration
LD50	Median lethal dose
LOAEL	Lowest Observed Adverse Effect Level
NOAEC	No-Observed Adverse Effect Concentration
NOAEL	No-Observed Adverse Effect Level
NOEC	No-Observed Effect Concentration
OECD	Organisation for Economic Co-operation and Development
OEL	Occupational Exposure Limit
РВТ	Persistent Bioaccumulative Toxic
PNEC	Predicted No-Effect Concentration
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
SDS	Safety Data Sheet
STP	Sewage treatment plant
ThOD	Theoretical oxygen demand (ThOD)
TLM	Median Tolerance Limit
VOC	Volatile Organic Compounds
CAS-No.	Chemical Abstract Service number
N.O.S.	Not Otherwise Specified
vPvB	Very Persistent and Very Bioaccumulative
ED	Endocrine disrupting properties

Data sources

 REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.
 Imp. DL4.

Other information

Full text of H- and EUH-statements:	
Acute Tox. 4 (Inhalation)	Acute toxicity (inhal.), Category 4
Aerosol 3	Aerosol, Category 3
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment – Chronic Hazard, Category 1

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Full text of H- and EUH-statements:		
Aquatic Chronic 2	Hazardous to the aquatic environment – Chronic Hazard, Category 2	
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2	
Flam. Liq. 2	Flammable liquids, Category 2	
H225	Highly flammable liquid and vapour.	
H229	Pressurised container: May burst if heated.	
H319	Causes serious eye irritation.	
H332	Harmful if inhaled.	
H335	May cause respiratory irritation.	
H400	Very toxic to aquatic life.	
H410	Very toxic to aquatic life with long lasting effects.	
H411	Toxic to aquatic life with long lasting effects.	
STOT SE 3	Specific target organ toxicity – Single exposure, Category 3, Respiratory tract irritation	

### The classification complies with

: ATP 12

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.