SAFETY DATA SHEET

(REACH regulation (EC) n° 1907/2006 - n° 2020/878)

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product name: PROCIDE PREMIUM

Product code: 106010.

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.3. Details of the supplier of the safety data sheet

Registered company name : IPC 10 Quai Malbert 29200 BREST France

Tél: +33(0)2.98.43.45.44 Fax: +33 (0)2.98.44.22.53

ipc@groupe-ipc.com

1.4. Emergency telephone number: 01 45 42 59 59.

Association/Organisation: INRS.

SECTION 2 : HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

In compliance with EC regulation No. 1272/2008 and its amendments.

Skin corrosion, Category 1B (Skin Corr. 1B, H314).

Serious eye damage, Category 1 (Eye Dam. 1, H318).

Hazardous to the aquatic environment - Acute hazard, Category 1 (Aquatic Acute 1, H400).

Hazardous to the aquatic environment - Chronic hazard, Category 3 (Aquatic Chronic 3, H412).

This mixture does not present a physical hazard. Refer to the recommendations regarding the other products present on the site.

2.2. Label elements

Biocidal detergent mixture (see section 15).

In compliance with EC regulation No. 1272/2008 and its amendments.

Hazard pictograms:





GHS09 GHS05

Signal Word : DANGER

Product identifiers:

EC 270-325-2 COMPOSÉ DE L'ION AMMONIUM QUATERNAIRE, BENZYL EN C12-16, ALKYLDIMÉTHYLES,

CHLORURES

EC 205-483-3 2-AMINOETHANOL

Hazard statements:

H314 Causes severe skin burns and eye damage.
H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements - Prevention:

P264 Wash ... thoroughly after handling.
P273 Avoid release to the environment.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

Precautionary statements - Response :

P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse

skin with water [or shower].

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor/...

2.3. Other hazards

The mixture does not contain substances classified as 'Substances of Very High Concern' (SVHC) >= 0.1% published by the European CHemicals Agency (ECHA) under article 59 of REACH: http://echa.europa.eu/fr/candidate-list-table

The mixture fulfils neither the PBT nor the vPvB criteria for mixtures in accordance with annexe XIII of the REACH regulations EC 1907/2006.

The mixture does not contain substances> 0.1% with endocrine disrupting properties in accordance with the criteria of the Delegated Regulation (EU) 2017/2100 of the Commission or Regulation (EU) 2018/605 of the Commission.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.2. Mixtures

Composition:

| Identification | Classification (EC) 1272/2008 | Note | % |
|--------------------------------|-------------------------------|------|-----------------|
| INDEX: 600_1 | GHS07, GHS05, GHS09 | | 10 <= x % < 25 |
| CAS: 68424-85-1 | Dgr | | |
| EC: 270-325-2 | Acute Tox. 4, H302 | | |
| | Skin Corr. 1B, H314 | | |
| COMPOSÉ DE L'ION AMMONIUM | Eye Dam. 1, H318 | | |
| QUATERNAIRE, BENZYL EN C12-16, | Aquatic Chronic 2, H411 | | |
| ALKYLDIMÉTHYLES, CHLORURES | Aquatic Acute 1, H400 | | |
| | M Acute = 10 | | |
| INDEX: 603_030_00_8 | GHS06, GHS05 | [i] | 2.5 <= x % < 10 |
| CAS: 141-43-5 | Dgr | | |
| EC: 205-483-3 | Acute Tox. 1, H300 | | |
| | Acute Tox. 1, H310 | | |
| 2-AMINOETHANOL | Skin Corr. 1B, H314 | | |
| | Acute Tox. 4, H332 | | |
| | STOT SE 3, H335 | | |

Specific concentration limits:

| Specific concentration limits: | | |
|--------------------------------|-------------------------------|------------------------------------|
| Identification | Specific concentration limits | ATE |
| INDEX: 600_1 | | oral: ATE = 795 mg/kg BW |
| CAS: 68424-85-1 | | |
| EC: 270-325-2 | | |
| | | |
| COMPOSÉ DE L'ION AMMONIUM | | |
| QUATERNAIRE, BENZYL EN C12-16, | | |
| ALKYLDIMÉTHYLES, CHLORURES | | |
| INDEX: 603_030_00_8 | | dermal: ATE = 0 mg/kg BW |
| CAS: 141-43-5 | | oral: ATE = 0 mg/kg BW |
| EC: 205-483-3 | | |
| | | |
| 2-AMINOETHANOL | | |

Information on ingredients:

(Full text of H-phrases: see section 16)

[i] Substance for which maximum workplace exposure limits are available.

SECTION 4: FIRST AID MEASURES

As a general rule, in case of doubt or if symptoms persist, always call a doctor.

NEVER induce swallowing by an unconscious person.

4.1. description of first aid measures

In the event of splashes or contact with eyes:

Wash thoroughly with fresh, clean water for 15 minutes holding the eyelids open.

Regardless of the initial state, refer the patient to an ophthalmologist and show him the label.

In the event of splashes or contact with skin:

Remove any soiled or splashed clothing immediately.

Watch out for any remaining product between skin and clothing, watches, shoes, etc.

If the contaminated aera is widespread and/or there is damage to the skin, a doctor must be consulted or the patient transferred to hospital.

In the event of swallowing:

Do not give the patient anything orally.

Seek medical attention immediately, showing the label.

4.2. Most important symptoms and effects, both acute and delayed

No data available.

4.3. Indication of any immediate medical attention and special treatment needed

No data available.

SECTION 5: FIREFIGHTING MEASURES

Non-flammable.

5.1. Extinguishing media

5.2. Special hazards arising from the substance or mixture

A fire will often produce a thick black smoke. Exposure to decomposition products may be hazardous to health.

Do not breathe in smoke.

In the event of a fire, the following may be formed:

- carbon monoxide (CO)
- carbon dioxide (CO2)

5.3. Advice for firefighters

No data available.

SECTION 6 : ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Consult the safety measures listed under headings 7 and 8.

For non first aid worker

Avoid any contact with the skin and eyes.

For first aid worker

First aid workers will be equipped with suitable personal protective equipment (See section 8).

6.2. Environmental precautions

Contain and control the leaks or spills with non-combustible absorbent materials such as sand, earth, vermiculite, diatomaceous earth in drums for waste disposal.

Prevent any material from entering drains or waterways.

6.3. Methods and material for containment and cleaning up

Neutralise with an acidic decontaminant.

If the ground is contaminated, once the product has been recovered by sponging with an inert and non-combustible absorbent material, wash the contaminated area in plenty of water.

Clean preferably with a detergent, do not use solvents.

6.4. Reference to other sections

No data available.

SECTION 7: HANDLING AND STORAGE

Requirements relating to storage premises apply to all facilities where the mixture is handled.

7.1. Precautions for safe handling

Always wash hands after handling.

Remove and wash contaminated clothing before re-using.

Emergency showers and eye wash stations will be required in facilities where the mixture is handled constantly.

Fire prevention:

Prevent access by unauthorised personnel.

Recommended equipment and procedures:

For personal protection, see section 8.

Observe precautions stated on label and also industrial safety regulations.

Prohibited equipment and procedures:

No smoking, eating or drinking in areas where the mixture is used.

7.2. Conditions for safe storage, including any incompatibilities

No data available.

Packaging

Always keep in packaging made of an identical material to the original.

7.3. Specific end use(s)

No data available.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Occupational exposure limits:

- European Union (2022/431, 2019/1831, 2017/2398, 2017/164, 2009/161, 2006/15/CE, 2000/39/CE, 98/24/CE):

| CAS | VME-mg/m3: | VME-ppm: | VLE-mg/m3: | VLE-ppm: | Notes: |
|----------|------------|----------|------------|----------|--------|
| 141-43-5 | 2.5 | 1 | 7.6 | 3 | Peau |

- ACGIH TLV (American Conference of Governmental Industrial Hygienists, Threshold Limit Values, 2010):

| CAS | TWA: | STEL: | Ceiling: | Definition: | Criteria: |
|----------|-------|-------|----------|-------------|-----------|
| 141-43-5 | 3 ppm | 6 ppm | | | |

- Germany - AGW (BAuA - TRGS 900, 02/2022):

| CAS | VME : | VME: | Excess | Notes |
|----------|-------|-----------|--------|-------|
| 141-43-5 | | 0.2 ppm | | 1(I) |
| | | 0.5 mg/m3 | | |

France (INRS - Outils 65 / 2021-1849, 2021-1763, decree of 09/12/2021) :

| CAS | VME-ppm: | VME-mg/m3: | VLE-ppm: | VLE-mg/m3: | Notes: | TMP No: |
|----------|----------|------------|----------|------------|--------|-----------|
| 141-43-5 | 1 | 2.5 | 3 | 7.6 | VLRC | 49,49 BIS |

- UK / WEL (Workplace exposure limits, EH40/2005, Fourth Edition 2020):

| CAS | TWA: | STEL: | Ceiling: | Definition: | Criteria: |
|----------|-----------|-----------|----------|-------------|-----------|
| 141-43-5 | 1 ppm | 3 ppm | | Sk | |
| | 2.5 mg/m3 | 7.6 mg/m3 | | | |

8.2. Exposure controls

Personal protection measures, such as personal protective equipment

Pictogram(s) indicating the obligation of wearing personal protective equipment (PPE):







Use personal protective equipment that is clean and has been properly maintained.

Store personal protective equipment in a clean place, away from the work area.

Never eat, drink or smoke during use. Remove and wash contaminated clothing before re-using. Ensure that there is adequate ventilation, especially in confined areas.

- Eye / face protection

Avoid contact with eyes.

Use eye protectors designed to protect against liquid splashes

Before handling, wear safety goggles with protective sides accordance with standard EN166.

In the event of high danger, protect the face with a face shield.

Prescription glasses are not considered as protection.

Individuals wearing contact lenses should wear prescription glasses during work where they may be exposed to irritant vapours.

Provide eyewash stations in facilities where the product is handled constantly.

- Hand protection

Use suitable protective gloves that are resistant to chemical agents in accordance with standard EN ISO 374-1.

Gloves must be selected according to the application and duration of use at the workstation.

Protective gloves need to be selected according to their suitability for the workstation in question: other chemical products that may be handled, necessary physical protections (cutting, pricking, heat protection), level of dexterity required.

Type of gloves recommended:

- Natural latex
- PVC (polyvinyl chloride)

- Body protection

Avoid skin contact.

Wear suitable protective clothing.

Suitable type of protective clothing:

In the event of substantial spatter, wear liquid-tight protective clothing against chemical risks (type 3) in accordance with EN14605/A1 to prevent skin contact.

In the event of a risk of splashing, wear protective clothing against chemical risks (type 6) in accordance with EN13034/A1 to prevent skin contact.

Wear suitable protective clothing and, in particular, an apron and boots. These items of clothing shall be maintained in good condition and cleaned after use.

Work clothing worn by personnel shall be laundered regularly.

After contact with the product, all parts of the body that have been soiled must be washed.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Physical state

Physical state: Fluid liquid.

Colour N/A

Odour

Odour threshold: Not stated.

Melting point

Melting point/melting range: Not specified.

Freezing point

Freezing point / Freezing range : Not stated. **Boiling point or initial boiling point and boiling range**

Boiling point/boiling range: Not specified.

Flammability

Flammability (solid, gas): Not stated.

Lower and upper explosion limit

Explosive properties, lower explosivity limit (%) Not stated.

:

Explosive properties, upper explosivity limit (%) Not stated.

:

Flash point

Flash point interval: Not relevant.

Auto-ignition temperature

Self-ignition temperature: Not specified.

Decomposition temperature

Decomposition point/decomposition range: Not specified.

pН

pH: 11.00 +/-0.5. Slightly basic.

pH (aqueous solution): Not stated.

Kinematic viscosity

Viscosity: Not stated.

Solubility

Water solubility: Dilutable. Fat solubility: Not stated.

Partition coefficient n-octanol/water (log value)

Partition coefficient: n-octanol/water: Not stated.

Vapour pressure

Vapour pressure (50°C): Not relevant.

Density and/or relative density

Density: 1.02

Relative vapour density

Vapour density: Not stated.

Particle characteristics

The mixture does not contain nanoforms.

9.2. Other information

No data available.

9.2.1. Information with regard to physical hazard classes

No data available.

9.2.2. Other safety characteristics

No data available.

SECTION 10: STABILITY AND REACTIVITY

10.1. Reactivity

No data available.

10.2. Chemical stability

This mixture is stable under the recommended handling and storage conditions in section 7.

10.3. Possibility of hazardous reactions

No data available.

10.4. Conditions to avoid

Avoid:

- frost

10.5. Incompatible materials

No data available.

10.6. Hazardous decomposition products

The thermal decomposition may release/form :

- carbon monoxide (CO)
- carbon dioxide (CO2)

SECTION 11: TOXICOLOGICAL INFORMATION

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

May cause irreversible damage to the skin; namely, visible necrosis through the epidermis and into the dermis, following exposure between three minutes and one hour.

Corrosive reactions are typified by ulcers, bleeding, bloody scabs, and, by the end of observation at 14 days, by discolouration due to blanching of the skin, complete areas of alopecia, and scars.

11.1.1. Substances

Acute toxicity:

2-AMINOETHANOL (CAS: 141-43-5)

Oral route: LD50 = 0 mg/kg bodyweight/day

Dermal route : LD50 = 0 mg/kg bodyweight/day

COMPOSÉ DE L'ION AMMONIUM QUATERNAIRE, BENZYL EN C12-16, ALKYLDIMÉTHYLES, CHLORURES

(CAS: 68424-85-1)

Oral route: LD50 = 795 mg/kg bodyweight/day

Species: Rat

Dermal route: LD50 > 5000 mg/kg bodyweight/day

Skin corrosion/skin irritation:

COMPOSÉ DE L'ION AMMONIUM QUATERNAIRE, BENZYL EN C12-16, ALKYLDIMÉTHYLES, CHLORURES

(CAS: 68424-85-1)

OECD Guideline 404 (Acute Dermal Irritation / Corrosion)

Respiratory or skin sensitisation:

COMPOSÉ DE L'ION AMMONIUM QUATERNAIRE, BENZYL EN C12-16, ALKYLDIMÉTHYLES, CHLORURES

(CAS: 68424-85-1)

Buehler Test: Non-sensitiser.

Species: Guinea pig

OECD Guideline 406 (Skin Sensitisation)

11.1.2. Mixture

No toxicological data available for the mixture.

11.2. Information on other hazards

SECTION 12: ECOLOGICAL INFORMATION

Very toxic to aquatic life with long lasting effects.

The product must not be allowed to run into drains or waterways.

12.1. Toxicity

12.1.1. Substances

COMPOSÉ DE L'ION AMMONIUM QUATERNAIRE, BENZYL EN C12-16, ALKYLDIMÉTHYLES, CHLORURES

(CAS: 68424-85-1)

Fish toxicity: LC50 = 0.85 mg/l

Factor M = 1

Species : Oncorhynchus mykiss Duration of exposure : 96 h

OECD Guideline 203 (Fish, Acute Toxicity Test)

Crustacean toxicity: EC50 = 0.016 mg/l

Factor M = 10

Species : Daphnia magna Duration of exposure : 48 h

NOEC = 0.025 mg/l Species : Daphnia magna Duration of exposure : 21 days

OECD Guideline 211 (Daphnia magna Reproduction Test)

Algae toxicity: ECr50 = 0.02 mg/l

Factor M = 10

Species : Selenastrum capricornutum Duration of exposure : 72 h

2-AMINOETHANOL (CAS: 141-43-5)

Fish toxicity: LC50 = 329 mg/l

Species : Lepomis macrochirus Duration of exposure : 96 h

Crustacean toxicity: EC50 = 65 mg/l

Species : Daphnia magna Duration of exposure : 48 h

Algae toxicity: ECr50 = 15 mg/l

Species: Desmodesmus subspicatus

Duration of exposure: 72 h

12.1.2. Mixtures

No aquatic toxicity data available for the mixture.

12.2. Persistence and degradability

12.2.1. Substances

2-AMINOETHANOL (CAS: 141-43-5)

Biodegradability: no degradability data is available, the substance is considered as not degrading

quickly.

COMPOSÉ DE L'ION AMMONIUM QUATERNAIRE, BENZYL EN C12-16, ALKYLDIMÉTHYLES, CHLORURES

(CAS: 68424-85-1)

Biodegradability: Rapidly degradable.

12.3. Bioaccumulative potential

12.3.1. Substances

COMPOSÉ DE L'ION AMMONIUM QUATERNAIRE, BENZYL EN C12-16, ALKYLDIMÉTHYLES, CHLORURES

(CAS: 68424-85-1)

Octanol/water partition coefficient : log Koe = 2.88

OECD Guideline 107 (Partition Coefficient (n-octanol / water), Shake Flask Method)

12.4. Mobility in soil

No data available.

12.5. Results of PBT and vPvB assessment

No data available.

12.6. Endocrine disrupting properties

No data available.

12.7. Other adverse effects

No data available.

SECTION 13: DISPOSAL CONSIDERATIONS

Proper waste management of the mixture and/or its container must be determined in accordance with Directive 2008/98/EC.

13.1. Waste treatment methods

Do not pour into drains or waterways.

Waste:

Waste management is carried out without endangering human health, without harming the environment and, in particular without risk to water, air, soil, plants or animals.

Recycle or dispose of waste in compliance with current legislation, via a certified collector or company.

Do not contaminate the ground or water with waste, do not dispose of waste into the environment.

Soiled packaging:

Empty container completely. Keep label(s) on container.

Give to a certified disposal contractor.

SECTION 14: TRANSPORT INFORMATION

Transport product in compliance with provisions of the ADR for road, RID for rail, IMDG for sea and ICAO/IATA for air transport (ADR 2023 - IMDG 2022 [41-22] - ICAO/IATA 2023 [64]).

14.1. UN number or ID number

3267

14.2. UN proper shipping name

UN3267=CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S.

(composé de l'ion ammonium quaternaire, benzyl en c12-16, alkyldiméthyles, chlorures)

14.3. Transport hazard class(es)

- Classification:



8

14.4. Packing group

П

14.5. Environmental hazards

- Environmentally hazardous material:



14.6. Special precautions for user

| ADR/RID | Class | Code | Pack gr. | Label | Ident. | LQ | Provis. | EQ | Cat. | Tunnel |
|---------|-------|---------|----------|-------|--------|---------|---------|---------|-------------|--------|
| | 8 | C7 | II | 8 | 80 | 1 L | 274 | E2 | 2 | E |
| | | | | | | | | | | |
| IMDG | Class | 2°Label | Pack gr. | LQ | EMS | Provis. | EQ | Stowage | Segregation | |

| IMDG | Class | 2°Label | Pack gr. | LQ | EMS | Provis. | _ | Stowage Handling | Segregation |
|------|-------|---------|----------|-----|----------|---------|---|---------------------|-------------|
| | 8 | - | II | 1 L | F-A. S-B | 274 | | | SGG18 SG35 |

| IATA | Class | 2°Label | Pack gr. | Passager | Passager | Cargo | Cargo | note | EQ |
|------|-------|---------|----------|----------|----------|-------|-------|---------|----|
| | 8 | - | II | 851 | 1 L | 855 | 30 L | A3 A803 | E2 |
| | 8 | - | II | Y840 | 0.5 L | - | - | A3 A803 | E2 |

For limited quantities, see part 2.7 of the OACI/IATA and chapter 3.4 of the ADR and IMDG.

For excepted quantities, see part 2.6 of the OACI/IATA and chapter 3.5 of the ADR and IMDG.

Marine pollutant (IMDG 3.1.2.9):(composé de l'ion ammonium quaternaire, benzyl en c12-16, alkyldiméthyles, chlorures)

14.7. Maritime transport in bulk according to IMO instruments

No data available.

SECTION 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Classification and labelling information included in section 2:

The following regulations have been used:

- EU Regulation No. 1272/2008 amended by EU Regulation No. 2022/692 (ATP 18)

Container information:

No data available.

Restrictions applied under Title VIII of Regulation (EC) No. 1907/2006 (REACH):

The mixture does not contain any substance restricted under Annex XVII of Regulation (EC) No. 1907/2006 (REACH): https://echa.europa.eu/substances-restricted-under-reach.

Explosives precursors:

The mixture does not contain any substance subject to Regulation (EU) 2019/1148 on the marketing and use of explosives precursors.

Particular provisions:

No data available.

Labelling for detergents (EC Regulation No. 648/2004,907/2006):

- 5 % or over but less than 15 %: cationic surfactants

Labelling for biocidal products (Regulation (UE) n° 528/2012):

| Name | CAS | % | Product-type |
|--------------------------------|------------|-------------|--------------|
| COMPOSÉ DE L'ION AMMONIUM | 68424-85-1 | 100.00 g/kg | 02 |
| QUATERNAIRE, BENZYL EN C12-16, | | | 04 |
| ALKYLDIMÉTHYLES, CHLORURES | | | |

Product-type 2: Disinfectants and algaecides not intended for direct application to humans or animals.

Product-type 4: Food and feed area.

15.2. Chemical safety assessment

No data available.

SECTION 16: OTHER INFORMATION

Since the user's working conditions are not known by us, the information supplied on this safety data sheet is based on our current level of knowledge and on national and community regulations.

The mixture must not be used for other uses than those specified in section 1 without having first obtained written handling instructions.

It is at all times the responsibility of the user to take all necessary measures to comply with legal requirements and local regulations.

The information in this safety data sheet must be regarded as a description of the safety requirements relating to the mixture and not as a guarantee of the properties thereof.

Wording of the phrases mentioned in section 3:

| H300 | Fatal if swallowed. |
|------|--|
| H302 | Harmful if swallowed. |
| H310 | Fatal in contact with skin. |
| H314 | Causes severe skin burns and eye damage. |
| H318 | Causes serious eye damage. |
| H332 | Harmful if inhaled. |
| H335 | May cause respiratory irritation. |
| H400 | Very toxic to aquatic life. |
| H411 | Toxic to aquatic life with long lasting effects. |

Abbreviations and acronyms:

LD50: The dose of a test substance resulting in 50% lethality in a given time period.

LC50: The concentration of a test substance resulting in 50% lethality in a given period.

EC50: The effective concentration of substance that causes 50% of the maximum response.

ECr50 : The effective concentration of substance that causes 50% reduction in growth rate.

NOEC: The concentration with no observed effect.

REACH: Registration, Evaluation, Authorization and Restriction of Chemical Substances.

ATE: Acute Toxicity Estimate

BW: Body Weight

STEL: Short-term exposure limit TWA: Time Weighted Averages

TMP : French Occupational Illness table TLV : Threshold Limit Value (exposure)

AEV: Average Exposure Value.

VLRI: Indicative limit value

VLRC: Indicative constraint value

ADR: European agreement concerning the international carriage of dangerous goods by Road.

IMDG: International Maritime Dangerous Goods. IATA: International Air Transport Association. ICAO: International Civil Aviation Organisation

RID: Regulations concerning the International carriage of Dangerous goods by rail.

WGK : Wassergefahrdungsklasse (Water Hazard Class).

GHS05 : Corrosion GHS09 : Environment

PBT: Persistent, bioaccumulable and toxic. vPvB: Very persistent, very bioaccumulable. SVHC: Substances of very high concern.