SAFETY DATA SHEET

(REACH regulation (EC) n° 1907/2006 - n° 2020/878)

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product name: PRODERM CHIFFONNNETTES MECANICIEN

Product code: 301023

1.2. Relevant identified uses of the substance or mixture and uses advised against

N/A

1.3. Details of the supplier of the safety data sheet

IPC

10 Quai Malbert, 29200, BREST, FRANCE.

Tel.: +33 (0)2 98 43 45 44. Fax: +33 (0)2 98 44 22 53

ipc@groupe-ipc.com

1.4. Emergency telephone number: 01 45 42 59 59.

Association/Organisation: INRS.

SECTION 2 : HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

In compliance with EC regulation No. 1272/2008 and its amendments.

Flammable liquid, Category 3 (Flam. Liq. 3, H226).

This mixture does not present a health hazard with the exception of possible occupational exposure thresholds (see paragraphs 3 and 8).

This mixture does not present an environmental hazard. No known or foreseeable environmental damage under standard conditions of use.

2.2. Label elements

Detergent mixture (see section 15).

Non-rinse-off cosmetic mixture.

In compliance with EC regulation No. 1272/2008 and its amendments.

Hazard pictograms:



GHS02

Signal Word:

WARNING

Hazard statements:

H226 Flammable liquid and vapour.

Precautionary statements - Prevention:

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition

sources. No smoking.

 $Precautionary\ statements\ -\ Storage:$

P403 + P235 Store in a well-ventilated place. Keep cool.

Precautionary statements - Disposal:

P501 Dispose of contents/container to ...

2.3. Other hazards

The mixture does not contain substances classified as 'Substances of Very High Concern' (SVHC) >= 0.1% published by the European CHemicals Agency (ECHA) under article 57 of REACH: http://echa.europa.eu/fr/candidate-list-table

The mixture fulfils neither the PBT nor the vPvB criteria for mixtures in accordance with annexe XIII of the REACH regulations EC 1907/2006.

The mixture does not contain substances $\geq 0.1\%$ with endocrine disrupting properties in accordance with the criteria of the Delegated Regulation (EU) 2017/2100 of the Commission or Regulation (EU) 2018/605 of the Commission.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.2. Mixtures

Composition:

| Composition: | | | |
|----------------------------------|-------------------------|------|-----------------|
| Identification | (EC) 1272/2008 | Note | % |
| INDEX: 603_002_00_5 | GHS07, GHS02 | [1] | 2.5 <= x % < 10 |
| CAS: 64-17-5 | Dgr | | |
| EC: 200-578-6 | Flam. Liq. 2, H225 | | |
| | Eye Irrit. 2, H319 | | |
| BIOETHANOL | | | |
| INDEX: 603_117_00_0 | GHS07, GHS02 | [1] | 0 <= x % < 2.5 |
| CAS: 67-63-0 | Dgr | | |
| EC: 200-661-7 | Flam. Liq. 2, H225 | | |
| REACH: 01-2119457558-25-XXXX | Eye Irrit. 2, H319 | | |
| | STOT SE 3, H336 | | |
| PROPAN-2-OL | | | |
| INDEX: 009 | GHS05 | | 0 <= x % < 2.5 |
| CAS: 68439-57-6 | Dgr | | |
| EC: 270-407-8 | Skin Irrit. 2, H315 | | |
| REACH: 01-2119513401-57 | Eye Dam. 1, H318 | | |
| | | | |
| SODIUM C14-C16 OLEFINE SULFONATE | | | |
| INDEX: 603 057 00 5 | GHS07 | [1] | 0 <= x % < 2.5 |
| CAS: 100-51-6 | Wng | | |
| EC: 202-859-9 | Acute Tox. 4, H302 | | |
| REACH: 01-2119492630 | Eye Irrit. 2, H319 | | |
| | Acute Tox. 4, H332 | | |
| BENZYL ALCOHOL | , | | |
| INDEX: 603_085_00_8 | GHS06, GHS05, GHS09 | | 0 <= x % < 2.5 |
| CAS: 52-51-7 | Dgr | | |
| EC: 200-143-0 | Acute Tox. 4, H302 | | |
| | Acute Tox. 4, H312 | | |
| BRONOPOL (INN) | Skin Irrit. 2, H315 | | |
| , , | Eye Dam. 1, H318 | | |
| | Acute Tox. 3, H331 | | |
| | STOT SE 3, H335 | | |
| | Aquatic Chronic 2, H411 | | |
| | Aquatic Acute 1, H400 | | |
| | M Acute = 10 | | |
| 1 | 1 | | |

Specific concentration limits:

| Specific concentration limits: | | |
|----------------------------------|-----------------------------------|------------------------------|
| Identification | Specific concentration limits | ATE |
| INDEX: 603_117_00_0 | | dermal: ATE = 13900 mg/kg BW |
| CAS: 67-63-0 | | oral: ATE = 5840 mg/kg BW |
| EC: 200-661-7 | | |
| REACH: 01-2119457558-25-XXXX | | |
| | | |
| PROPAN-2-OL | | |
| INDEX: 009 | Eye Dam. 1: H318 C>= 40% | |
| CAS: 68439-57-6 | Eye Irrit. 2: H319 20% <= C < 40% | |
| EC: 270-407-8 | | |
| REACH: 01-2119513401-57 | | |
| | | |
| SODIUM C14-C16 OLEFINE SULFONATE | | |

| INDEX: 603_057_00_5 | oral: ATE = 1620 mg/kg BW |
|----------------------|---------------------------|
| CAS: 100-51-6 | |
| EC: 202-859-9 | |
| REACH: 01-2119492630 | |
| | |
| BENZYL ALCOHOL | |

Information on ingredients:

(Full text of H-phrases: see section 16)

[1] Substance for which maximum workplace exposure limits are available.

SECTION 4 : FIRST AID MEASURES

As a general rule, in case of doubt or if symptoms persist, always call a doctor.

NEVER induce swallowing by an unconscious person.

4.1. description of first aid measures

In the event of swallowing:

Seek medical attention, showing the label.

4.2. Most important symptoms and effects, both acute and delayed

No data available.

4.3. Indication of any immediate medical attention and special treatment needed

No data available.

SECTION 5: FIREFIGHTING MEASURES

Flammable.

Chemical powders, carbon dioxide and other extinguishing gas are suitable for small fires.

5.1. Extinguishing media

Keep packages near the fire cool, to prevent pressurised containers from bursting.

Suitable methods of extinction

In the event of a fire, use:

- sprayed water or water mist
- water with AFFF (Aqueous Film Forming Foam) additive
- halon
- foam
- multipurpose ABC powder
- BC powder
- carbon dioxide (CO2)

Prevent the effluent of fire-fighting measures from entering drains or waterways.

Unsuitable methods of extinction

In the event of a fire, do not use:

- water jet

5.2. Special hazards arising from the substance or mixture

A fire will often produce a thick black smoke. Exposure to decomposition products may be hazardous to health.

Do not breathe in smoke.

In the event of a fire, the following may be formed:

- carbon monoxide (CO)
- carbon dioxide (CO2)

5.3. Advice for firefighters

Fire-fighting personnel are to be equipped with autonomous insulating breathing apparatus.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Consult the safety measures listed under headings 7 and 8.

For first aid worker

First aid workers will be equipped with suitable personal protective equipment (See section 8).

6.2. Environmental precautions

Contain and control the leaks or spills with non-combustible absorbent materials such as sand, earth, vermiculite, diatomaceous earth in drums for waste disposal.

Prevent any material from entering drains or waterways.

6.3. Methods and material for containment and cleaning up

Clean preferably with a detergent, do not use solvents.

6.4. Reference to other sections

No data available.

SECTION 7: HANDLING AND STORAGE

Requirements relating to storage premises apply to all facilities where the mixture is handled.

7.1. Precautions for safe handling

Always wash hands after handling.

Fire prevention:

Handle in well-ventilated areas.

Prevent the formation of flammable or explosive concentrations in air and avoid vapor concentrations higher than the occupational exposure limits.

Prevent the accumulation of electrostatic charges with connections to earth.

The mixture can become electrostatically charged: always ground when decanting. Wear antistatic shoes and clothing and make floors of non-conductive

Use the mixture in premises free of naked flames or other sources of ignition and ensure that electrical equipment is suitably protected.

Keep packages tightly closed and away from sources of heat, sparks and naked flames.

Do not use tools which may produce sparks. Do not smoke.

Prevent access by unauthorised personnel.

Recommended equipment and procedures:

For personal protection, see section 8.

Observe precautions stated on label and also industrial safety regulations.

Prohibited equipment and procedures:

No smoking, eating or drinking in areas where the mixture is used.

7.2. Conditions for safe storage, including any incompatibilities

No data available.

Storage

Keep the container tightly closed in a dry, well-ventilated place.

Keep away from all sources of ignition - do not smoke.

Keep well away from all sources of ignition, heat and direct sunlight.

Avoid accumulation of electrostatic charges.

Packaging

Always keep in packaging made of an identical material to the original.

7.3. Specific end use(s)

No data available.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Occupational exposure limits:

- ACGIH TLV (American Conference of Governmental Industrial Hygienists, Threshold Limit Values, 2010):

| CAS | TWA: | STEL: | Ceiling: | Definition: | Criteria: |
|---------|---------|----------|----------|-------------|-----------|
| 64-17-5 | | 1000 ppm | | A3 | |
| 67-63-0 | 200 ppm | 400 ppm | | A4; BEI | |

- Germany - AGW (BAuA - TRGS 900, 02/2022) :

| CAS | VME: | VME: | Excess | Notes |
|----------|------|-----------------------|--------|-------|
| 64-17-5 | | 200 ppm | | 4(II) |
| | | 380 mg/m ³ | | |
| 67-63-0 | | 200 ppm | | 2(II) |
| | | 500 mg/m^3 | | |
| 100-51-6 | | 5 ppm | | 2 (I) |
| | | 22 mg/m^3 | | |

- France (INRS - Outils 65 / 2021-1849, 2021-1763, decree of 09/12/2021):

| CAS | VME-ppm: | VME-mg/m3: | VLE-ppm: | VLE-mg/m3: | Notes: | TMP No: |
|---------|----------|------------|----------|------------|--------|---------|
| 64-17-5 | 1000 | 1900 | 5000 | 9500 | - | 84 |
| 67-63-0 | - | - | 400 | 980 | - | 84 |

- UK / WEL (Workplace exposure limits, EH40/2005, Fourth Edition 2020):

| CAS | TWA: | STEL: | Ceiling: | Definition: | Criteria: |
|---------|------------------------|------------------------|----------|-------------|-----------|
| 64-17-5 | 1000 ppm | | | | |
| | 1920 mg/m ³ | | | | |
| 67-63-0 | 400 ppm | 500 ppm | | | |
| | 999 mg/m ³ | 1250 mg/m ³ | | | |

Derived no effect level (DNEL) or derived minimum effect level (DMEL):

BENZYL ALCOHOL (CAS: 100-51-6)

Final use: Workers.
Exposure method: Dermal contact.

Potential health effects: Long term systemic effects.
DNEL: 8 mg/kg body weight/day

Exposure method: Dermal contact.

Potential health effects: Short term systemic effects.

DNEL: 40 mg/kg body weight/day

Exposure method: Inhalation.

Potential health effects: Long term systemic effects.
DNEL: 22 mg of substance/m3

Exposure method: Inhalation.

Potential health effects: Short term systemic effects.

DNEL: 110 mg of substance/m3

PROPAN-2-OL (CAS: 67-63-0)

Final use:Exposure method:
Workers.
Dermal contact.

Potential health effects: Long term systemic effects.

DNEL: 888 mg/kg body weight/day

Exposure method: Inhalation.

Potential health effects: Long term systemic effects.

DNEL: 500 mg of substance/m3

Final use: Consumers. Exposure method: Ingestion.

Potential health effects: Long term systemic effects.

DNEL: 26 mg/kg body weight/day

Exposure method: Dermal contact.

Potential health effects: Long term systemic effects.

DNEL: 319 mg/kg body weight/day

Exposure method: Inhalation.

Potential health effects: Long term systemic effects.

DNEL: 89 mg of substance/m3

Predicted no effect concentration (PNEC):

BENZYL ALCOHOL (CAS: 100-51-6)

Environmental compartment: Soil.

PNEC: 0.456 mg/kg

Environmental compartment: Fresh water. PNEC: 1 mg/l

Environmental compartment: Sea water. PNEC: 0.1 mg/l

Environmental compartment: Fresh water sediment.

PNEC: 5.27 mg/kg

Environmental compartment: Marine sediment. PNEC: 0.527 mg/kg

PROPAN-2-OL (CAS: 67-63-0)

Environmental compartment: Soil.
PNEC: 28 mg/kg

Environmental compartment: Fresh water.
PNEC: 140.9 mg/l

Environmental compartment: Sea water. PNEC: 140.9 mg/l

Environmental compartment: Intermittent waste water.

PNEC: 140.9 mg/l

Environmental compartment: Fresh water sediment.

PNEC: 552 mg/kg

Environmental compartment: Waste water treatment plant.

PNEC: 2251 mg/l

8.2. Exposure controls

Personal protection measures, such as personal protective equipment

Use personal protective equipment that is clean and has been properly maintained. Store personal protective equipment in a clean place, away from the work area.

Never eat, drink or smoke during use. Remove and wash contaminated clothing before re-using. Ensure that there is adequate ventilation, especially in confined areas.

- Eye / face protection

Avoid contact with eyes.

Use eye protectors designed to protect against liquid splashes

Before handling, wear safety goggles in accordance with standard EN166.

- Hand protection

Wear suitable protective gloves in the event of prolonged or repeated skin contact.

Type of gloves recommended:

- Nitrile rubber (butadiene-acrylonitrile copolymer rubber (NBR))

- Body protection

Fat solubility:

Partition coefficient n-octanol/water (log value) Partition coefficient: n-octanol/water:

Work clothing worn by personnel shall be laundered regularly.

After contact with the product, all parts of the body that have been soiled must be washed.

SE

| After contact with the product, an parts of the body that have be | ch solica mast be washed |
|---|--------------------------|
| ECTION 9: PHYSICAL AND CHEMICAL PROPERTIES | |
| 9.1. Information on basic physical and chemical properties | |
| Physical state | |
| Physical state : | Fluid liquid. |
| N/A | |
| Colour | |
| Unspecified | |
| Odour | |
| Odour threshold: | Not stated. |
| Melting point | |
| Melting point/melting range: | Not specified. |
| Freezing point | |
| Freezing point / Freezing range: | Not stated. |
| Boiling point or initial boiling point and boiling range | |
| Boiling point/boiling range: | Not specified. |
| Flammability | |
| Flammability (solid, gas): | Not stated. |
| Lower and upper explosion limit | |
| Explosive properties, lower explosivity limit (%): | Not stated. |
| Explosive properties, upper explosivity limit (%): | Not stated. |
| Flash point | |
| Flash Point: | 48.00 °C. |
| Auto-ignition temperature | |
| Self-ignition temperature : | Not specified. |
| Decomposition temperature | |
| Decomposition point/decomposition range: | Not specified. |
| рН | |
| pH: | 7.50 +/-1. |
| | Neutral. |
| pH (aqueous solution): | Not stated. |
| Kinematic viscosity | |
| Viscosity: | Not stated. |
| Solubility | |
| Water solubility: | Dilutable. |
| | |

Not stated.

Not stated.

Vapour pressure

Vapour pressure (50°C): Not relevant.

Density and/or relative density

Density: 1.00

Relative vapour density

Vapour density: Not stated.

9.2. Other information

No data available.

9.2.1. Information with regard to physical hazard classes

No data available.

9.2.2. Other safety characteristics

No data available.

SECTION 10: STABILITY AND REACTIVITY

10.1. Reactivity

No data available.

10.2. Chemical stability

This mixture is stable under the recommended handling and storage conditions in section 7.

10.3. Possibility of hazardous reactions

No data available.

10.4. Conditions to avoid

Any apparatus likely to produce a flame or to have a metallic surface at high temperature (burners, electric arcs, furnaces etc.) must not be allowed on the premises.

Avoid:

- accumulation of electrostatic charges.
- heating
- heat
- flames and hot surfaces
- frost

10.5. Incompatible materials

No data available.

10.6. Hazardous decomposition products

The thermal decomposition may release/form :

- carbon monoxide (CO)
- carbon dioxide (CO2)

SECTION 11: TOXICOLOGICAL INFORMATION

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

No data available.

11.1.1. Substances

Acute toxicity:

BENZYL ALCOHOL (CAS: 100-51-6)

Oral route: LD50 = 1620 mg/kg

Species: Rat

Dermal route : LD50 > 2000 mg/kg

Species: Rabbit

Inhalation route (Dusts/mist): LC50 > 4.178 mg/l

Species : Rat

Duration of exposure: 4 h

PROPAN-2-OL (CAS: 67-63-0)

Oral route : LD50 = 5840 mg/kg

Species: Rat

OECD Guideline 401 (Acute Oral Toxicity)

Dermal route : LD50 = 13900 mg/kg

Species: Rabbit

OECD Guideline 402 (Acute Dermal Toxicity)

Inhalation route (Dusts/mist) : LC50 > 25 mg/l

Species: Rat

OECD Guideline 403 (Acute Inhalation Toxicity)

Respiratory or skin sensitisation:

PROPAN-2-OL (CAS: 67-63-0)

Local lymph node stimulation test:

Non-Sensitiser.

Species: Guinea pig

OECD Guideline 406 (Skin Sensitisation)

Germ cell mutagenicity:

PROPAN-2-OL (CAS: 67-63-0)

Mutagenesis (in vivo): Negative.

Species : Mouse

OECD Guideline 474 (Mammalian Erythrocyte Micronucleus Test)

Mutagenesis (in vitro): Negative.

Species: Bacteria

OECD Guideline 471 (Bacterial Reverse Mutation Assay)

Carcinogenicity:

PROPAN-2-OL (CAS: 67-63-0)

Carcinogenicity Test: Negative.

No carcinogenic effect.

Species: Mouse

OECD Guideline 451 (Carcinogenicity Studies)

Reproductive toxicant:

PROPAN-2-OL (CAS: 67-63-0) No toxic effect for reproduction

11.1.2. Mixture

No toxicological data available for the mixture.

11.2. Information on other hazards

SECTION 12 : ECOLOGICAL INFORMATION

12.1. Toxicity

12.1.1. Substances

BRONOPOL (INN) (CAS: 52-51-7)

Fish toxicity: $0.01 < LC50 \le 0.1 \text{ mg/l}$

Factor M = 10

Duration of exposure: 96 h

BENZYL ALCOHOL (CAS: 100-51-6)

Fish toxicity: LC50 = 460 mg/l

Species : Pimephales promelas Duration of exposure : 96 h

Crustacean toxicity: EC50 = 230 mg/l

Species : Daphnia magna Duration of exposure : 48 h

NOEC = 51 mg/l Species : Daphnia magna

Algae toxicity: ECr50 = 770 mg/l

Species: Pseudokirchnerella subcapitata

Duration of exposure: 72 h

NOEC = 310 mg/l

Species: Pseudokirchnerella subcapitata

Duration of exposure: 72 h

PROPAN-2-OL (CAS: 67-63-0)

Fish toxicity: LC50 = 9640 mg/l

Species: Pimephales promelas Duration of exposure: 96 h

OECD Guideline 203 (Fish, Acute Toxicity Test)

Crustacean toxicity: EC50 = 9714 mg/l

Species : Daphnia magna Duration of exposure : 24 h

OECD Guideline 202 (Daphnia sp. Acute Immobilisation Test)

Algae toxicity: ECr50 > 100 mg/l

Species : Raphidocelis subcapitata Duration of exposure : 72 h

12.1.2. Mixtures

No aquatic toxicity data available for the mixture.

12.2. Persistence and degradability

12.2.1. Substances

BRONOPOL (INN) (CAS: 52-51-7)

Biodegradability: Rapidly degradable.

BENZYL ALCOHOL (CAS: 100-51-6)

Five-day biochemical oxygen demand : DBO5 = 1.6 g/g

Biodegradability: Rapidly degradable.

PROPAN-2-OL (CAS: 67-63-0)

Chemical oxygen demand : DCO = 2.294 g/g

Five-day biochemical oxygen demand : DBO5 = 1.171 g/g

Biodegradability: Rapidly degradable.

DBO5/DCO = 0.51

12.3. Bioaccumulative potential

12.3.1. Substances

BENZYL ALCOHOL (CAS: 100-51-6)

Octanol/water partition coefficient : log Koe = 1.1

PROPAN-2-OL (CAS: 67-63-0)

Octanol/water partition coefficient : log Koe = 0.05

OECD Guideline 107 (Partition Coefficient (n-octanol / water), Shake Flask Method)

12.4. Mobility in soil

No data available.

12.5. Results of PBT and vPvB assessment

No data available.

12.6. Endocrine disrupting properties

No data available.

12.7. Other adverse effects

No data available.

SECTION 13: DISPOSAL CONSIDERATIONS

Proper waste management of the mixture and/or its container must be determined in accordance with Directive 2008/98/EC.

13.1. Waste treatment methods

Do not pour into drains or waterways.

Waste:

Waste management is carried out without endangering human health, without harming the environment and, in particular without risk to water, air, soil, plants or animals.

Recycle or dispose of waste in compliance with current legislation, preferably via a certified collector or company.

Do not contaminate the ground or water with waste, do not dispose of waste into the environment.

Soiled packaging:

Empty container completely. Keep label(s) on container.

Give to a certified disposal contractor.

SECTION 14: TRANSPORT INFORMATION

Transport product in compliance with provisions of the ADR for road, RID for rail, IMDG for sea and ICAO/IATA for air transport (ADR 2021 - IMDG 2020 [40-20] - ICAO/IATA 2022 [63]).

14.1. UN number or ID number

3175

14.2. UN proper shipping name

UN3175=SOLIDS or mixtures of solids (such as preparations and wastes) CONTAINING FLAMMABLE LIQUID, N.O.S. having a flash-point up to $60\,^{\circ}\text{C}$

(bioethanol, propan-2-ol)

14.3. Transport hazard class(es)

- Classification :



4.1

14.4. Packing group

П

14.5. Environmental hazards

-

14.6. Special precautions for user

| ADR/RID | Class | Code | Pack gr. | Label | Ident. | LQ | Provis. | EQ | Cat. | Tunnel |
|---------|-------|------|----------|-------|--------|------|-------------|----|------|--------|
| | 4.1 | F1 | II | 4.1 | 40 | 1 kg | 216 274 601 | E2 | 2 | E |

| IMDG | Class | 2°Label | Pack gr. | LQ | EMS | Provis. | EQ | Stowage Handling | Segregation |
|------|-------|---------|----------|------|----------|---------|----|---------------------|-------------|
| | 4.1 | - | II | 1 kg | F-A. S-I | 216 274 | E2 | Category B | - |

| IATA | Class | 2°Label | Pack gr. | Passager | Passager | Cargo | Cargo | note | EQ |
|------|-------|---------|----------|----------|----------|-------|-------|------|----|
| | 4.1 | - | II | 445 | 15 kg | 448 | 50 kg | A46 | E2 |
| | 4.1 | - | II | Y441 | 5 kg | - | - | A46 | E2 |

For limited quantities, see part 2.7 of the OACI/IATA and chapter 3.4 of the ADR and IMDG.

For excepted quantities, see part 2.6 of the OACI/IATA and chapter 3.5 of the ADR and IMDG.

14.7. Maritime transport in bulk according to IMO instruments

No data available.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

- Classification and labelling information included in section 2:

The following regulations have been used:

- EU Regulation No. 1272/2008 amended by EU Regulation No. 2022/692 (ATP 18)

- Container information:

The mixture does not contain any substance restricted under Annex XVII of Regulation (EC) No. 1907/2006 (REACH): https://echa.europa.eu/substances-restricted-under-reach.

- Particular provisions:

No data available.

- Labelling for cosmetic products (EC Regulation No. 1223/2009):

- less than 5 %: anionic surfactants

- less than 5 %: non-ionic surfactants

- perfumes

- preservatives

- allergenic fragrances:

benzyl alcohol

coumarin

citronellol

linalool

methyl ionones

hexyl cinnamal

15.2. Chemical safety assessment

No data available.

SECTION 16: OTHER INFORMATION

Since the user's working conditions are not known by us, the information supplied on this safety data sheet is based on our current level of knowledge and on national and community regulations.

The mixture must not be used for other uses than those specified in section 1 without having first obtained written handling instructions.

It is at all times the responsibility of the user to take all necessary measures to comply with legal requirements and local regulations.

The information in this safety data sheet must be regarded as a description of the safety requirements relating to the mixture and not as a guarantee of the properties thereof.

Wording of the phrases mentioned in section 3:

H225 Highly flammable liquid and vapour.

H302 Harmful if swallowed.

| Harmful in contact with skin. |
|--|
| Causes skin irritation. |
| Causes serious eye damage. |
| Causes serious eye irritation. |
| Toxic if inhaled. |
| Harmful if inhaled. |
| May cause respiratory irritation. |
| May cause drowsiness or dizziness. |
| Very toxic to aquatic life. |
| Toxic to aquatic life with long lasting effects. |
| |

Abbreviations:

LD50: The dose of a test substance resulting in 50% lethality in a given time period.

LC50 : The concentration of a test substance resulting in 50% lethality in a given period.

EC50 : The effective concentration of substance that causes 50% of the maximum response.

ECr50 : The effective concentration of substance that causes 50% reduction in growth rate.

NOEC: The concentration with no observed effect.

REACH: Registration, Evaluation, Authorization and Restriction of Chemical Substances.

ATE: Acute Toxicity Estimate

BW: Body Weight

DNEL: Derived No-Effect Level

PNEC : Predicted No-Effect Concentration

UFI : Unique formulation identifier. STEL : Short-term exposure limit

TWA : Time Weighted Averages
TMP : French Occupational Illness table

TLV : Threshold Limit Value (exposure)

AEV: Average Exposure Value.

ADR: European agreement concerning the international carriage of dangerous goods by Road.

IMDG: International Maritime Dangerous Goods. IATA: International Air Transport Association. ICAO: International Civil Aviation Organisation

RID: Regulations concerning the International carriage of Dangerous goods by rail.

WGK: Wassergefahrdungsklasse (Water Hazard Class).

GHS02: Flame

PBT: Persistent, bioaccumulable and toxic. vPvB: Very persistent, very bioaccumulable. SVHC: Substances of very high concern.