IPC

PROVIM ECOLABEL 3 EN 1

Date: 25/07/2018 Page 1/9

Revision: N°2 (25/07/2018)

SAFETY DATA SHEET

(REACH regulation (EC) n° 1907/2006 - n° 2015/830)

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product name: PROVIM ECOLABEL 3 EN 1

Product code: 102491

1.2. Relevant identified uses of the substance or mixture and uses advised against

Tablets for dishwasher. Professional use.

1.3. Details of the supplier of the safety data sheet

Registered company name: IPC.

Address: 10 Quai Malbert.29200.BREST.FRANCE.

Telephone: +33 (0)2 98 43 45 44. Fax:.

ipc@ipc-sa.com

1.4. Emergency telephone number: +33 (0)1 45 42 59 59.

Association/Organisation: INRS / ORFILA http://www.centres-antipoison.net.

SECTION 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

In compliance with EC regulation No. 1272/2008 and its amendments.

Serious eye damage, Category 1 (Eye Dam. 1, H318).

May produce an allergic reaction (EUH208).

This mixture does not present a physical hazard. Refer to the recommendations regarding the other products present on the site.

This mixture does not present an environmental hazard. No known or foreseeable environmental damage under standard conditions of use.

2.2. Label elements

Detergent mixture (see section 15).

In compliance with EC regulation No. 1272/2008 and its amendments.

Hazard pictograms:



GHS05

Signal Word : DANGER

Product identifiers:

EC 239-707-6 SODIUM CARBONATE PEROXYHYDRATE

EC 237-623-4 DISODIUM DISILICATE

Additional labeling:

EUH208 Contains SUBTILISIN. May produce an allergic reaction.

 $Hazard\ statements:$

H318 Causes serious eye damage.

Precautionary statements - Prevention :

P264 Wash hands thoroughly after handling.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

Precautionary statements - Response:

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and

easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER, a doctor.

Version: N°1 (25/07/2018) **IPC**

PROVIM ECOLABEL 3 EN 1

Date: 25/07/2018 Page 2/9

Revision: N°2 (25/07/2018)

2.3. Other hazards

The mixture does not contain substances classified as 'Substances of Very High Concern' (SVHC) >= 0.1% published by the European CHemicals Agency (ECHA) under article 57 of REACH: http://echa.europa.eu/fr/candidate-list-table

The mixture fulfils neither the PBT nor the vPvB criteria for mixtures in accordance with annexe XIII of the REACH regulations EC 1907/2006.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.2. Mixtures

Composition:

Identification	(EC) 1272/2008	Note	%
INDEX: 011-005-00-2	GHS07		$25 \le x \% < 50$
CAS: 497-19-8	Wng		
EC: 207-838-8	Eye Irrit. 2, H319		
REACH: 01-2119485498-19	Lyc IIII. 2, 1131)		
REACH: 01-2119463436-19			
CODILIN CARRONATE			
SODIUM CARBONATE	CHOOS CHOOS CHOOS		10 1 0/ 105
INDEX: 15630_89_4	GHS07, GHS05, GHS03		$10 \le x \% \le 25$
CAS: 15630-89-4	Dgr		
EC: 239-707-6	Ox. Sol. 3, H272		
REACH: 01-2119457268-30	Acute Tox. 4, H302		
	Eye Dam. 1, H318		
SODIUM CARBONATE PEROXYHYDRATE			
INDEX: 13870_28_5	GHS05		$2.5 \le x \% < 10$
CAS: 13870-28-5	Dgr		
EC: 237-623-4	Eye Dam. 1, H318		
REACH: 01-2119485031-47			
DISODIUM DISILICATE			
INDEX: 68439 49 6	GHS07		2.5 <= x % < 10
CAS: 68439-49-6	Wng		
51251 00 109 19 0	Eye Irrit. 2, H319		
FATTY ALCOHOL POLYGLYCOLIC ETHER	Lyc 11111. 2, 11319		
INDEX: 57 50 1		[1]	0 <= x % < 1
CAS: 57-50-1		[L1]	0 × X /0 × 1
EC: 200-334-9			
EC. 200-334-9			
SUCROSE			
		F13	0 < 0/ < 0.5
INDEX: 9005_25_8		[1]	$0 \le x \% < 0.5$
CAS: 9005-25-8			
EC: 232-679-6			
STARCH			
INDEX: 9014_01_1	GHS07, GHS05, GHS09, GHS08	[1]	$0 \le x \% < 0.5$
CAS: 9014-01-1	Dgr		
EC: 232-752-2	Acute Tox. 4, H302		
REACH: 01-2119480434-38	Skin Irrit. 2, H315		
	Eye Dam. 1, H318		
SUBTILISIN	Resp. Sens. 1, H334		
	STOT SE 3, H335		
	Aquatic Chronic 2, H411		
	Aquatic Acute 1, H400		
	M Acute = 1		
INDEX: 13463 67 7		[1]	$0 \le x \% < 0.2$
CAS: 13463-67-7		L - J	
EC: 236-675-5			
REACH: 01-2119489379-17			
1011.01 2117 1073 17-11			
TITANIUM DIOXIDE			
THANIUM DIOAIDE			

(Full text of H-phrases: see section 16)

Information on ingredients:

[1] Substance for which maximum workplace exposure limits are available.

IPC

PROVIM ECOLABEL 3 EN 1

Date: 25/07/2018 Page 3/9

Revision: N°2 (25/07/2018)

SECTION 4: FIRST AID MEASURES

As a general rule, in case of doubt or if symptoms persist, always call a doctor.

NEVER induce swallowing by an unconscious person.

4.1. Description of first aid measures

In the event of exposure by inhalation:

In the event of an allergic reaction, seek medical attention.

In the event of massive inhalation, remove the person to fresh air and keep warm and at rest.

In the event of splashes or contact with eyes:

Wash thoroughly with fresh, clean water for 15 minutes holding the eyelids open.

Regardless of the initial state, refer the patient to an ophthalmologist and show him the label.

If there is any redness, pain or visual impairment, consult an ophthalmologist.

In the event of splashes or contact with skin:

Watch out for any remaining product between skin and clothing, watches, shoes, etc.

In the event of an allergic reaction, seek medical attention.

Rinse thoroughly with water. If discomfort persists, consult a doctor.

In the event of swallowing:

Seek medical attention, showing the label.

Keep at rest. Do not induce vomiting.

4.2. Most important symptoms and effects, both acute and delayed

No data available.

4.3. Indication of any immediate medical attention and special treatment needed

No data available.

SECTION 5: FIREFIGHTING MEASURES

Non-flammable.

5.1. Extinguishing media

Suitable methods of extinction

In the event of a fire, use:

- sprayed water or water mist
- foam
- powder
- carbon dioxide (CO2)

Unsuitable methods of extinction

In the event of a fire, do not use:

- water jet

5.2. Special hazards arising from the substance or mixture

A fire will often produce a thick black smoke. Exposure to decomposition products may be hazardous to health.

Do not breathe in smoke.

In the event of a fire, the following may be formed:

- carbon monoxide (CO)
- carbon dioxide (CO2)

5.3. Advice for firefighters

Due to the toxicity of the gas emitted on thermal decomposition of the products, fire-fighting personnel are to be equipped with autonomous insulating breathing apparatus.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Consult the safety measures listed under headings 7 and 8.

For non first aid worker

Avoid any contact with the skin and eyes.

Avoid dust inhalation.

For first aid worker

First aid workers will be equipped with suitable personal protective equipment (See section 8).

IPC

Revision: N°2 (25/07/2018)

Date: 25/07/2018 Page 4/9

PROVIM ECOLABEL 3 EN 1

6.2. Environmental precautions

Prevent any material from entering drains or waterways.

6.3. Methods and material for containment and cleaning up

Retrieve the product by mechanical means (sweeping/vacuuming).

6.4. Reference to other sections

No data available.

SECTION 7: HANDLING AND STORAGE

Requirements relating to storage premises apply to all facilities where the mixture is handled.

7.1. Precautions for safe handling

Always wash hands after handling.

Remove and wash contaminated clothing before re-using.

Emergency showers and eye wash stations will be required in facilities where the mixture is handled constantly.

Fire prevention:

Prevent access by unauthorised personnel.

Recommended equipment and procedures:

For personal protection, see section 8.

Observe precautions stated on label and also industrial safety regulations.

Avoid eye contact with this mixture at all times.

Prohibited equipment and procedures:

No smoking, eating or drinking in areas where the mixture is used.

7.2. Conditions for safe storage, including any incompatibilities

Keep out of the reach of children.

Packaging

Always keep in packaging made of an identical material to the original.

7.3. Specific end use(s)

No data available.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Occupational exposure limits:

- ACGIH TLV (American Conference of Governmental Industrial Hygienists, Threshold Limit Values, 2010):

CAS	TWA:	STEL:	Ceiling:	Definition:	Criteria:
57-50-1	10 mg/m3			A4	
9005-25-8	10 mg/m3			A4	
9014-01-1			0,00006		
			mg/m3		
13463-67-7	10 mg/m3			A4	

- France (INRS - ED984:2016):

CAS	VME-ppm:	VME-mg/m3:	VLE-ppm:	VLE-mg/m3:	Notes:	TMP No:
57-50-1	-	10	-	-	-	-
13463-67-7	-	10	-	-	-	-

- UK / WEL (Workplace exposure limits, EH40/2005, 2011):

CAS	TWA:	STEL:	Ceiling:	Definition:	Criteria:
57-50-1	- ppm 10 mg/m ³	- ppm 20 mg/m ³			
9005-25-8	- ppm 4 mg/m ³	- ppm - mg/m ³			
9014-01-1	- ppm 0,00004 mg/m ³	- ppm - mg/m³		Sen	
13463-67-7	- ppm 4 mg/m³	- ppm - mg/m³			

Derived no effect level (DNEL) or derived minimum effect level (DMEL):

SODIUM CARBONATE PEROXYHYDRATE (CAS: 15630-89-4)

SAFETY DATA SHEET (REGULATION (EC) n° 1907/2006 - REACH)

Version: N°1 (25/07/2018)

IPC

PROVIM ECOLABEL 3 EN 1

Date: 25/07/2018 Page 5/9

Revision: N°2 (25/07/2018)

Final use: Workers. Exposure method: Dermal contact. Potential health effects: Short term local effects. 12.8 mg of substance/cm2

DNEL:

Exposure method: Inhalation.

Potential health effects: Long term local effects. DNEL: 5 mg of substance/m3

Final use: Consumers. Exposure method: Dermal contact. Potential health effects: Short term local effects. DNEL: 6.4 mg of substance/cm2

Predicted no effect concentration (PNEC):

TITANIUM DIOXIDE (CAS: 13463-67-7)

Environmental compartment: Fresh water. PNEC: 0.127 mg/l

SODIUM CARBONATE PEROXYHYDRATE (CAS: 15630-89-4) Environmental compartment: Fresh water.

PNEC: $35 \mu g/l$

Environmental compartment: Fresh water sediment.

PNEC: $10 \mu g/l$

Environmental compartment: Waste water treatment plant.

PNEC: 16 mg/l

8.2. Exposure controls

Personal protection measures, such as personal protective equipment

Use personal protective equipment that is clean and has been properly maintained.

Store personal protective equipment in a clean place, away from the work area.

Never eat, drink or smoke during use. Remove and wash contaminated clothing before re-using. Ensure that there is adequate ventilation, especially in confined areas.

- Eye / face protection

Avoid contact with eyes.

Before handling powders or dust emission, wear mask goggles in accordance with standard EN166.

Prescription glasses are not considered as protection.

Provide eyewash stations in facilities where the product is handled constantly.

- Hand protection

Wear suitable protective gloves in the event of prolonged or repeated skin contact.

Use suitable protective gloves that are resistant to chemical agents in accordance with standard EN374.

Gloves must be selected according to the application and duration of use at the workstation.

Protective gloves need to be selected according to their suitability for the workstation in question: other chemical products that may be handled, necessary physical protections (cutting, pricking, heat protection), level of dexterity required.

Recommended properties:

- Impervious gloves in accordance with standard EN374

- Body protection

Work clothing worn by personnel shall be laundered regularly.

After contact with the product, all parts of the body that have been soiled must be washed.

- Respiratory protection

Avoid breathing dust.

Type of FFP mask:

Wear a disposable half-mask dust filter in accordance with standard EN149.

Version: N°1 (25/07/2018)

IPC

PROVIM ECOLABEL 3 EN 1

Date: 25/07/2018 Page 6/9 Revision: N°2 (25/07/2018)

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

General information:

Physical state: Solid.

Appearance: three-layer tablet Color: white - green - white

Important health, safety and environmental information

Not relevant. pH: pH (aqueous solution): 10.5 à 1% Boiling point/boiling range: Not specified. Flash point interval: Not relevant. Vapour pressure (50°C): Not relevant. Density: Not stated. Soluble. Water solubility: Melting point/melting range: Not specified. Self-ignition temperature : Not specified. Decomposition point/decomposition range: Not specified.

9.2. Other information

No data available.

SECTION 10: STABILITY AND REACTIVITY

10.1. Reactivity

No data available.

10.2. Chemical stability

This mixture is stable under the recommended handling and storage conditions in section 7.

10.3. Possibility of hazardous reactions

No data available.

10.4. Conditions to avoid

Avoid:

- formation of dusts
- humidity
- heat

Dusts can form an explosive mixture with air.

10.5. Incompatible materials

10.6. Hazardous decomposition products

The thermal decomposition may release/form:

- carbon monoxide (CO)
- carbon dioxide (CO2)

SECTION 11: TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

May have irreversible effects on the eyes, such as tissue damage in the eye, or serious physical decay of sight, which is not fully reversible by the end of observation at 21 days.

Serious eye damage is typified by the destruction of cornea, persistent corneal opacity and iritis.

11.1.1. Substances

Acute toxicity:

SUBTILISIN (CAS: 9014-01-1)

Oral route: LD50 = 1800 mg/kg

Species: Rat

Dermal route: LD50 > 2 ml/kg

Species: Rabbit

SAFETY DATA SHEET (REGULATION (EC) n° 1907/2006 - REACH)

Version: N°1 (25/07/2018) Revision: N°2 (25/07/2018) **IPC**

Date: 25/07/2018 Page 7/9

PROVIM ECOLABEL 3 EN 1

Inhalation route (Dusts/mist): LC50 = 0.8 mg/l

Species: Rat

SODIUM CARBONATE PEROXYHYDRATE (CAS: 15630-89-4)

LD50 = 1034 mg/kgOral route:

Species: Rat

Dermal route: LD50 > 2000 mg/kg

Species: Rabbit

11.1.2. Mixture

Respiratory or skin sensitisation:

Contains at least one sensitising substance. May cause an allergic reaction.

SECTION 12: ECOLOGICAL INFORMATION

12.1. Toxicity

12.1.1. Substances

SODIUM CARBONATE PEROXYHYDRATE (CAS: 15630-89-4)

LC50 = 70.7 mg/lFish toxicity:

Species: Pimephales promelas Duration of exposure: 96 h

EC50 = 4.9 mg/lCrustacean toxicity:

> Species: Daphnia magna Duration of exposure: 48 h

ECr50 = 2.62 mg/lAquatic plant toxicity:

Species: Others

Duration of exposure: 72 h

SUBTILISIN (CAS: 9014-01-1)

Fish toxicity: LC50 = 8.2 mg/l

Duration of exposure: 96 h

Crustacean toxicity: EC50 = 0.17 mg/l

Duration of exposure: 48 h

Algae toxicity: NOEC = 0.041 mg/l

Species: Pseudokirchnerella subcapitata

Duration of exposure: 72 h

12.1.2. Mixtures

No aquatic toxicity data available for the mixture.

12.2. Persistence and degradability

The surfactants contained in this preparation comply with the biodegradability criteria as laid down in Regulation (EC) No 648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of Member States and will be provided with their request or at the request of a detergent manufacturer.

12.2.1. Substances

TITANIUM DIOXIDE (CAS: 13463-67-7)

Biodegradability: Non-rapidly degradable.

SUBTILISIN (CAS: 9014-01-1)

Biodegradability: Rapidly degradable.

FATTY ALCOHOL POLYGLYCOLIC ETHER (CAS: 68439-49-6)

Rapidly degradable. Biodegradability:

SAFETY DATA SHEET (REGULATION (EC) n° 1907/2006 - REACH)

Version: N°1 (25/07/2018)

Revision: N°2 (25/07/2018)

Date: 25/07/2018 Page 8/9

12.3. Bioaccumulative potential

No data available.

12.4. Mobility in soil

No data available.

12.5. Results of PBT and vPvB assessment

No data available.

12.6. Other adverse effects

No data available.

SECTION 13: DISPOSAL CONSIDERATIONS

Proper waste management of the mixture and/or its container must be determined in accordance with Directive 2008/98/EC.

13.1. Waste treatment methods

Do not pour into drains or waterways.

Waste:

Waste management is carried out without endangering human health, without harming the environment and, in particular without risk to water, air, soil, plants or animals.

PROVIM ECOLABEL 3 EN 1

Recycle or dispose of waste in compliance with current legislation, preferably via a certified collector or company.

Do not contaminate the ground or water with waste, do not dispose of waste into the environment.

Soiled packaging:

Empty container completely. Keep label(s) on container.

Give to a certified disposal contractor.

SECTION 14: TRANSPORT INFORMATION

Exempt from transport classification and labelling.

14.1. UN number

14.2. UN proper shipping name

14.3. Transport hazard class(es)

14.4. Packing group

14.5. Environmental hazards

14.6. Special precautions for user

SECTION 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

- Classification and labelling information included in section 2:

The following regulations have been used:

- EU Regulation No. 1272/2008 amended by EU Regulation No. 2017/776 (ATP 10)

- Container information:

No data available.

- Particular provisions:

No data available.

- Labelling for detergents (EC Regulation No. 648/2004,907/2006):

- less than 5 %: phosphonates
- 5 % or over but less than 15 % : nonionic surfactants
- 5 % or over but less than 15 %: oxygenbased bleaching agents
- less than 5 %: polycarboxylates
- enzymes
- perfumes

15.2. Chemical safety assessment

SAFETY DATA SHEET (REGULATION (EC) nº 1907/2006 - REACH)

Version: N°1 (25/07/2018)

IPC

Revision : N°2 (25/07/2018)

Date: 25/07/2018 Page 9/9

PROVIM ECOLABEL 3 EN 1

No data available.

SECTION 16: OTHER INFORMATION

Since the user's working conditions are not known by us, the information supplied on this safety data sheet is based on our current level of knowledge and on national and community regulations.

The mixture must not be used for other uses than those specified in section 1 without having first obtained written handling instructions.

It is at all times the responsibility of the user to take all necessary measures to comply with legal requirements and local regulations.

The information in this safety data sheet must be regarded as a description of the safety requirements relating to the mixture and not as a guarantee of the properties thereof.

Changes from the previous version:

- Section 2 : 8ème ATP

Wording of the phrases mentioned in section 3:

H272	May intensify fire; oxidiser.
H302	Harmful if swallowed.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H335	May cause respiratory irritation.
H400	Very toxic to aquatic life.
H411	Toxic to aquatic life with long lasting effects.

Abbreviations:

DNEL: Derived No-Effect Level

PNEC: Predicted No-Effect Concentration

ADR: European agreement concerning the international carriage of dangerous goods by Road.

IMDG: International Maritime Dangerous Goods. IATA: International Air Transport Association. ICAO: International Civil Aviation Organisation

RID: Regulations concerning the International carriage of Dangerous goods by rail.

WGK: Wassergefahrdungsklasse (Water Hazard Class).

GHS05: Corrosion

PBT: Persistent, bioaccumulable and toxic. vPvB: Very persistent, very bioaccumulable. SVHC: Substances of very high concern.