PROVIM 3 EN 1

Date: 29/09/2022 Page 1/10

Revision: N°1 (16/06/2022)

SAFETY DATA SHEET

(REACH regulation (EC) n° 1907/2006 - n° 2020/878)

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product name: PROVIM 3 EN 1

Product code: 102437

1.2. Relevant identified uses of the substance or mixture and uses advised against

Tablets for dishwasher.

Professional use.

1.3. Details of the supplier of the safety data sheet

IPC

10 Quai Malbert, 29200, BREST, FRANCE.

Tel.: +33 (0)2 98 43 45 44. Fax: +33 (0)2 98 44 22 53

ipc@groupe-ipc.com

1.4. Emergency telephone number: +33 (0)1 45 42 59 59.

Association/Organisation: INRS / ORFILA http://www.centres-antipoison.net.

SECTION 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

In compliance with EC regulation No. 1272/2008 and its amendments.

Eye irritation, Category 2 (Eye Irrit. 2, H319).

May produce an allergic reaction (EUH208).

This mixture does not present a physical hazard. Refer to the recommendations regarding the other products present on the site.

This mixture does not present an environmental hazard. No known or foreseeable environmental damage under standard conditions of use.

2.2. Label elements

Detergent mixture (see section 15).

In compliance with EC regulation No. 1272/2008 and its amendments.

Hazard pictograms:



GHS07

Signal Word:

WARNING

Additional labeling:

EUH208 Contains SUBTILISIN. May produce an allergic reaction.

Hazard statements:

H319 Causes serious eye irritation.

 $Precaution ary\ statements\ -\ Prevention:$

P264 Wash hands thoroughly after handling.
P280 Wear eye protection/face protection.

Precautionary statements - Response:

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and

easy to do. Continue rinsing.

P337 + P313 If eye irritation persists: Get medical advice/attention.

2.3. Other hazards

In use, may form flammable/explosive dust-air mixture.

The mixture does not contain substances classified as 'Substances of Very High Concern' (SVHC) >= 0.1% published by the European CHemicals Agency (ECHA) under article 57 of REACH: http://echa.europa.eu/fr/candidate-list-table

Date: 29/09/2022 Page 2/10 Revision: N°1 (16/06/2022) Version: N°1 (16/06/2022)

PROVIM 3 EN 1

The mixture fulfils neither the PBT nor the vPvB criteria for mixtures in accordance with annexe XIII of the REACH regulations EC 1907/2006.

The mixture does not contain substances> = 0.1% with endocrine disrupting properties in accordance with the criteria of the Delegated Regulation (EU) 2017/2100 of the Commission or Regulation (EU) 2018/605 of the Commission.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.2. Mixtures

Composition:

Identification	(EC) 1272/2008	Note	%
INDEX: 011-005-00-2	GHS07	11000	25 <= x % < 50
CAS: 497-19-8	Wng		25 - 170 - 50
EC: 207-838-8	Eye Irrit. 2, H319		
REACH: 01-2119485498-19	Eye 1111t. 2, 1131)		
KL/1011. 01-2117-05-70-17			
SODIUM CARBONATE			
INDEX: 15630 89 4A	GHS07, GHS05, GHS03		2.5 <= x % < 10
CAS: 15630-89-4	Dgr		
EC: 239-707-6	Ox. Sol. 2, H272		
REACH: 01-2119457268-30	Acute Tox. 4, H302		
	Eye Dam. 1, H318		
SODIUM CARBONATE PEROXYHYDRATE			
INDEX: 25322 68 3		[1]	2.5 <= x % < 10
CAS: 25322-68-3			
REACH: EXEMPTE			
POLYÉTHYLÈNEGLYCOL			
INDEX: 1344 09 BC	GHS07, GHS05		1 <= x % < 2.5
CAS: 1344-09-8	Dgr		
EC: 215-687-4	Skin Irrit. 2, H315		
REACH: 01-2119448725-31	Eye Dam. 1, H318		
145719111 01 2119 110720 01	STOT SE 3, H335		
SILICIC ACID, SODIUM SALT	5757 525,71555		
INDEX: 9014 01 1	GHS07, GHS05, GHS09, GHS08	[1]	0.1 <= x % < 1
CAS: 9014-01-1	Dgr		
EC: 232-752-2	Acute Tox. 4, H302		
REACH: 01-2119480434-38	Skin Irrit. 2, H315		
	Eye Dam. 1, H318		
SUBTILISIN	Resp. Sens. 1, H334		
	STOT SE 3, H335		
	Aquatic Chronic 2, H411		
	Aquatic Acute 1, H400		
	M Acute = 1		
INDEX: 647-015-00-4	GHS08	[1]	0 <= x % < 0.1
CAS: 9000-90-2	Dgr	[11]	0 × A /0 × 0.1
EC: 232-565-6	Resp. Sens. 1, H334		
REACH: 01-2119938627-26	кезр. бенз. 1, 11554		
KLACII. 01-211993002/-20			
AMYLASE, ALPHA-			
	•	 	

Specific concentration limits:		
Identification	Specific concentration limits	ATE
INDEX: 15630_89_4A	Eye Dam. 1: H318 C>= 25%	oral: ATE = 1034 mg/kg BW
CAS: 15630-89-4	Eye Irrit. 2: H319 7.5% <= C < 25%	
EC: 239-707-6		
REACH: 01-2119457268-30		
SODIUM CARBONATE PEROXYHYDRATE		
INDEX: 1344_09_BC		oral: ATE = 3400 mg/kg BW
CAS: 1344-09-8		
EC: 215-687-4		
REACH: 01-2119448725-31		
SILICIC ACID, SODIUM SALT		

SAFETY DATA SHEET (REGULATION (EC) n° 1907/2006 - REACH)

Date: 29/09/2022 Page 3/10 Revision: N°1 (16/06/2022) Version: N°1 (16/06/2022)

PROVIM 3 EN 1

INDEX: 9014_01_1 CAS: 9014-01-1 EC: 232-752-2 REACH: 01-2119480434-38	inhalation: ATE = 0.8 mg/l (dust/mist) oral: ATE = 1800 mg/kg BW
SUBTILISIN	

Information on ingredients:

(Full text of H-phrases: see section 16)

[1] Substance for which maximum workplace exposure limits are available.

SECTION 4: FIRST AID MEASURES

As a general rule, in case of doubt or if symptoms persist, always call a doctor.

NEVER induce swallowing by an unconscious person.

4.1. description of first aid measures

In the event of exposure by inhalation:

In the event of an allergic reaction, seek medical attention.

In the event of massive inhalation, remove the person to fresh air and keep warm and at rest.

In the event of splashes or contact with eyes:

Wash thoroughly with fresh, clean water for 15 minutes holding the eyelids open.

If there is any redness, pain or visual impairment, consult an ophthalmologist.

In the event of splashes or contact with skin:

Watch out for any remaining product between skin and clothing, watches, shoes, etc.

In the event of an allergic reaction, seek medical attention.

In the event of swallowing:

Seek medical attention, showing the label.

Keep at rest. Do not induce vomiting.

4.2. Most important symptoms and effects, both acute and delayed

No data available.

4.3. Indication of any immediate medical attention and special treatment needed

No data available.

SECTION 5: FIREFIGHTING MEASURES

Non-flammable.

5.1. Extinguishing media

Suitable methods of extinction

In the event of a fire, use:

- sprayed water or water mist
- foam
- powder
- carbon dioxide (CO2)

Unsuitable methods of extinction

In the event of a fire, do not use:

- water jet

5.2. Special hazards arising from the substance or mixture

A fire will often produce a thick black smoke. Exposure to decomposition products may be hazardous to health.

Do not breathe in smoke.

In the event of a fire, the following may be formed:

- carbon monoxide (CO)
- carbon dioxide (CO2)

5.3. Advice for firefighters

Due to the toxicity of the gas emitted on thermal decomposition of the products, fire-fighting personnel are to be equipped with autonomous insulating breathing apparatus.

PROVIM 3 EN 1

Date: 29/09/2022 Page 4/10 Revision: N°1 (16/06/2022)

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Consult the safety measures listed under headings 7 and 8.

For non first aid worker

Avoid any contact with the skin and eyes.

For first aid worker

First aid workers will be equipped with suitable personal protective equipment (See section 8).

6.2. Environmental precautions

Prevent any material from entering drains or waterways.

6.3. Methods and material for containment and cleaning up

Retrieve the product by mechanical means (sweeping/vacuuming): do not generate dust.

6.4. Reference to other sections

No data available.

SECTION 7: HANDLING AND STORAGE

Requirements relating to storage premises apply to all facilities where the mixture is handled.

7.1. Precautions for safe handling

Always wash hands after handling.

Remove and wash contaminated clothing before re-using.

Fire prevention:

Prevent access by unauthorised personnel.

Recommended equipment and procedures:

For personal protection, see section 8.

Observe precautions stated on label and also industrial safety regulations.

Avoid eye contact with this mixture.

Prohibited equipment and procedures:

No smoking, eating or drinking in areas where the mixture is used.

7.2. Conditions for safe storage, including any incompatibilities

Keep out of reach of children.

Packaging

Always keep in packaging made of an identical material to the original.

7.3. Specific end use(s)

No data available.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Occupational exposure limits:

- Germany - AGW (BAuA - TRGS 900, 02/2022) :

		,		
CAS	VME:	VME:	Excess	Notes
25322-68-3		200 E mg/m ³		8(II)

- Belgium (Royal decree of 11/05/2021):

CAS	TWA:	STEL:	Ceiling:	Definition:	Criteria:
9014-01-1	-	-	5 Ág/m3	-	-

- Switzerland (Suva 2021):

CAS	VME	VLE	Valeur plafond	Notations		
25322-68-3	500 ppm					
9014-01-1		6.0E-5 ppm				
9000-90-2	-	-	_	-	-	S

- UK / WEL (Workplace exposure limits, EH40/2005, Fourth Edition 2020):

CAS	TWA:	STFI ·	Ceiling:	Definition:	Criteria:
	1 1121.	BILL.	Cennig .	Deminion.	Citteria .
9014-01-1	0.00004			Sen	
	mg/m³				

PROVIM 3 EN 1

Date: 29/09/2022 Page 5/10

Revision: N°1 (16/06/2022)

Derived no effect level (DNEL) or derived minimum effect level (DMEL):

SILICIC ACID, SODIUM SALT (CAS: 1344-09-8)

Final use: Workers.
Exposure method: Dermal contact.

Potential health effects: Long term systemic effects.

DNEL: 1.59 mg/kg body weight/day

Exposure method: Inhalation.

Potential health effects: Long term systemic effects.

DNEL: 5.61 mg of substance/m3

Final use: Consumers.

Exposure method: Ingestion.

Potential health effects: Long term systemic effects.

DNEL: 0.8 mg/kg body weight/day

Exposure method: Dermal contact.

Potential health effects: Long term systemic effects.

DNEL: 0.8 mg/kg body weight/day

Exposure method: Inhalation.

Potential health effects: Long term systemic effects.

DNEL: 1.38 mg of substance/m3

SODIUM CARBONATE PEROXYHYDRATE (CAS: 15630-89-4)

Final use:

Exposure method:
Potential health effects:
DNEL:

Workers.

Dermal contact.
Short term local effects.
12.8 mg of substance/cm2

Exposure method: Inhalation.

Potential health effects: Long term local effects.

DNEL: 5 mg of substance/m3

Final use:

Exposure method:

Potential health effects:

DNEL:

Consumers.

Dermal contact.

Short term local effects.

6.4 mg of substance/cm2

Predicted no effect concentration (PNEC):

SILICIC ACID, SODIUM SALT (CAS: 1344-09-8)

Environmental compartment: Fresh water. PNEC: 7.5 mg/l

Environmental compartment: Sea water. PNEC: 1 mg/l

Environmental compartment: Intermittent waste water.

PNEC: 7.5 mg/l

Environmental compartment: Waste water treatment plant.

PNEC: 348 mg/l

SODIUM CARBONATE PEROXYHYDRATE (CAS: 15630-89-4)
Environmental compartment: Fresh water.
PNEC: 0.035 mg/l

Environmental compartment: Intermittent waste water.

Date: 29/09/2022 Page 6/10 Revision: N°1 (16/06/2022) Version: N°1 (16/06/2022)

PROVIM 3 EN 1

PNEC: 0.35 mg/l

Waste water treatment plant. Environmental compartment:

PNEC: 16.24 mg/l

8.2. Exposure controls

Personal protection measures, such as personal protective equipment

Use personal protective equipment that is clean and has been properly maintained.

Store personal protective equipment in a clean place, away from the work area.

Never eat, drink or smoke during use. Remove and wash contaminated clothing before re-using. Ensure that there is adequate ventilation, especially in confined areas.

- Eye / face protection

Avoid contact with eyes.

Before handling powders or dust emission, wear mask goggles in accordance with standard EN166.

Prescription glasses are not considered as protection.

Provide eyewash stations in facilities where the product is handled constantly.

- Hand protection

Wear suitable protective gloves in the event of prolonged or repeated skin contact.

Use suitable protective gloves that are resistant to chemical agents in accordance with standard EN ISO 374-1.

Gloves must be selected according to the application and duration of use at the workstation.

Protective gloves need to be selected according to their suitability for the workstation in question: other chemical products that may be handled, necessary physical protections (cutting, pricking, heat protection), level of dexterity required.

- Body protection

Work clothing worn by personnel shall be laundered regularly.

After contact with the product, all parts of the body that have been soiled must be washed.

- Respiratory protection

Avoid inhaling dust.

Type of FFP mask:

Wear a disposable half-mask dust filter in accordance with standard EN149/A1.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Physical state

Physical state: Powder or dust.

Three layer tablet

Colour

White-blue-white

Odour

Odour threshold: Not stated.

Lemon

Melting point

Not specified. Melting point/melting range:

Freezing point

Freezing point / Freezing range: Not stated.

Boiling point or initial boiling point and boiling range

Boiling point/boiling range: Not specified.

Flammability

Flammability (solid, gas): Not stated.

Lower and upper explosion limit

Not stated. Explosive properties, lower explosivity limit (%): Explosive properties, upper explosivity limit (%): Not stated.

Flash point

Flash point interval: Not relevant.

Auto-ignition temperature

Self-ignition temperature: Not specified.

PROVIM 3 EN 1

Date: 29/09/2022 Page 7/10 Revision: N°1 (16/06/2022)

Decomposition temperature

Decomposition point/decomposition range: Not specified.

pН

pH: Not relevant. pH (aqueous solution): 10,4 à 1%

Kinematic viscosity

Viscosity: Not stated.

Solubility

Water solubility: Soluble.
Fat solubility: Not stated.

Partition coefficient n-octanol/water (log value)

Partition coefficient: n-octanol/water: Not stated.

Vapour pressure

Vapour pressure (50°C): Not relevant.

Density and/or relative density

Density: Not stated.

Relative vapour density

Vapour density: Not stated.

9.2. Other information

No data available.

9.2.1. Information with regard to physical hazard classes

No data available.

9.2.2. Other safety characteristics

No data available.

SECTION 10: STABILITY AND REACTIVITY

10.1. Reactivity

No data available.

10.2. Chemical stability

This mixture is stable under the recommended handling and storage conditions in section 7.

10.3. Possibility of hazardous reactions

No data available.

10.4. Conditions to avoid

Avoid:

- formation of dusts
- heat
- humidity

Dusts can form an explosive mixture with air.

10.5. Incompatible materials

No data available.

10.6. Hazardous decomposition products

The thermal decomposition may release/form:

- carbon monoxide (CO)
- carbon dioxide (CO2)

SECTION 11: TOXICOLOGICAL INFORMATION

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

May have reversible effects on the eyes, such as eye irritation which is totally reversible by the end of observation at 21 days.

11.1.1. Substances

Acute toxicity:

SUBTILISIN (CAS: 9014-01-1)

Oral route : LD50 = 1800 mg/kg Species : Rat

PROVIM 3 EN 1

Date: 29/09/2022 Page 8/10 Revision: N°1 (16/06/2022)

Dermal route: LD50 > 2 ml/kg

Species: Rabbit

Inhalation route (Dusts/mist): LC50 = 0.8 mg/l

Species: Rat

SILICIC ACID, SODIUM SALT (CAS: 1344-09-8)

LD50 = 3400 mg/kgOral route:

Species: Rat

SODIUM CARBONATE PEROXYHYDRATE (CAS: 15630-89-4)

Oral route: LD50 = 1034 mg/kg

Species: Rat

LD50 > 2000 mg/kgDermal route:

Species: Rabbit

Specific target organ systemic toxicity - repeated exposure :

SILICIC ACID, SODIUM SALT (CAS: 1344-09-8)

Oral route: C > 159 mg/kg bodyweight/day

Species: Rat

Duration of exposure: 90 days

11.1.2. Mixture

Respiratory or skin sensitisation:

Contains at least one sensitising substance. May cause an allergic reaction.

11.2. Information on other hazards

SECTION 12: ECOLOGICAL INFORMATION

12.1. Toxicity

12.1.1. Substances

SODIUM CARBONATE PEROXYHYDRATE (CAS: 15630-89-4)

Fish toxicity: LC50 = 70.7 mg/l

> Species: Pimephales promelas Duration of exposure: 96 h

EC50 = 4.9 mg/lCrustacean toxicity:

Species: Daphnia magna Duration of exposure: 48 h

ECr50 = 2.62 mg/lAquatic plant toxicity:

Species: Others

Duration of exposure: 72 h

SUBTILISIN (CAS: 9014-01-1)

Fish toxicity: LC50 = 8.2 mg/l

Duration of exposure: 96 h

EC50 = 0.17 mg/lCrustacean toxicity:

Duration of exposure: 48 h

Algae toxicity: NOEC = 0.041 mg/l

Species: Pseudokirchnerella subcapitata

Duration of exposure: 72 h

12.1.2. Mixtures

No aquatic toxicity data available for the mixture.

PROVIM 3 EN 1

Date: 29/09/2022 Page 9/10 Revision: N°1 (16/06/2022)

12.2. Persistence and degradability

The surfactants contained in this preparation comply with the biodegradability criteria as laid down in Regulation (EC) No 648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of Member States and will be provided with their request or at the request of a detergent manufacturer.

12.2.1. Substances

SUBTILISIN (CAS: 9014-01-1)

Biodegradability:

Rapidly degradable.

12.3. Bioaccumulative potential

No data available.

12.4. Mobility in soil

No data available.

12.5. Results of PBT and vPvB assessment

No data available.

12.6. Endocrine disrupting properties

No data available.

12.7. Other adverse effects

No data available.

SECTION 13: DISPOSAL CONSIDERATIONS

Proper waste management of the mixture and/or its container must be determined in accordance with Directive 2008/98/EC.

13.1. Waste treatment methods

Do not pour into drains or waterways.

Waste:

Waste management is carried out without endangering human health, without harming the environment and, in particular without risk to water, air, soil, plants or animals.

Recycle or dispose of waste in compliance with current legislation, preferably via a certified collector or company.

Do not contaminate the ground or water with waste, do not dispose of waste into the environment.

Soiled packaging:

Empty container completely. Keep label(s) on container.

Give to a certified disposal contractor.

SECTION 14: TRANSPORT INFORMATION

Exempt from transport classification and labelling.

14.1. UN number or ID number

14.2. UN proper shipping name

14.3. Transport hazard class(es)

14.4. Packing group

14.5. Environmental hazards

14.6. Special precautions for user

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

- Classification and labelling information included in section 2:

The following regulations have been used:

- EU Regulation No 1272/2008 amended and its amendments EU . (ATP)

- Container information:

No data available.

SAFETY DATA SHEET (REGULATION (EC) n° 1907/2006 - REACH)

Date: 29/09/2022 Page 10/10 Revision: N°1 (16/06/2022) Version: N°1 (16/06/2022)

PROVIM 3 EN 1

- Particular provisions :

No data available.

- Labelling for detergents (EC Regulation No. 648/2004,907/2006):

- less than 5 %: non-ionic surfactants
- 5 % or over but less than 15 %: oxygen-based bleaching agents
- enzymes
- perfumes

15.2. Chemical safety assessment

No data available.

SECTION 16: OTHER INFORMATION

Since the user's working conditions are not known by us, the information supplied on this safety data sheet is based on our current level of knowledge and on national and community regulations.

The mixture must not be used for other uses than those specified in section 1 without having first obtained written handling instructions.

It is at all times the responsibility of the user to take all necessary measures to comply with legal requirements and local regulations.

The information in this safety data sheet must be regarded as a description of the safety requirements relating to the mixture and not as a guarantee of the properties thereof.

Wording of the phrases mentioned in section 3:

H272	May intensify fire; oxidiser.
H302	Harmful if swallowed.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H335	May cause respiratory irritation.
H400	Very toxic to aquatic life.
H411	Toxic to aquatic life with long lasting effects.

Abbreviations:

LD50: The dose of a test substance resulting in 50% lethality in a given time period. LC50: The concentration of a test substance resulting in 50% lethality in a given period. EC50: The effective concentration of substance that causes 50% of the maximum response.

ECr50 : The effective concentration of substance that causes 50% reduction in growth rate.

NOEC: The concentration with no observed effect.

REACH: Registration, Evaluation, Authorization and Restriction of Chemical Substances.

ATE: Acute Toxicity Estimate

BW: Body Weight

DNEL: Derived No-Effect Level

PNEC: Predicted No-Effect Concentration

UFI: Unique formulation identifier. STEL: Short-term exposure limit TWA: Time Weighted Averages

TLV: Threshold Limit Value (exposure)

AEV: Average Exposure Value.

ADR: European agreement concerning the international carriage of dangerous goods by Road.

IMDG: International Maritime Dangerous Goods. IATA: International Air Transport Association. ICAO: International Civil Aviation Organisation

RID: Regulations concerning the International carriage of Dangerous goods by rail.

WGK: Wassergefahrdungsklasse (Water Hazard Class).

GHS07: Exclamation mark

PBT: Persistent, bioaccumulable and toxic. vPvB: Very persistent, very bioaccumulable. SVHC: Substances of very high concern.