Printing date 08.11.2023

Version number 3

Revision: 08.11.2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- 1.1 Product identifier
- · Trade name: <u>S2</u>
- Article number: 60997
- · 1.2 Relevant identified uses of the substance or mixture and uses advised against
- · Sector of Use
- SU3 Industrial uses: Uses of substances as such or in preparations at industrial sites
- SU22 Professional uses: Public domain (administration, education, entertainment, services, craftsmen)
- Product category PC35 Washing and cleaning products (including solvent based products)
- · Application of the substance / the mixture Water displacing agent
- · 1.3 Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:
- IPC
- · ·10 Quai Malbert, 29200, BREST, FRANCE.
- · · Tel. : +33 (0)2 98 43 45 44. Fax : +33 (0)2 98 44 22 53

e-mail: ipc@groupe-ipc.com

- Further information obtainable from: product safety department
- 1.4 Emergency telephone number:
- 13 11 26 (Poison Information centre)

SECTION 2: Hazards identification

- \cdot 2.1 Classification of the substance or mixture
- \cdot Classification according to Regulation (EC) No 1272/2008



Eye Dam. 1 H318 Causes serious eye damage.



Skin Irrit. 2 H315 Causes skin irritation.

Skin Sens. 1 H317 May cause an allergic skin reaction.

· 2.2 Label elements

· Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the GB CLP regulation.

· Hazard pictograms



· Signal word Danger

- **Hazard-determining components of labelling:** undecyl glucoside 2-methyl-2H-isothiazol-3-one
- · Hazard statements
- H315 Causes skin irritation.
- H318 Causes serious eye damage.
- H317 May cause an allergic skin reaction.

(Contd. on page 2)

Printing date 08.11.2023

Version number 3

Revision: 08.11.2023

Trade name: S2

	(Contd. of page 1)
· Precautionary s	tatements
P261	Avoid breathing dust/fume/gas/mist/vapours/spray.
P280	Wear protective gloves / eye protection / face protection.
P305+P351+P33	8 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if
	present and easy to do. Continue rinsing.
P310	Immediately call a POISON CENTER/doctor.
P321	Specific treatment (see on this label).
P362+P364	Take off contaminated clothing and wash it before reuse.
P333+P313	If skin irritation or rash occurs: Get medical advice/attention.
P501	Dispose of contents/container in accordance with local/regional/national/international
	regulations.
· 2.3 Other hazar	ds
· Results of PBT a	and vPvB assessment

DBT. Not applicable

• **PBT:** Not applicable.

• **vPvB:** Not applicable.

SECTION 3: Composition/information on ingredients

· 3.2 Chemical characterisation: Mixtures

· Description: Mixture of substances listed below with nonhazardous additions.

· Dangerous components:		
CAS: 68891-38-3 NLP: 500-234-8 Reg.nr.: 01-2119488639-16	alcohols, C12-14, ethoxylated, sulfates, sodium salts Eye Dam. 1, H318; Skin Irrit. 2, H315; Aquatic Chronic 3, H412	5-10%
CAS: 68411-30-3 EINECS: 270-115-0 Reg.nr.: 01-2119489428-22	Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts Skin Irrit. 2, H315; Eye Irrit. 2, H319	1-5%
CAS: 3794-83-0 EINECS: 223-267-7 Reg.nr.: 01-2119647955-23	tetrasodium (1-hydroxyethylidene)bisphosphonate Acute Tox. 4, H302; Eye Irrit. 2, H319	1-5%
CAS: 98283-67-1 EC number: 308-766-0 Reg.nr.: 01-2120234293-63	undecyl glucoside Eye Dam. 1, H318; Skin Irrit. 2, H315	1-5%
CAS: 2682-20-4 EINECS: 220-239-6 Reg.nr.: 01-2120764690-50	2-methyl-2H-isothiazol-3-one Acute Tox. 3, H301; Acute Tox. 3, H311; Acute Tox. 2, H330; Skin Corr. 1B, H314; Eye Dam. 1, H318; Aquatic Acute 1, H400; Aquatic Chronic 1, H410; Skin Sens. 1A, H317	<1%
· Additional information: Fo	or the wording of the listed hazard phrases refer to section 16.	

SECTION 4: First aid measures

\cdot 4.1 Description of first aid measures

- · General information: Immediately remove any clothing soiled by the product.
- · After inhalation:
- Supply fresh air and to be sure call for a doctor.
- In case of unconsciousness place patient stably in side position for transportation.
- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact: Rinse opened eye for several minutes under running water. Thenconsult a doctor.
- · After swallowing: If symptoms persist consult doctor.
- \cdot 4.2 Most important symptoms and effects, both acute and delayed
- No further relevant information available.

(Contd. on page 3)

GB -

Printing date 08.11.2023

Version number 3

Revision: 08.11.2023

Trade name: S2

(Contd. of page 2)

• **4.3 Indication of any immediate medical attention and special treatment needed** No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- · 5.3 Advice for firefighters
- · Protective equipment: Do not inhale explosion gases or combustion gases.

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.
- 6.2 Environmental precautions:

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

• 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Use neutralising agent.

Dispose contaminated material as waste according to section 13.

Ensure adequate ventilation.

• 6.4 Reference to other sections
 See Section 7 for information on safe handling.
 See Section 8 for information on personal protection equipment.
 See Section 13 for disposal information.

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

- Prevent formation of aerosols.
- · Information about fire and explosion protection: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Store away from foodstuffs.
- Further information about storage conditions:
- Protect from frost. Keep container tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

Protect from heat and direct sunlight.

Protect from exposure to the light.

• Storage class: 12

• 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- · 8.1 Control parameters
- · Additional information about design of technical facilities: No further data; see section 7.
- · Ingredients with limit values that require monitoring at the workplace:
- The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

(Contd. on page 4)

Printing date 08.11.2023

Version number 3

Revision: 08.11.2023

Trade name: S2

• Additional information: The lists valid during the making were used as basis.	ontd. of page 3)
8.2 Exposure controls	
Personal protective equipment:	
General protective and hygienic measures:	
The usual precautionary measures are to be adhered to when handling chemicals.	
Keep away from foodstuffs, beverages and feed.	
Immediately remove all soiled and contaminated clothing	
Wash hands before breaks and at the end of work.	
Avoid contact with the eyes.	
Avoid contact with the eyes and skin.	
Respiratory protection:	
In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer	r exposure
use self-contained respiratory protective device.	
Protection of hands:	
Protective gloves	
EN 374	
The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation he chemical mixture.	
	degradation
Selection of the glove material on consideration of the penetration times, rates of diffusion and the Material of gloves	uegrauation
The selection of the suitable gloves does not only depend on the material, but also on further marks	of quality
and varies from manufacturer to manufacturer. As the product is a preparation of several substances resistance of the glove material can not be calculated in advance and has therefore to be checked pr	s, the
application.	
Penetration time of glove material The exact break through time has to be found out by the manufacturer of the protective gloves and l	has to ha
observed.	
Eye protection:	
Lie protection.	



Tightly sealed goggles

EN 166 • **Body protection:** Protective work clothing

9.1 Information on basic physic General Information	cal and chemical properties	
Appearance:		
Form:	Fluid	
Colour:	Colourless	
Odour:	Characteristic	
pH-value at 20 °C:	ca. 7	
Change in condition Initial boiling point and boili	ng range: 100 °C	
Flash point:	Not applicable.	
Ignition temperature:	Product is not selfigniting.	

Printing date 08.11.2023

Version number 3

Revision: 08.11.2023

Trade name: S2

		(Contd. of page 4)
· Explosive properties:	Product does not present an explosion hazard.	
· Density at 20 °C:	ca. 1.06	
 Solubility in / Miscibility with water: 	Fully miscible.	
• 9.2 Other information	No further relevant information available.	

SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available.

· 10.2 Chemical stability

• Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

• 10.3 Possibility of hazardous reactions No dangerous reactions known.

 \cdot 10.4 Conditions to avoid No further relevant information available.

- \cdot 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

· 11.1 Information on toxicological effects

• Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50 values relevant for classification:

68891-38-3 alcohols, C12-14, ethoxylated, sulfates, sodium salts

Oral LD50 >2,000 mg/kg (rat)

68411-30-3 Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts

Oral LD50 >2,000 mg/kg (rat)

Dermal LD50 >2,000 mg/kg (rat)

2682-20-4 2-methyl-2H-isothiazol-3-one

Oral LD50 232 mg/kg (rat) Dermal LD50 242 mg/kg (rat)

- Primary irritant effect:
- · Skin corrosion/irritation
- Causes skin irritation.
- · Serious eye damage/irritation

Causes serious eye damage.

- · Respiratory or skin sensitisation
- May cause an allergic skin reaction.

· Additional toxicological information:

- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

(Contd. on page 6)

GR

Printing date 08.11.2023

Version number 3

Revision: 08.11.2023

Trade name: S2

(Contd. of page 5)

GR

SECTION 12: Ecological information

· 12.1	Foxicity
--------	----------

- · Aquatic toxicity:
- 68411-30-3 Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts
- LC50 1-10 mg/l (fish)

2682-20-4 2-methyl-2H-isothiazol-3-one

EC50/72h 0.103 mg/l (Selenastrum capricornutum)

LC50/96h 4.77 mg/l (Oncorhynchus mykiss)

- LC50/48h 0.934 mg/l (Daphnia magna)
- 12.2 Persistence and degradability No further relevant information available.
- **12.3 Bioaccumulative potential** No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- · Additional ecological information:

· General notes:

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water

- Do not allow product to reach ground water, water course or sewage system.
- Must not reach sewage water or drainage ditch undiluted or unneutralised.

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

Danger to drinking water if even small quantities leak into the ground.

- \cdot 12.5 Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

· Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packaging:
- Recommendation: Disposal must be made according to official regulations.
- Recommended cleansing agents: Water, if necessary together with cleansing agents.

· 14.1 UN-Number		
· ADR, IMDG, IATA	Void	
· 14.2 UN proper shipping name		
· ADR, IMDG, IATA	Void	
· 14.3 Transport hazard class(es)		
· ADR, ADN, IMDG, IATA		
· Class	Void	
· 14.4 Packing group		
· ADR, IMDG, IATA	Void	
· 14.5 Environmental hazards:	Not applicable.	

Printing date 08.11.2023

Version number 3

Revision: 08.11.2023

Trade name: S2

		(Contd. of page 6)	
· 14.6 Special precautions for user	Not applicable.		
· 14.7 Transport in bulk according to Annex II of			
Marpol and the IBC Code	Not applicable.		
· UN "Model Regulation":	Void		

SECTION 15: Regulatory information

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

· Directive 2012/18/EU

· Named dangerous substances - ANNEX I None of the ingredients is listed.

· National regulations:

· Technical instructions (air):

Class Share in %

NK <1

• 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H301 Toxic if swallowed. H302 Harmful if swallowed. H311 Toxic in contact with skin. H314 Causes severe skin burns and eye damage. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H319 Causes serious eye irritation. H330 Fatal if inhaled. H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. · Abbreviations and acronyms: ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Acute Tox. 3: Acute toxicity - Category 3 Acute Tox. 4: Acute toxicity - Category 4 Acute Tox. 2: Acute toxicity - Category 2 Skin Corr. 1B: Skin corrosion/irritation - Category 1B Skin Irrit. 2: Skin corrosion/irritation - Category 2 Eye Dam. 1: Serious eye damage/eye irritation - Category 1 Eye Irrit. 2: Serious eye damage/eye irritation - Category 2 Skin Sens. 1: Skin sensitisation - Category 1 Skin Sens. 1A: Skin sensitisation - Category 1A Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard - Category 1 Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard - Category 1 Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard - Category 3