# **SAFETY DATA SHEET**

(REACH regulation (EC) n° 1907/2006 - n° 2015/830)

## SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

#### 1.1. Product identifier

Product name: S3 TEXTILE Product code: 60133

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

N/A

#### 1.3. Details of the supplier of the safety data sheet

Registered company name: IPC S.A.S..

Address: 10, Quai Commandant Malbert - CS 71821.29218.BREST Cedex 1.France.

Telephone: +33 (0)2 98 43 45 44. Fax: +33 (0)2 98 44 22 53.

ipc@groupe-ipc.com http://www.ipc-sa.com

#### 1.4. Emergency telephone number: +33 (0)2.98.43.45.44.

Association/Organisation: .

## SECTION 2: HAZARDS IDENTIFICATION

## 2.1. Classification of the substance or mixture

## In compliance with EC regulation No. 1272/2008 and its amendments.

This mixture does not present a physical hazard. Refer to the recommendations regarding the other products present on the site.

This mixture does not present a health hazard with the exception of possible occupational exposure thresholds (see paragraphs 3 and 8).

This mixture does not present an environmental hazard. No known or foreseeable environmental damage under standard conditions of use.

## 2.2. Label elements

Detergent mixture (see section 15).

# In compliance with EC regulation No. 1272/2008 and its amendments.

 $Additional\ labeling:$ 

EUH210 Safety data sheet available on request.

#### 2.3. Other hazards

The mixture does not contain substances classified as 'Substances of Very High Concern' (SVHC)  $\geq$  0.1% published by the European CHemicals Agency (ECHA) under article 57 of REACH: http://echa.europa.eu/fr/candidate-list-table

The mixture fulfils neither the PBT nor the vPvB criteria for mixtures in accordance with annexe XIII of the REACH regulations EC 1907/2006.

## SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

## 3.2. Mixtures

# **Composition:**

composition .			
Identification	(EC) 1272/2008	Note	%
INDEX: 603_002_00_5	GHS07, GHS02	[1]	2.5 <= x % < 10
CAS: 64-17-5	Dgr		
EC: 200-578-6	Flam. Liq. 2, H225		
	Eye Irrit. 2, H319		
BIOETHANOL	-		

INDEX: 408	GHS05	В	0 <= x % < 2.5
CAS: 68891-38-3	Dgr		
EC: 500-234-8	Skin Irrit. 2, H315		
REACH: 01-2119488639-16	Eye Dam. 1, H318		
	Aquatic Chronic 3, H412		
ALKYLETHERSULFATE 2-4 EO, SEL DE			
SODIUM			

(Full text of H-phrases: see section 16)

#### **Information on ingredients:**

[1] Substance for which maximum workplace exposure limits are available.

## **SECTION 4 : FIRST AID MEASURES**

As a general rule, in case of doubt or if symptoms persist, always call a doctor.

NEVER induce swallowing by an unconscious person.

## 4.1. Description of first aid measures

## In the event of swallowing:

Seek medical attention, showing the label.

## 4.2. Most important symptoms and effects, both acute and delayed

No data available.

#### 4.3. Indication of any immediate medical attention and special treatment needed

No data available.

# **SECTION 5 : FIREFIGHTING MEASURES**

Non-flammable.

# 5.1. Extinguishing media

# Suitable methods of extinction

In the event of a fire, use:

- sprayed water or water mist
- foam
- multipurpose ABC powder
- BC powder
- carbon dioxide (CO2)

# Unsuitable methods of extinction

In the event of a fire, do not use:

- water je

## 5.2. Special hazards arising from the substance or mixture

A fire will often produce a thick black smoke. Exposure to decomposition products may be hazardous to health.

Do not breathe in smoke.

In the event of a fire, the following may be formed:

- carbon monoxide (CO)
- carbon dioxide (CO2)

# 5.3. Advice for firefighters

No data available.

# SECTION 6: ACCIDENTAL RELEASE MEASURES

#### 6.1. Personal precautions, protective equipment and emergency procedures

Consult the safety measures listed under headings 7 and 8.

## For first aid worker

First aid workers will be equipped with suitable personal protective equipment (See section 8).

#### 6.2. Environmental precautions

Contain and control the leaks or spills with non-combustible absorbent materials such as sand, earth, vermiculite, diatomaceous earth in drums for waste disposal.

Prevent any material from entering drains or waterways.

## 6.3. Methods and material for containment and cleaning up

Clean preferably with a detergent, do not use solvents.

#### 6.4. Reference to other sections

No data available.

## SECTION 7: HANDLING AND STORAGE

Requirements relating to storage premises apply to all facilities where the mixture is handled.

#### 7.1. Precautions for safe handling

Always wash hands after handling.

#### Fire prevention:

Prevent access by unauthorised personnel.

## Recommended equipment and procedures:

For personal protection, see section 8.

Observe precautions stated on label and also industrial safety regulations.

## Prohibited equipment and procedures:

No smoking, eating or drinking in areas where the mixture is used.

## 7.2. Conditions for safe storage, including any incompatibilities

No data available.

## **Packaging**

Always keep in packaging made of an identical material to the original.

Recommended types of packaging:

- Bottles
- Vats

Suitable packaging materials:

- Plastic

#### 7.3. Specific end use(s)

No data available.

## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

# 8.1. Control parameters

## Occupational exposure limits:

- ACGIH TLV (American Conference of Governmental Industrial Hygienists, Threshold Limit Values, 2010):

CAS	TWA:	STEL:	Ceiling:	Definition:	Criteria:
64-17-5		1000 ppm		A3	

- Germany - AGW (BAuA - TRGS 900, 08/08/2019) :

CAS	VME:	VME:	Excess	Notes
64-17-5		200 ppm		4(II)
		380 mg/m <sup>3</sup>		

- France (INRS - ED984 / 2020-1546):

CAS	VME-ppm:	VME-mg/m3:	VLE-ppm:	VLE-mg/m3:	Notes:	TMP No:
64-17-5	1000	1900	5000	9500	-	84

- UK / WEL (Workplace exposure limits, EH40/2005, Fourth Edition 2020):

OIL / WEE (WORK	CK 7 WEE (Workplace exposure minus, Eli 10/2005, 1 out in Edition 2020).				
CAS	TWA:	STEL:	Ceiling:	Definition:	Criteria:
64-17-5	1000 ppm				
	1920 mg/m <sup>3</sup>				

# 

ALKYLETHERSULFATE 2-4 EO, SEL DE SODIUM (CAS: 68891-38-3)

**Final use:**Exposure method:
Workers.
Dermal contact.

Potential health effects: Long term systemic effects.

DNEL: 2750 mg/kg body weight/day

Exposure method: Inhalation.

Potential health effects: Long term systemic effects.

DNEL: 175 mg of substance/m3

#### **Predicted no effect concentration (PNEC):**

ALKYLETHERSULFATE 2-4 EO, SEL DE SODIUM (CAS: 68891-38-3)

Environmental compartment: Soil.
PNEC: 0.946 mg/kg

Environmental compartment: Fresh water. PNEC: 0.24 mg/l

Environmental compartment: Sea water. PNEC: 0.024 mg/l

Environmental compartment: Intermittent waste water.

PNEC: 0.071 mg/l

Environmental compartment: Fresh water sediment.

PNEC: 5.45 mg/kg

Environmental compartment: Marine sediment. PNEC: 0.545 mg/kg

Environmental compartment: Waste water treatment plant.

PNEC: 10000 mg/l

## 8.2. Exposure controls

# Personal protection measures, such as personal protective equipment

Use personal protective equipment that is clean and has been properly maintained.

Store personal protective equipment in a clean place, away from the work area.

Never eat, drink or smoke during use. Remove and wash contaminated clothing before re-using. Ensure that there is adequate ventilation, especially in confined areas.

## - Eye / face protection

Avoid contact with eyes.

Use eye protectors designed to protect against liquid splashes

Before handling, wear safety goggles in accordance with standard EN166.

#### - Hand protection

Wear suitable protective gloves in the event of prolonged or repeated skin contact.

Type of gloves recommended:

- Nitrile rubber (butadiene-acrylonitrile copolymer rubber (NBR))

Recommended properties:

- Impervious gloves in accordance with standard EN ISO 374-2

# - Body protection

Work clothing worn by personnel shall be laundered regularly.

After contact with the product, all parts of the body that have been soiled must be washed.

# SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

## 9.1. Information on basic physical and chemical properties

**General information:** 

Physical state: Fluid liquid.

Important health, safety and environmental information

pH: 7.50 +/-0.5.

Neutral.

Not specified.

Boiling point/boiling range:

Flash point interval:

Not relevant.

Vapour pressure (50°C):

Not relevant.

Density:

1.003

Water solubility:

Melting point/melting range:

Self-ignition temperature:

Not specified.

9.2. Other information

No data available.

## **SECTION 10: STABILITY AND REACTIVITY**

Decomposition point/decomposition range:

## 10.1. Reactivity

No data available.

#### 10.2. Chemical stability

This mixture is stable under the recommended handling and storage conditions in section 7.

## 10.3. Possibility of hazardous reactions

No data available.

#### 10.4. Conditions to avoid

Avoid:

- frost
- exposure to light

# 10.5. Incompatible materials

No data available.

## 10.6. Hazardous decomposition products

The thermal decomposition may release/form:

- carbon monoxide (CO)
- carbon dioxide (CO2)

# SECTION 11: TOXICOLOGICAL INFORMATION

# 11.1. Information on toxicological effects

No data available.

## 11.1.1. Substances

## Acute toxicity:

ALKYLETHERSULFATE 2-4 EO, SEL DE SODIUM (CAS: 68891-38-3) Oral route : LD50 > 2000 mg/kg

Species: Rat

Dermal route : LD50 > 2000 mg/kg

Species: Rat

## 11.1.2. Mixture

No toxicological data available for the mixture.

# SECTION 12: ECOLOGICAL INFORMATION

#### 12.1. Toxicity

#### 12.1.1. Substances

ALKYLETHERSULFATE 2-4 EO, SEL DE SODIUM (CAS: 68891-38-3)

Fish toxicity: LC50 = 7.1 mg/l

Species : Brachydanio rerio Duration of exposure : 96 h

NOEC > 0.1 mg/l

Crustacean toxicity: EC50 = 7.7 mg/l

Species : Daphnia magna Duration of exposure : 48 h

NOEC = 0.27 mg/l Species : Daphnia magna

Algae toxicity: ECr50 = 12 mg/l

Species : Scenedesmus subspicatus Duration of exposure : 72 h

NOEC = 0.93 mg/l

#### **12.1.2.** Mixtures

No aquatic toxicity data available for the mixture.

#### 12.2. Persistence and degradability

# 12.2.1. Substances

ALKYLETHERSULFATE 2-4 EO, SEL DE SODIUM (CAS: 68891-38-3) Biodegradability: Rapidly degradable.

## 12.3. Bioaccumulative potential

#### 12.3.1. Substances

ALKYLETHERSULFATE 2-4 EO, SEL DE SODIUM (CAS: 68891-38-3) Octanol/water partition coefficient : log Koe = 0.3

# 12.4. Mobility in soil

No data available.

#### 12.5. Results of PBT and vPvB assessment

No data available.

#### 12.6. Other adverse effects

No data available.

## **SECTION 13: DISPOSAL CONSIDERATIONS**

Proper waste management of the mixture and/or its container must be determined in accordance with Directive 2008/98/EC.

#### 13.1. Waste treatment methods

Do not pour into drains or waterways.

#### Waste:

Waste management is carried out without endangering human health, without harming the environment and, in particular without risk to water, air, soil, plants or animals.

Recycle or dispose of waste in compliance with current legislation, preferably via a certified collector or company.

Do not contaminate the ground or water with waste, do not dispose of waste into the environment.

#### Soiled packaging:

Empty container completely. Keep label(s) on container.

Give to a certified disposal contractor.

## **SECTION 14: TRANSPORT INFORMATION**

Exempt from transport classification and labelling.

14.1. UN number

-

14.2. UN proper shipping name

-

14.3. Transport hazard class(es)

14.4. Packing group

-

14.5. Environmental hazards

-

14.6. Special precautions for user

-

## **SECTION 15: REGULATORY INFORMATION**

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

- Classification and labelling information included in section 2:

The following regulations have been used:

- EU Regulation No. 1272/2008 amended by EU Regulation No. 2020/1182 (ATP 15)

- Container information:

No data available.

- Particular provisions :

No data available.

- Labelling for detergents (EC Regulation No. 648/2004,907/2006):
  - less than 5 % : anionic surfactants
  - 5 % or over but less than 15 %: nonionic surfactants
  - perfumes

## 15.2. Chemical safety assessment

No data available.

#### **SECTION 16: OTHER INFORMATION**

Since the user's working conditions are not known by us, the information supplied on this safety data sheet is based on our current level of knowledge and on national and community regulations.

The mixture must not be used for other uses than those specified in section 1 without having first obtained written handling instructions.

It is at all times the responsibility of the user to take all necessary measures to comply with legal requirements and local regulations.

The information in this safety data sheet must be regarded as a description of the safety requirements relating to the mixture and not as a guarantee of the properties thereof.

#### Wording of the phrases mentioned in section 3:

H225	Highly flammable liquid and vapour.

H315 Causes skin irritation.
H318 Causes serious eye damage.
H319 Causes serious eye irritation.

H412 Harmful to aquatic life with long lasting effects.

## **Abbreviations:**

DNEL: Derived No-Effect Level

PNEC: Predicted No-Effect Concentration

STEL: Short-term exposure limit TWA: Time Weighted Averages

TMP : French Occupational Illness table TLV : Threshold Limit Value (exposure)

AEV: Average Exposure Value.

ADR: European agreement concerning the international carriage of dangerous goods by Road.

IMDG: International Maritime Dangerous Goods. IATA: International Air Transport Association. ICAO: International Civil Aviation Organisation

RID: Regulations concerning the International carriage of Dangerous goods by rail.

WGK: Wassergefahrdungsklasse (Water Hazard Class).

PBT: Persistent, bioaccumulable and toxic. vPvB: Very persistent, very bioaccumulable. SVHC: Substances of very high concern.