# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 Date of issue: 12/5/2014 Revision date: 12/11/2017 Supersedes: 1/13/2015 Version: 2.0

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

# 1.1. Product identifier

Product form : Mixture
Product name : STOP ICE
Product code : 306152
Product identification : Aerosol

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### 1.2.1. Relevant identified uses

Industrial/Professional use spec : Industrial

For professional use only

#### 1.2.2. Uses advised against

No additional information available

#### 1.3. Details of the supplier of the safety data sheet

**IPC** 

10 quai Malbert - CS 71821 29218 BREST CEDEX 2 - FRANCE T 02-98-43-45-44 - F 02-98-44-22-53 ipc@ipc-sa.com - www.ipc-sa.com

#### 1.4. Emergency telephone number

No additional information available

#### **SECTION 2: Hazards identification**

## 2.1. Classification of the substance or mixture

#### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Aerosol 1 H222;H229
Eye Irrit. 2 H319
STOT SE 3 H336

Full text of hazard classes and H-statements : see section 16

#### Adverse physicochemical, human health and environmental effects

No additional information available

#### 2.2. Label elements

### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :





GHS07

Signal word (CLP) : Danger
Hazardous ingredients : propan-2-ol

Hazard statements (CLP) : H222 - Extremely flammable aerosol.

H229 - Pressurised container: May burst if heated.

H319 - Causes serious eye irritation. H336 - May cause drowsiness or dizziness.

Precautionary statements (CLP) : P102 - Keep out of reach of children.

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking.

P211 - Do not spray on an open flame or other ignition source.

P251 - Do not pierce or burn, even after use.

P260 - Do not breathe spray.

P271 - Use only outdoors or in a well-ventilated area.

P280 - Wear eye protection.

P304+P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing. P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

12/11/2017 EN (English) 1/8

Extra phrases

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

P337+P313 - If eye irritation persists: Get medical advice/attention.

P410+P412 - Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.

: Not to be used for any purpose other than the one the product was designed for

For professional use only

#### 2.3. Other hazards

No additional information available

# SECTION 3: Composition/information on ingredients

### 3.1. Substances

Not applicable

#### 3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
propan-2-ol	(CAS-No.) 67-63-0 (EC-No.) 200-661-7 (EC Index-No.) 603-117-00-0 (REACH-no) 01-2119457558-25	>= 90	Flam. Liq. 2, H225 Eye Irrit. 2, H319 STOT SE 3, H336
Mono Ethylène Glycol	(CAS-No.) 107-21-1 (EC-No.) 203-473-3 (EC Index-No.) 603-027-00-1 (REACH-no) 01-2119456816-28	8 - 10	Acute Tox. 4 (Oral), H302 STOT RE 2, H373
Carbon dioxide	(CAS-No.) 124-38-9 (EC-No.) 204-696-9 (REACH-no) exempté d'enregistrement	2 - 5	Press. Gas (Comp.), H280

Full text of H-statements: see section 16

### **SECTION 4: First aid measures**

### 4.1. Description of first aid measures

First-aid measures after inhalation : Assure fresh air breathing. Allow the victim to rest. Obtain medical attention if breathing

difficulty persists.

First-aid measures after skin contact : Remove contaminated clothing and shoes. Rinse immediately with plenty of water. Obtain

medical attention if irritation persists.

First-aid measures after eye contact : In case of eye contact, immediately rinse with clean water for 10-15 minutes. Obtain medical

attention if pain, blinking or redness persists.

First-aid measures after ingestion : Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention. Allow the victim to

rest.

#### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after inhalation : Vapours may cause drowsiness and dizziness.

Symptoms/effects after skin contact : Repeated or prolonged skin contact may cause irritation.

Symptoms/effects after eye contact : Causes serious eye irritation.

Symptoms/effects after ingestion : Ingestion unlikely.

### 4.3. Indication of any immediate medical attention and special treatment needed

Advice to physicians: Treat symptomatically.

# SECTION 5: Firefighting measures

### 5.1. Extinguishing media

Suitable extinguishing media : Carbon dioxide. Water spray. Dry powder. Alcohol resistant foam.

Unsuitable extinguishing media : Do not use a heavy water stream.

#### 5.2. Special hazards arising from the substance or mixture

Fire hazard : Extremely flammable aerosol.

Explosion hazard : Pressurised container: May burst if heated.

Reactivity in case of fire : Prevent fire fighting water from entering the environment.

Hazardous decomposition products in case of : Thermal decomposition generates : Carbon oxides (CO, CO2).

fire

5.3. Advice for firefighters

Precautionary measures fire : Do not enter fire area without proper protective equipment, including respiratory protection.

12/11/2017 EN (English) 2/8

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Firefighting instructions

 Exercise caution when fighting any chemical fire. During a fire, projections ignited aerosol that burst under excessive pressure have to be controlled. To avoid overpressure, cool aerosols with water.

#### **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

General measures

: Measures to take in the case of crushing or piercing aerosols, causing the leaking of products contained in aerosols. Remove ignition sources. Ventilate area. Do not smoke. Provide local exhaust or general room ventilation. Evacuate and limit access.

#### 6.1.1. For non-emergency personnel

**Emergency procedures** 

: Do not touch spilled material. Evacuate area.

#### 6.1.2. For emergency responders

Protective equipment

: Wear recommended personal protective equipment. Provide adequate ventilation. Remove all sources of ignition. Avoid contact with skin and eyes. Do not inhale vapour.

#### 6.2. Environmental precautions

Notify authorities if liquid enters sewers or public waters. Prevent entry to sewers and public waters.

#### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up

: Clean spills promptly. Collect the residue by means of a non-combustible absorbent material.

#### 6.4. Reference to other sections

See Heading 8. Exposure controls and personal protection.

## **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

Precautions for safe handling

: Good ventilation of the workplace required. Use only properly specified equipment which is suitable for this product, its supply pressure and temperature. Not to be used for any purpose other than the one the product was designed for. Do not breathe gas, fumes, vapour or spray. During the handling of a pallet, you have to take all precaution to avoid a start of a n accident perforation of the aerosol by a fork-lift truck.

During the load and unloading of the vehicle, you have to take all the precaution to avoid a fall a aerosol.

Do not spray tha aerosol neither close nor towards a flame, a white-hot body, an electrical appliance in runing, DO NOT SMOCKING. Container under pressure. Do not drill or burn even after use. Store and handle as though always a serious potential fire/explosion and health

Hygiene measures

: Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.

#### 7.2. Conditions for safe storage, including any incompatibilities

Technical measures

: Keep at temperature not exceeding 50 °C. Proper grounding procedures to avoid static electricity should be followed. Use grounded electrical/mechanical equipment.

Storage conditions

: Recommendations applicable to warehouses and reserves which are stored aerosols. It is recommended to de-normalize aerosols in stock . The " aerosol " or area must be set with a wire mesh of mesh max 5cm, forming a cage or using walls to avoid splashing the aerosols may ignite rest of the stock . Do not smoke.

To reduce the risk of falling, should position the pallet closest to the ground. If the packages are stacked, it should ensure that those lower layers do not crash (risk of leakage through compression).

It is recommended:

- Ventilate the premises and not store any sprays near heat sources, including sunlight, sparks and open flames
- To use the procedure of fire when working . Store in a dry, well ventilated place .

## 7.3. Specific end use(s)

No data available.

# SECTION 8: Exposure controls/personal protection

# 8.1. Control parameters

Carbon dioxide (124-38-9)		
EU	Local name	Dioxyde de carbone
EU	IOELV TWA (mg/m³)	9000 mg/m³
EU	IOELV TWA (ppm)	5000 ppm
propan-2-ol (67-63-0)		
France	Local name	Alcool isopropylique
France	VLE (mg/m³)	980 mg/m³

12/11/2017 EN (English) 3/8

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

propan-2-ol (67-63-0)		
France	VLE (ppm)	400 ppm
France	Note (FR)	Valeurs recommandées/admises
Mono Ethylène Glycol (107-2	11-1)	
EU	Local name	Ethylene glycol
EU	IOELV TWA (mg/m³)	52 mg/m <sup>3</sup>
EU	IOELV TWA (ppm)	20 ppm
EU	IOELV STEL (mg/m³)	104 mg/m³
EU	IOELV STEL (ppm)	40 ppm
EU	Notes	Skin
France	Local name	Ethylèneglycol
France	VME (mg/m³)	52 mg/m³ (vapeur)
France	VME (ppm)	20 ppm (vapeur)
France	VLE (mg/m³)	104 mg/m³ (vapeur)
France	VLE (ppm)	40 ppm (vapeur)
France	Note (FR)	Valeurs règlementaires indicatives; risque de pénétration percutanée

### 8.2. Exposure controls

# Appropriate engineering controls:

Ensure good ventilation of the work station.

#### Hand protection:

Chemical resistant gloves (according to European standard NF EN 374 or equivalent)

# Eye protection:

Safety glasses with side shields

### Skin and body protection:

No special clothing/skin protection equipment is recommended under normal conditions of use

#### Respiratory protection:

No special respiratory protection equipment is recommended under normal conditions of use with adequate ventilation

#### Other information:

Do not eat, drink or smoke during use. Provide local exhaust or general room ventilation.

# SECTION 9: Physical and chemical properties

9.1.	Information on basic physical and chemical properties		
Physical	state	:	Liquid
Colour		:	Colourless.
Odour		:	Alcohol.
Odour th	reshold	:	No data available

: Not applicable рΗ Relative evaporation rate (butylacetate=1) : No data available : No data available Melting point Freezing point : No data available : No data available Boiling point : 12 °C (PA) Flash point : No data available Auto-ignition temperature Decomposition temperature : No data available Flammability (solid, gas) : No data available Vapour pressure : No data available Relative vapour density at 20 °C : No data available Relative density : 0.785 20°C (PA) Solubility : No data available Log Pow : No data available Viscosity, kinematic : No data available : No data available Viscosity, dynamic

12/11/2017 EN (English) 4/8

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Explosive properties : Pressurised container: May burst if heated.

Oxidising properties : No data available Explosive limits : No data available

#### 9.2. Other information

No additional information available

# SECTION 10: Stability and reactivity

#### 10.1. Reactivity

Extremely flammable aerosol. Pressurised container: May burst if heated.

#### 10.2. Chemical stability

The product is stable at normal handling and storage conditions. Heating may cause a fire or explosion. Extremely flammable aerosol.

# 10.3. Possibility of hazardous reactions

None under normal conditions.

#### 10.4. Conditions to avoid

Heat. Open flame. Direct sunlight. Sparks. Avoid contact with hot surfaces. Remove all sources of ignition.

#### 10.5. Incompatible materials

Aldehydes. Aerosol cases in metal, do not bring into contact with oxidize, acids or basis. Strong acids. Strong bases. Hydrogen peroxide.

#### 10.6. Hazardous decomposition products

Thermal decomposition generates: Carbon dioxide. Carbon monoxide.

#### SECTION 11: Toxicological information

4	11.	1.	Information	on toxico	logical	effects

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

propan-2-01 (67-63-0)	
LD50 oral rat	4700 - 5500 mg/kg
LC50 inhalation rat (mg/l)	46 - 73 mg/l/4h

Mono Ethylène Glycol (107-21-1)
LD50 oral rat

LD50 oral rat 7712 mg/kg
Skin corrosion/irritation : Not classified

n la Natanulia de

pH: Not applicable

Additional information : Based on available data, the classification criteria are not met

Serious eye damage/irritation : Causes serious eye irritation.

pH: Not applicable

Respiratory or skin sensitisation : Not classified

Additional information : Based on available data, the classification criteria are not met

Germ cell mutagenicity : Not classified

Additional information : Based on available data, the classification criteria are not met

Carcinogenicity : Not classified

Additional information : Based on available data, the classification criteria are not met

Reproductive toxicity : Not classified

Additional information : Based on available data, the classification criteria are not met

STOT-single exposure : May cause drowsiness or dizziness.

Additional information : Based on available data, the classification criteria are not met

STOT-repeated exposure : Not classified

Additional information : Based on available data, the classification criteria are not met

Aspiration hazard : Not classified

Additional information : Based on available data, the classification criteria are not met

IPC STOP ICE 300ML (306151)	
Product identification	Aerosol

12/11/2017 EN (English) 5/8

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Potential adverse human health effects and symptoms

: Long-term exposure at high concentration may cause : brain and nervous system damage. Prolonged or repeated skin contact with the material will remove natural oils which leads to a dermatitis.

# **SECTION 12: Ecological information**

#### **Toxicity**

Acute aquatic toxicity : Not classified Chronic aquatic toxicity : Not classified

propan-2-ol (67-63-0)	
LC50 fish 1	>= 9640 - 10400 mg/l 96 H
EC50 Daphnia 2	2285 - 13299 mg/l 48 H

Mono Ethylène Glycol (107-21-1)	
LC50 fish 1	72860 mg/l 96H
EC50 Daphnia 1	> 100 mg/l 48H

#### Persistence and degradability 12.2.

IPC STOP ICE 300ML (306151)	
Persistence and degradability	Readily biodegradable.
Biodegradation	> 70 % 5 days

#### 12.3. **Bioaccumulative potential**

IPC STOP ICE 300ML (306151)	
Bioaccumulative potential	Not established.

#### 12.4. **Mobility in soil**

No additional information available

#### Results of PBT and vPvB assessment

No additional information available

## Other adverse effects

Additional information : Avoid release to the environment.

# **SECTION 13: Disposal considerations**

# Waste treatment methods

Product/Packaging disposal recommendations Dispose used or damaged aerosol cans at permitted disposal sites. Dispose in a safe manner

in accordance with local/national regulations. Container under pressure. Do not drill or burn

even after use.

Ecology - waste materials : Avoid release to the environment.

# **SECTION 14: Transport information**

In accordance with ADR / RID / IMDG / IATA / ADN

ADR	IMDG	IATA	ADN	RID	
14.1. UN number					
1950	1950	1950	1950	1950	
14.2. UN proper shippi	14.2. UN proper shipping name				
AEROSOLS	AEROSOLS	Aerosols, flammable	AEROSOLS	AEROSOLS	
Transport document descr	iption				
UN 1950 AEROSOLS, 2.1, (D)	UN 1950 AEROSOLS, 2.1	UN 1950 Aerosols, flammable, 2.1	UN 1950 AEROSOLS, 2.1	UN 1950 AEROSOLS, 2.1	
14.3. Transport hazard	14.3. Transport hazard class(es)				
2.1	2.1	2.1	2.1	2.1	
		*			
14.4. Packing group					
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable	
14.5. Environmental hazards					
Dangerous for the environment : No	Dangerous for the environment : No Marine pollutant : No	Dangerous for the environment : No	Dangerous for the environment : No	Dangerous for the environment : No	

12/11/2017 EN (English) 6/8

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

ADR	IMDG	IATA	ADN	RID	
No supplementary information available					

### 14.6. Special precautions for user

# - Overland transport

Classification code (ADR) : 5F

Special provisions (ADR) : 190, 327, 344, 625

Limited quantities (ADR) : 1I Excepted quantities (ADR) : E0

Packing instructions (ADR) : P207, LP02 Special packing provisions (ADR) : PP87, RR6, L2

Mixed packing provisions (ADR): MP9Transport category (ADR): 2Special provisions for carriage - Packages: V14

(ADR)

Special provisions for carriage - Loading,

unloading and handling (ADR)

: CV9, CV12

Special provisions for carriage - Operation

(ADR)

: S2

Tunnel restriction code (ADR) : D

## - Transport by sea

No data available

#### - Air transport

No data available

#### - Inland waterway transport

No data available

# - Rail transport

No data available

### 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

# **SECTION 15: Regulatory information**

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Other information, restriction and prohibition

regulations

: Aerosol Generator Directive 75/324/EEC and its adaptations.

# 15.1.2. National regulations

#### **France**

Occupational diseases : RG 84 - Affections engendrées par les solvants organiques liquides à usage professionnel

RG 66 - Rhinites et asthmes professionnels

No ICPE	Installations classées Désignation de la rubrique	Code Régime	Rayon
4321.text	Aérosols extrêmement inflammables ou inflammables de catégorie 1 ou 2 ne contenant pas de gaz inflammables de catégorie 1 ou 2 ou des liquides inflammables de catégorie 1.		

#### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

#### **SECTION 16: Other information**

Indication of changes:

12/11/2017 EN (English) 7/8

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Section	Changed item	Change	Comments
	Revision date	Modified	
	Supersedes	Modified	
	SDS EU format	Modified	
2.2	R-phrases	Removed	
2.2	S-phrases	Removed	
2.2	Hazard symbols	Removed	
5.2	Explosion hazard	Added	
8.2	Appropriate engineering controls	Added	
9.1	Solubility in water	Removed	
9.1	Explosive properties	Added	
10.1	Reactivity	Added	
10.2	Chemical stability	Modified	
10.4	Conditions to avoid	Modified	
13.1	Waste disposal recommendations	Modified	

Data sources

: REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.

Other information

: Imp. DL4.

#### Full text of H- and EUH-statements:

Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4	
Aerosol 1	Aerosol, Category 1	
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2	
Flam. Liq. 2	Flammable liquids, Category 2	
Press. Gas (Comp.)	Gases under pressure : Compressed gas	
STOT RE 2	Specific target organ toxicity — Repeated exposure, Category 2	
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Narcosis	
H222	Extremely flammable aerosol.	
H225	Highly flammable liquid and vapour.	
H229	Pressurised container: May burst if heated.	
H280	Contains gas under pressure; may explode if heated.	
H302	Harmful if swallowed.	
H319	Causes serious eye irritation.	
H336	May cause drowsiness or dizziness.	
H373	May cause damage to organs through prolonged or repeated exposure.	

#### SDS EU (REACH Annex II)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product

12/11/2017 EN (English) 8/8