# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 Date of issue: 12/4/2014 Revision date: 7/10/2018 Supersedes: 1/7/2016 Version: 4.0

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form

Product name : STORM CITRON PAMPLEMOUSSE

Product code : 107423 Product identification : Aerosol

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Industrial/Professional use spec : Industrial

For professional use only

#### 1.2.2. Uses advised against

No additional information available

#### 1.3. Details of the supplier of the safety data sheet

10 QUAI MALBERT - CS 71821 29218 BREST CEDEX 2 - FRANCE

T 00 33 (0)2-98-43-45-44 - F 00 33 (0)2-98-44-22-53

ipc@ipc-sa.com - www.ipc-sa.com

### 1.4. Emergency telephone number

No additional information available

# **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

### Classification according to Regulation (EC) No. 1272/2008 [CLP]Mixtures/Substances: SDS EU 2015: According to Regulation (EU) 2015/830 (REACH Annex II)

Aerosol 1 H222;H229

Full text of hazard classes and H-statements: see section 16

### Adverse physicochemical, human health and environmental effects

No additional information available

### 2.2. Label elements

# Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)



GHS02

Signal word (CLP) : Danger

Hazard statements (CLP) : H222 - Extremely flammable aerosol.

H229 - Pressurised container: May burst if heated.

Precautionary statements (CLP) : P102 - Keep out of reach of children.

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources.

No smoking.

P211 - Do not spray on an open flame or other ignition source. P243 - Take precautionary measures against static discharge.

P251 - Do not pierce or burn, even after use.

P260 - Do not breathe spray.

P271 - Use only outdoors or in a well-ventilated area.

P403 - Store in a well-ventilated place.

P410+P412 - Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122

Extra phrases : Not to be used for any purpose other than the one the product was designed for.

For professional use only.

### 2.3. Other hazards

No additional information available

## **SECTION 3: Composition/information on ingredients**

#### 3.1. Substances

Not applicable

EN (English) 1/8

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

#### 3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]	
Ethanol	(CAS-No.) 64-17-5 (EC-No.) 200-578-6 (EC Index-No.) 603-002-00-5 (REACH-no) 01-2119457610-43	40 - 60	Flam. Liq. 2, H225 Eye Irrit. 2, H319	
N-Butane (contenant <0.1% butadiène)	(CAS-No.) 106-97-8 (EC-No.) 203-448-7 (EC Index-No.) 601-004-00-0 (REACH-no) 01-2119474691-32	30 - 40	Flam. Gas 1, H220 Press. Gas (Liq.), H280	
Propane	(CAS-No.) 74-98-6 (EC-No.) 200-827-9 (EC Index-No.) 601-003-00-5 (REACH-no) 01-2119486944-21	10 - 20	Flam. Gas 1, H220 Press. Gas (Liq.), H280	
Alcool C12-C14 Ethoxylé	(CAS-No.) 68439-50-9 (REACH-no) 01-2119487984-16	0.1 - 0.5	Acute Tox. 4 (Oral), H302 Eye Dam. 1, H318 Aquatic Acute 1, H400	
Specific concentration limits:				
Name Product identifier Specific concentration limits				
Ethanol	(CAS-No.) 64-17-5 (EC-No.) 200-578-6 (EC Index-No.) 603-002-00-5 (REACH-no) 01-2119457610-43	(C >= 50) E	(C >= 50) Eye Irrit. 2, H319	

Full text of H-statements: see section 16

#### **SECTION 4: First aid measures**

### 4.1. Description of first aid measures

First-aid measures after inhalation : Assure fresh air breathing. Allow the victim to rest. Obtain medical attention if breathing

difficulty persists.

First-aid measures after skin contact : Wash with plenty of water/....

First-aid measures after eye contact : In case of eye contact, immediately rinse with clean water for 10-15 minutes. Obtain

medical attention if pain, blinking or redness persists.

First-aid measures after ingestion : Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention. Allow the

victim to rest.

#### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after inhalation : Inhalation of vapour can cause breathing difficulties.

Symptoms/effects after skin contact : Not expected to present a significant skin hazard under anticipated conditions of normal

use.

Symptoms/effects after eye contact : Direct contact with the eyes is likely to be irritating.

Symptoms/effects after ingestion : Ingestion unlikely.

## 4.3. Indication of any immediate medical attention and special treatment needed

Advice to physicians: Treat symptomatically.

# **SECTION 5: Firefighting measures**

# 5.1. Extinguishing media

Suitable extinguishing media : Carbon dioxide. Foam. Alcohol resistant foam. Dry powder.

Unsuitable extinguishing media : Do not use a heavy water stream.

### 5.2. Special hazards arising from the substance or mixture

Fire hazard : Extremely flammable aerosol.

Explosion hazard : Pressurised container: May burst if heated.

Reactivity in case of fire : Prevent fire fighting water from entering the environment.

### 5.3. Advice for firefighters

Precautionary measures fire : Do not enter fire area without proper protective equipment, including respiratory protection.

Firefighting instructions : Exercise caution when fighting any chemical fire. During a fire, projections ignited aerosol that burst under excessive pressure have to be controlled. To avoid overpressure, cool

aerosols with water.

12/4/2014 (Version: 1.0) EN (English) 2/8

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

### **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

General measures

: Measures to take in the case of crushing or piercing aerosols, causing the leaking of products contained in aerosols. Remove ignition sources. Ventilate area. Do not smoke. Provide local exhaust or general room ventilation. Evacuate and limit access.

#### 6.1.1. For non-emergency personnel

**Emergency procedures** 

: Do not touch spilled material. Evacuate area.

#### 6.1.2. For emergency responders

Protective equipment

: Wear recommended personal protective equipment. Provide adequate ventilation. Remove all sources of ignition. Avoid contact with skin and eyes. Do not inhale vapour.

#### 6.2. Environmental precautions

Notify authorities if liquid enters sewers or public waters. Prevent entry to sewers and public waters.

#### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up

: Clean spills promptly. Collect the residue by means of a non-combustible absorbent material. Waste mixtures containing butane / propane must not enter drains or sewers where vapors could accumulate and ignite.

### 6.4. Reference to other sections

See Heading 8. Exposure controls and personal protection.

# **SECTION 7: Handling and storage**

### 7.1. Precautions for safe handling

Precautions for safe handling

: Good ventilation of the workplace required. Use only properly specified equipment which is suitable for this product, its supply pressure and temperature. Not to be used for any purpose other than the one the product was designed for. Do not breathe gas, fumes, vapour or spray. During the handling of a pallet, you have to take all precaution to avoid a start of a n accident perforation of the aerosol by a fork-lift truck.

During the load and unloading of the vehicle, you have to take all the precaution to avoid a fall a aerosol

Do not spray tha aerosol neither close nor towards a flame, a white-hot body, an electrical appliance in runing, DO NOT SMOCKING. Container under pressure. Do not drill or burn even after use. Store and handle as though always a serious potential fire/explosion and health hazard exists

Hygiene measures

: Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.

### 7.2. Conditions for safe storage, including any incompatibilities

Technical measures

Storage conditions

Keep at temperature not exceeding 50 °C. Proper grounding procedures to avoid static electricity should be followed. Use grounded electrical/mechanical equipment.

: Recommendations applicable to warehouses and reserves which are stored aerosols. It is recommended to de-normalize aerosols in stock . The " aerosol " or area must be set with a wire mesh of mesh max 5cm, forming a cage or using walls to avoid splashing the aerosols may ignite rest of the stock . Do not smoke.

To reduce the risk of falling, should position the pallet closest to the ground. If the packages are stacked, it should ensure that those lower layers do not crash (risk of leakage through compression).

It is recommended:

- Ventilate the premises and not store any sprays near heat sources, including sunlight, sparks and open flames
- To use the procedure of fire when working . Store in a dry, well ventilated place .

# 7.3. Specific end use(s)

No data available.

### SECTION 8: Exposure controls/personal protection

# 8.1. Control parameters

Ethanol (64-17-5)					
France	Local name	Alcool éthylique			
France	VME (mg/m³)	1900 mg/m³			
France	VME (ppm)	1000 ppm			
France	VLE (mg/m³)	9500 mg/m³			
France	VLE (ppm)	5000 ppm			
France	Note (FR)	Valeurs recommandées/admises			

12/4/2014 (Version: 1.0) EN (English) 3/8

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

N-Butane (contenant <0.1% butadiène) (106-97-8)				
France	Local name	n-Butane		
France	VME (mg/m³)	1900 mg/m³		
France	VME (ppm)	800 ppm		
France	Note (FR)	Valeurs recommandées/admises		

### 8.2. Exposure controls

#### Appropriate engineering controls:

Ensure good ventilation of the work station.

#### Hand protection:

None under normal conditions

#### Eye protection:

No special eye protection equipment recommended under normal conditions of use

#### Skin and body protection:

No special clothing/skin protection equipment is recommended under normal conditions of use

### Respiratory protection:

No special respiratory protection equipment is recommended under normal conditions of use with adequate ventilation

: Liquid

#### Other information:

Physical state

Do not eat, drink or smoke during use. Provide local exhaust or general room ventilation.

### **SECTION 9: Physical and chemical properties**

### 9.1. Information on basic physical and chemical properties

: Colourless. Colour Odour : perfumed. Odour threshold : No data available : Not applicable pН Relative evaporation rate (butylacetate=1) : No data available Melting point : No data available : No data available Freezing point Boiling point : No data available

Flash point : < 0 °C

Auto-ignition temperature : No data available Decomposition temperature : No data available Flammability (solid, gas) : No data available Vapour pressure : No data available Relative vapour density at 20 °C : No data available Relative density : No data available Solubility : No data available Log Pow : No data available Viscosity, kinematic · No data available Viscosity, dynamic : No data available

Explosive properties : Pressurised container: May burst if heated.

Oxidising properties : No data available Explosive limits : No data available

9.2. Other information

VOC content : 95.1 % (628 g/l)

# **SECTION 10: Stability and reactivity**

# 10.1. Reactivity

Pressurised container: May burst if heated.

# 10.2. Chemical stability

The product is stable at normal handling and storage conditions. Heating may cause a fire or explosion.

# 10.3. Possibility of hazardous reactions

None under normal conditions.

12/4/2014 (Version: 1.0) EN (English) 4/8 7/10/2018 (Version: 4.0)

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

### 10.4. Conditions to avoid

Heat. Open flame. Direct sunlight. Sparks. Avoid contact with hot surfaces. Remove all sources of ignition.

#### 10.5. Incompatible materials

Aerosol cases in metal, do not bring into contact with oxidize, acids or basis. Strong acids. Strong bases.

#### 10.6. Hazardous decomposition products

Thermal decomposition generates: Carbon dioxide. Carbon monoxide.

SECTION 11: Toxicolog	gical information
-----------------------	-------------------

1	1	H	١.	In	tor	ma	ation	on	toxic	olog	ical	effect	ts
•							- 11						

Acute toxicity (oral) : Not classified Acute toxicity (dermal) : Not classified Acute toxicity (inhalation) : Not classified

l (64-17-5)

Ethanol (64-17-5)	
LD50 oral	10470 mg/kg bodyweight
LD50 dermal	15800 mg/kg bodyweight
LC50 inhalation rat (Dust/Mist - mg/l/4h)	> 99999 mg/l

## N-Butane (contenant <0.1% butadiène) (106-97-8)

LC50 inhalation rat (mg/l)	658 mg/l/4h		
Skin corrosion/irritation	: Not classified		
	nH: Not applicable		

Additional information : Based on available data, the classification criteria are not met

Serious eye damage/irritation : Not classified pH: Not applicable

Respiratory or skin sensitisation : Not classified Additional information : Based on available data, the classification criteria are not met

Germ cell mutagenicity Not classified

Additional information : Based on available data, the classification criteria are not met

Carcinogenicity : Not classified

: Based on available data, the classification criteria are not met Additional information

Reproductive toxicity : Not classified

Additional information : Based on available data, the classification criteria are not met

STOT-single exposure : Not classified

Additional information : Based on available data, the classification criteria are not met

STOT-repeated exposure : Not classified

Additional information : Based on available data, the classification criteria are not met

Aspiration hazard : Not classified

Additional information : Based on available data, the classification criteria are not met

# **IPC STORM CITRON PAMPLEMOUSSE**

Product identification Aerosol

Potential adverse human health effects and

symptoms

: Long-term exposure at high concentration may cause : brain and nervous system damage. Prolonged or repeated skin contact with the material will remove natural oils which leads to a dermatitis.

# **SECTION 12: Ecological information**

#### 12.1. Toxicity

Acute aquatic toxicity : Not classified Chronic aquatic toxicity : Not classified

### Ethanol (64-17-5)

waterflea EC50 other aquatic organisms 1

# 12.2. Persistence and degradability

No additional information available

# 12.3. Bioaccumulative potential

#### Ethanol (64-17-5)

Log Pow -0.32

12/4/2014 (Version: 1.0) EN (English) 5/8

7/10/2018 (Version: 4.0)

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

N-Butane (contenant <0.1% butadiène) (106-97-8)			
	Bioaccumulative potential	Not potentially bioaccumulable.	

Propane (74-98-6)	
Bioaccumulative potential	No information available.

drill or burn even after use.

### 12.4. Mobility in soil

No additional information available

#### 12.5. Results of PBT and vPvB assessment

No additional information available

## 12.6. Other adverse effects

Additional information : Avoid release to the environment.

# **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

Product/Packaging disposal recommendations

: Dispose used or damaged aerosol cans at permitted disposal sites. Dispose in a safe manner in accordance with local/national regulations. Container under pressure. Do not

Ecology - waste materials : Avoid release to the environment.

# **SECTION 14: Transport information**

In accordance with ADR / RID / IMDG / IATA / ADN

In accordance with ADR / RID / IMDG / IATA / ADN					
ADR	IMDG	IATA	ADN	RID	
14.1. UN number					
1950	1950	1950	1950	1950	
14.2. UN proper shippin	g name				
AEROSOLS	AEROSOLS	Aerosols, flammable	AEROSOLS	AEROSOLS	
Transport document descr	iption				
UN 1950 AEROSOLS, 2.1, (D)	UN 1950 AEROSOLS, 2.1	UN 1950 Aerosols, flammable, 2.1	UN 1950 AEROSOLS, 2.1	UN 1950 AEROSOLS, 2.1	
14.3. Transport hazard	class(es)				
2.1	2.1	2.1	2.1	2.1	
		*			
14.4. Packing group					
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable	
14.5. Environmental haz	ards				
Dangerous for the environment : No	Dangerous for the environment : No Marine pollutant : No	Dangerous for the environment : No	Dangerous for the environment: No	Dangerous for the environment : No	
No supplementary information	an available				

## No supplementary information available

# 14.6. Special precautions for user

#### **Overland transport**

Classification code (ADR) : 5F

Special provisions (ADR) : 190, 327, 344, 625

: 11 Limited quantities (ADR) Excepted quantities (ADR) : E0 : P207, LP02 Packing instructions (ADR) : PP87, RR6, L2 Special packing provisions (ADR)

Mixed packing provisions (ADR) : MP9 Transport category (ADR) : 2

12/4/2014 (Version: 1.0) EN (English) 6/8

7/10/2018 (Version: 4.0)

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Special provisions for carriage - Packages (ADR) : V14
Special provisions for carriage - Loading, : CV9, CV12

unloading and handling (ADR)

Special provisions for carriage - Operation (ADR) : S2
Tunnel restriction code (ADR) : D

### Transport by sea

No data available

#### Air transport

No data available

#### Inland waterway transport

No data available

### Rail transport

No data available

### 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

## **SECTION 15: Regulatory information**

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

VOC content : 95.1 % (628 g/l)

Other information, restriction and prohibition

regulations

: Aerosol Generator Directive 75/324/EEC and its adaptations.

Directive 2012/18/EU (SEVESO III)

### 15.1.2. National regulations

#### **France**

Occupational diseases : RG 84 - Affections engendrées par les solvants organiques liquides à usage professionnel

No ICPE	Installations classées Désignation de la rubrique	Code Régime	Rayon
4320.text	Aérosols extrêmement inflammables ou inflammables de catégorie 1 ou 2 contenant des gaz inflammables de catégorie 1 ou 2 ou des liquides inflammables de catégorie 1.		

# 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

# **SECTION 16: Other information**

Indication of changes:				
Section	Changed item	Change	Comments	
	Supersedes	Modified		
	Revision date	Modified		
	SDS EU format	Modified		
2.1	Classification according to Directive 67/548/EEC [DSD] or 1999/45/EC [DPD]	Added		
3	Composition/information on ingredients	Modified		
5.2	Explosion hazard	Added		
8.2	Appropriate engineering controls	Added		
9.1	Explosive properties	Added		
10.1	Reactivity	Added		

12/4/2014 (Version: 1.0) EN (English) 7/8

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

10.2	Chemical stability	Modified	
10.4	Conditions to avoid	Modified	
13.1	Waste disposal recommendations	Modified	

Data sources

: REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.

Other information : Imp. DL4.

Full text of H- and EUH-statements:		
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4	
Aerosol 1	Aerosol, Category 1	
Aquatic Acute 1	Hazardous to the aquatic environment — Acute Hazard, Category 1	
Eye Dam. 1	Serious eye damage/eye irritation, Category 1	
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2	
Flam. Gas 1	Flammable gases, Category 1	
Flam. Liq. 2	Flammable liquids, Category 2	
Press. Gas (Liq.)	Gases under pressure : Liquefied gas	
H220	Extremely flammable gas.	
H222	Extremely flammable aerosol.	
H225	Highly flammable liquid and vapour.	
H229	Pressurised container: May burst if heated.	
H280	Contains gas under pressure; may explode if heated.	
H302	Harmful if swallowed.	
H318	Causes serious eye damage.	
H319	Causes serious eye irritation.	
H400	Very toxic to aquatic life.	

# SDS EU (REACH Annex II)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product

12/4/2014 (Version: 1.0) 7/10/2018 (Version: 4.0)