# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 Date of issue: 4/17/2014 Revision date: 9/27/2017 Supersedes: 4/17/2014 Version: 2.0

Product identifier           Product form           Product name	. Minture
	. Mixture
Product name	: Mixture
	: TECHNO AGRUM ECLAIR
Product code	: 303465
Гуре of product	: Detergent
Product identification	: Aerosol
I.2. Relevant identified uses of	of the substance or mixture and uses advised against
I.2.1. Relevant identified uses	
ndustrial/Professional use spec	: Industrial For professional use only
I.2.2. Uses advised against	
No additional information available	
I.3. Details of the supplier of	the safety data sheet
PC SAS 10 QUAI MALBERT - CS 71821 292 7 00 33 (0)2-98-43-45-44 - F 00 33 (0 pc@ipc-sa.com - www.ipc-sa.com	
I.4. Emergency telephone null No additional information available	mber
SECTION 2: Hazards identif	ication
2.1. Classification of the subs	tance or mixture
Classification according to Regula	tion (EC) No. 1272/2008 [CLP]
Aerosol 1	H222;H229
Skin Irrit. 2	H315
Skin Sens. 1	H317
Aquatic Chronic 2	H411
· Full text of hazard classes and H-stat	ements : see section 16
Adverse physicochemical, human No additional information available	health and environmental effects
2.2. Label elements	
Labelling according to Regulation	(EC) No. 1272/2008 [CLP]
Signal word (CLP)	GHS02 GHS07 GHS09 : Danger
Hazardous ingredients	: Orange doux, extraits contient >90% Limonene
Hazard statements (CLP)	<ul> <li>H222 - Extremely flammable aerosol.</li> <li>H229 - Pressurised container: May burst if heated.</li> <li>H315 - Causes skin irritation.</li> <li>H317 - May cause an allergic skin reaction.</li> <li>H411 - Toxic to aquatic life with long lasting effects.</li> </ul>
Precautionary statements (CLP)	<ul> <li>P102 - Keep out of reach of children.</li> <li>P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. N smoking.</li> <li>P211 - Do not spray on an open flame or other ignition source.</li> <li>P251 - Do not pierce or burn, even after use.</li> <li>P260 - Do not breathe dusts or mists.</li> <li>P264 - Wash hands thoroughly after handling.</li> <li>P271 - Use only outdoors or in a well-ventilated area.</li> </ul>

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

	<ul> <li>P272 - Contaminated work clothing should not be allowed out of the workplace.</li> <li>P273 - Avoid release to the environment.</li> <li>P280 - Wear protective gloves, eye protection.</li> <li>P302+P352 - IF ON SKIN: Wash with plenty of soap and water.</li> <li>P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.</li> <li>P333+P313 - If skin irritation or rash occurs: Get medical advice/attention.</li> <li>P410+P412 - Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.</li> </ul>
Extra phrases	<ul> <li>For professional use only Not to be used for any purpose other than the one the product was designed for</li> </ul>

## 2.3. Other hazards

No additional information available

SECTION 3: Composition/information on ingredients				
3.1.	Substances			
Not app	plicable			

## 3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Orange doux, extraits contient >90% Limonene	(CAS-No.) 8028-48-6 (EC-No.) 232-433-8	40 - 60	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Asp. Tox. 1, H304 Aquatic Chronic 2, H411
Ethanol	(CAS-No.) 64-17-5 (EC-No.) 200-578-6 (EC Index-No.) 603-002-00-5 (REACH-no) 01-2119457610-43	40 - 60	Flam. Liq. 2, H225 Eye Irrit. 2, H319
Carbon dioxide	(CAS-No.) 124-38-9 (EC-No.) 204-696-9 (REACH-no) exempté d'enregistrement	5 - 8	Press. Gas (Comp.), H280
Specific concentration limits:			
Name	Product identifier	Specific concentration limits	
Ethanol	(CAS-No.) 64-17-5 (EC-No.) 200-578-6 (EC Index-No.) 603-002-00-5 (REACH-no) 01-2119457610-43	(C >= 50) E	ye Irrit. 2, H319

Full text of H-statements: see section 16

SECTION 4: First aid measures			
4.1. Description of first aid measures			
First-aid measures after inhalation	: Assure fresh air breathing. Allow the victim to rest. Obtain medical attention if breathing difficulty persists.		
First-aid measures after skin contact	: Take off immediately all contaminated clothing. Wash with plenty of water/ Seek medical attention if ill effect or irritation develops.		
First-aid measures after eye contact	<ul> <li>Obtain medical attention if pain, blinking or redness persists. In case of eye contact, immediately rinse with clean water for 10-15 minutes.</li> </ul>		
First-aid measures after ingestion	: Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention. Allow the victim to rest.		
4.2. Most important symptoms and effe	cts, both acute and delayed		
Symptoms/effects after inhalation	: Inhalation of vapour can cause breathing difficulties.		
Symptoms/effects after skin contact	: May cause sensitization by skin contact. Irritating to skin.		
Symptoms/effects after eye contact	: Causes serious eye irritation.		
Symptoms/effects after ingestion	: Ingestion unlikely.		
4.3. Indication of any immediate medica	Il attention and special treatment needed		
Advice to physicians: Treat symptomatically.			
SECTION 5: Firefighting measures			
5.1. Extinguishing media			

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Unsuitable extinguishing media	: Do not use a heavy water stream.
5.2. Special hazards arising from the su	· ·
Fire hazard	: Extremely flammable aerosol.
Explosion hazard	: Pressurised container: May burst if heated.
Reactivity in case of fire	: Prevent fire fighting water from entering the environment.
Hazardous decomposition products in case of fire	<ul> <li>Incomplete combustion and thermolysis produce gases of varying toxicity such as carbon monoxide, carbon dioxide, various hydrocarbons, aldehydes and soo.</li> </ul>
5.3. Advice for firefighters	
Precautionary measures fire	: Do not enter fire area without proper protective equipment, including respiratory protection.
Firefighting instructions	<ul> <li>During a fire, projections ignited aerosol that burst under excessive pressure have to be controlled. To avoid overpressure, cool aerosols with water. Exercise caution when fighting ar chemical fire. Evacuate area.</li> </ul>
SECTION 6: Accidental release mea	sures
6.1. Personal precautions, protective eq	uipment and emergency procedures
General measures	: Measures to take in the case of crushing or piercing aerosols, causing the leaking of products contained in aerosols. Ventilate area. Do not smoke. Remove ignition sources. Provide local exhaust or general room ventilation. Evacuate and limit access.
6.1.1. For non-emergency personnel	
Emergency procedures	: Do not touch spilled material. Evacuate area.
6.1.2. For emergency responders Protective equipment	: Wear recommended personal protective equipment. Provide adequate ventilation. Remove al sources of ignition. Avoid contact with skin and eyes. Do not inhale vapour.
6.2. Environmental precautions	
Prevent entry to sewers and public waters. Notify	y authorities if liquid enters sewers or public waters.
6.3. Methods and material for containme	ent and cleaning up
Mothodo for clooping up	
Methods for cleaning up         6.4.       Reference to other sections         See Heading 8. Exposure controls and personal	: Clean up any spills as soon as possible, using an absorbent material to collect it. Collect the residue by means of a non-combustible absorbent material. Sand. Earth. Vermiculite.
6.4. Reference to other sections	residue by means of a non-combustible absorbent material. Sand. Earth. Vermiculite.
6.4. Reference to other sections See Heading 8. Exposure controls and personal SECTION 7: Handling and storage	<ul> <li>residue by means of a non-combustible absorbent material. Sand. Earth. Vermiculite.</li> <li>protection.</li> <li>Good ventilation of the workplace required. Use only properly specified equipment which is suitable for this product, its supply pressure and temperature. Not to be used for any purpose other than the one the product was designed for. Do not breathe gas, fumes, vapour or spray During the handling of a pallet, you have to take all precaution to avoid a start of a n accident perforation of the aerosol by a fork-lift truck. During the load and unloading of the vehicle, you have to take all the precaution to avoid a fa a aerosol. Do not spray tha aerosol neither close nor towards a flame, a white-hot body, an electrical</li> </ul>
6.4. Reference to other sections See Heading 8. Exposure controls and personal SECTION 7: Handling and storage 7.1. Precautions for safe handling Precautions for safe handling	<ul> <li>residue by means of a non-combustible absorbent material. Sand. Earth. Vermiculite.</li> <li>protection.</li> <li>Good ventilation of the workplace required. Use only properly specified equipment which is suitable for this product, its supply pressure and temperature. Not to be used for any purpose other than the one the product was designed for. Do not breathe gas, fumes, vapour or spray During the handling of a pallet, you have to take all precaution to avoid a start of a n accident perforation of the aerosol by a fork-lift truck. During the load and unloading of the vehicle, you have to take all the precaution to avoid a fa a aerosol.</li> <li>Do not spray tha aerosol neither close nor towards a flame, a white-hot body, an electrical appliance in runing, DO NOT SMOCKING. Container under pressure. Do not drill or burn ever after use. Store and handle as though always a serious potential fire/explosion and health hazard exists.</li> </ul>
6.4. Reference to other sections See Heading 8. Exposure controls and personal SECTION 7: Handling and storage 7.1. Precautions for safe handling Precautions for safe handling	<ul> <li>residue by means of a non-combustible absorbent material. Sand. Earth. Vermiculite.</li> <li>protection.</li> <li>Good ventilation of the workplace required. Use only properly specified equipment which is suitable for this product, its supply pressure and temperature. Not to be used for any purpose other than the one the product was designed for. Do not breathe gas, fumes, vapour or spray During the handling of a pallet, you have to take all precaution to avoid a start of a n accident perforation of the aerosol by a fork-lift truck. During the load and unloading of the vehicle, you have to take all the precaution to avoid a fa a aerosol.</li> <li>Do not spray tha aerosol neither close nor towards a flame, a white-hot body, an electrical appliance in runing, DO NOT SMOCKING. Container under pressure. Do not drill or burn ever after use. Store and handle as though always a serious potential fire/explosion and health</li> </ul>
6.4.       Reference to other sections         See Heading 8. Exposure controls and personal         SECTION 7: Handling and storage         7.1.       Precautions for safe handling         Precautions for safe handling         Hygiene measures         7.2.       Conditions for safe storage, includi	<ul> <li>residue by means of a non-combustible absorbent material. Sand. Earth. Vermiculite.</li> <li>protection.</li> <li>Good ventilation of the workplace required. Use only properly specified equipment which is suitable for this product, its supply pressure and temperature. Not to be used for any purpose other than the one the product was designed for. Do not breathe gas, fumes, vapour or spray During the handling of a pallet, you have to take all precaution to avoid a start of a n accident perforation of the aerosol by a fork-lift truck.</li> <li>During the load and unloading of the vehicle, you have to take all the precaution to avoid a fa a aerosol.</li> <li>Do not spray tha aerosol neither close nor towards a flame, a white-hot body, an electrical appliance in runing, DO NOT SMOCKING. Container under pressure. Do not drill or burn eve after use. Store and handle as though always a serious potential fire/explosion and health hazard exists.</li> <li>Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.</li> </ul>
<ul> <li>6.4. Reference to other sections</li> <li>See Heading 8. Exposure controls and personal</li> <li>SECTION 7: Handling and storage</li> <li>7.1. Precautions for safe handling</li> <li>Precautions for safe handling</li> <li>Hygiene measures</li> <li>7.2. Conditions for safe storage, includi</li> <li>Technical measures</li> </ul>	<ul> <li>residue by means of a non-combustible absorbent material. Sand. Earth. Vermiculite.</li> <li>protection.</li> <li>Good ventilation of the workplace required. Use only properly specified equipment which is suitable for this product, its supply pressure and temperature. Not to be used for any purpose other than the one the product was designed for. Do not breathe gas, fumes, vapour or spray During the handling of a pallet, you have to take all precaution to avoid a start of a n accident perforation of the aerosol by a fork-lift truck. During the load and unloading of the vehicle, you have to take all the precaution to avoid a fa a aerosol.</li> <li>Do not spray tha aerosol neither close nor towards a flame, a white-hot body, an electrical appliance in runing, DO NOT SMOCKING. Container under pressure. Do not drill or burn ever after use. Store and handle as though always a serious potential fire/explosion and health hazard exists.</li> <li>Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.</li> <li>mg any incompatibilities</li> <li>Keep at temperature not exceeding 50°C. Proper grounding procedures to avoid static electricity should be followed. Use grounded electrical/mechanical equipment.</li> </ul>
6.4. Reference to other sections See Heading 8. Exposure controls and personal SECTION 7: Handling and storage 7.1. Precautions for safe handling Precautions for safe handling	<ul> <li>residue by means of a non-combustible absorbent material. Sand. Earth. Vermiculite.</li> <li>protection.</li> <li>Good ventilation of the workplace required. Use only properly specified equipment which is suitable for this product, its supply pressure and temperature. Not to be used for any purpose other than the one the product was designed for. Do not breathe gas, fumes, vapour or spray During the handling of a pallet, you have to take all precaution to avoid a start of a n accident perforation of the aerosol by a fork-lift truck.</li> <li>During the load and unloading of the vehicle, you have to take all the precaution to avoid a fa a aerosol.</li> <li>Do not spray tha aerosol neither close nor towards a flame, a white-hot body, an electrical appliance in runing, DO NOT SMOCKING. Container under pressure. Do not drill or burn ever after use. Store and handle as though always a serious potential fire/explosion and health hazard exists.</li> <li>Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.</li> <li>reg any incompatibilities</li> <li>Keep at temperature not exceeding 50°C. Proper grounding procedures to avoid static electricity should be followed. Use grounded electrical/mechanical equipment.</li> <li>Recommendations applicable to warehouses and reserves which are stored aerosols. It is recommended to de-normalize aerosols in stock . The " aerosol " or area must be set with</li> </ul>
<ul> <li>6.4. Reference to other sections</li> <li>See Heading 8. Exposure controls and personal</li> <li>SECTION 7: Handling and storage</li> <li>7.1. Precautions for safe handling</li> <li>Precautions for safe handling</li> <li>Hygiene measures</li> <li>7.2. Conditions for safe storage, includi</li> <li>Technical measures</li> </ul>	<ul> <li>residue by means of a non-combustible absorbent material. Sand. Earth. Vermiculite.</li> <li>protection.</li> <li>Good ventilation of the workplace required. Use only properly specified equipment which is suitable for this product, its supply pressure and temperature. Not to be used for any purpose other than the one the product was designed for. Do not breathe gas, fumes, vapour or spray During the handling of a pallet, you have to take all precaution to avoid a start of a n accident perforation of the aerosol by a fork-lift truck.</li> <li>During the load and unloading of the vehicle, you have to take all the precaution to avoid a fa a aerosol.</li> <li>Do not spray tha aerosol neither close nor towards a flame, a white-hot body, an electrical appliance in runing, DO NOT SMOCKING. Container under pressure. Do not drill or burn ever after use. Store and handle as though always a serious potential fire/explosion and health hazard exists.</li> <li>Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.</li> <li>ng any incompatibilities</li> <li>Keep at temperature not exceeding 50°C. Proper grounding procedures to avoid static electricity should be followed. Use grounded electrical/mechanical equipment.</li> <li>Recommendations applicable to warehouses and reserves which are stored aerosols. It is recommended to de-normalize aerosols in stock. The " aerosol " or area must be set with a wire mesh of mesh max 5cm, forming a cage or using walls to avoid splashing the aerosols may ignite rest of the stock . Do not smoke.</li> <li>To reduce the risk of falling, should position the pallet closest to the ground. If the packages a stacked, it should ensure that those lower layers do not crash (risk of leakage through compression).</li> <li>It is recommended : <ul> <li>Ventilate the premises and not store any sprays near heat sources, including sunlight, sparl and open flames</li> </ul> </li> </ul>
<ul> <li>6.4. Reference to other sections</li> <li>See Heading 8. Exposure controls and personal</li> <li>SECTION 7: Handling and storage</li> <li>7.1. Precautions for safe handling</li> <li>Precautions for safe handling</li> <li>Hygiene measures</li> <li>7.2. Conditions for safe storage, includi</li> <li>Technical measures</li> </ul>	<ul> <li>residue by means of a non-combustible absorbent material. Sand. Earth. Vermiculite.</li> <li>protection.</li> <li>Good ventilation of the workplace required. Use only properly specified equipment which is suitable for this product, its supply pressure and temperature. Not to be used for any purpose other than the one the product was designed for. Do not breathe gas, fumes, vapour or spray During the handling of a pallet, you have to take all precaution to avoid a start of a n accident perforation of the aerosol by a fork-lift truck. During the load and unloading of the vehicle, you have to take all the precaution to avoid a fa a aerosol.</li> <li>Do not spray tha aerosol neither close nor towards a flame, a white-hot body, an electrical appliance in runing, DO NOT SMOCKING. Container under pressure. Do not drill or burn ever after use. Store and handle as though always a serious potential fire/explosion and health hazard exists.</li> <li>Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.</li> <li><b>ng any incompatibilities</b></li> <li>Keep at temperature not exceeding 50°C. Proper grounding procedures to avoid static electricity should be followed. Use grounded electrical/mechanical equipment.</li> <li>Recommended to de-normalize aerosols in stock. The " aerosol " or area must be set with a wire mesh of mesh max 5cm, forming a cage or using walls to avoid splashing the aerosols may ignite rest of the stock . Do not smoke.</li> <li>To reduce the risk of falling, should position the pallet closest to the ground. If the packages a stacked, it should ensure that those lower layers do not crash (risk of leakage through compression). It is recommended : <ul> <li>Ventilate the premises and not store any sprays near heat sources, including sunlight, spark</li> </ul> </li> </ul>

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SECTION 8: Exposure controls/personal protection				
8.1. Control parameters				
Carbon dioxide (124-38-9)				
EU	Local name	Dioxyde de carbone		
EU	IOELV TWA (mg/m <sup>3</sup> )	9000 mg/m <sup>3</sup>		
EU	IOELV TWA (ppm)	5000 ppm		
Ethanol (64-17-5)	Ethanol (64-17-5)			
France	Local name	Alcool éthylique		
France	VME (mg/m³)	1900 mg/m³		
France	VME (ppm)	1000 ppm		
France	VLE (mg/m <sup>3</sup> )	9500 mg/m³		
France	VLE (ppm)	5000 ppm		
France	Note (FR)	Valeurs recommandées/admises		

### 8.2. Exposure controls

### Appropriate engineering controls:

Ensure good ventilation of the work station.

#### Hand protection:

Wear suitable gloves resistant to chemical penetration. Choosing the proper glove is a decision that depends not only on the type of material, but also on other quality features, which differ for each manufacturer.

#### Eye protection:

Safety glasses

#### Skin and body protection:

Skin protection appropriate to the conditions of use should be provided

### Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

### Other information:

Do not eat, drink or smoke during use. Provide local exhaust or general room ventilation.

# **SECTION 9: Physical and chemical properties**

9.1. Information on basic physical and	chemical properties
Physical state	: Liquid
Colour	: Colourless. Slightly yellow.
Odour	: orange.
Odour threshold	: No data available
рН	: No data available
Relative evaporation rate (butylacetate=1)	: No data available
Melting point	: No data available
Freezing point	: No data available
Boiling point	: No data available
Flash point	: 14 °C (PA)
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: Highly flammable liquid and vapour.
Vapour pressure	: No data available
Relative vapour density at 20 °C	: No data available
Relative density	: No data available
Density	: 0.82 (PA)
Solubility	: No data available
Log Pow	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: Pressurised container: May burst if heated.

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Oxidising properties Explosive limits		: No data available	
		: No data available	
9.2.	Other information		
VOC cor	ntent	: 782 g/l (94%)	
10.1.	Reactivity		
	ON 10: Stability and rea		
	L (L L		
Extreme	ly flammable aerosol. Pressuris	ed container: May burst if heated.	
Extreme	Chemical stability	ed container: May burst if heated.	
10.2.	Chemical stability	ed container: May burst if heated. and storage conditions. Extremely flammable aerosol. Heating may cause a fire or explosion.	

None under normal conditions.

10.4. **Conditions to avoid** 

Open flame. Heat. Direct sunlight. Remove all sources of ignition. Avoid contact with hot surfaces.

10.5. Incompatible materials

Strong oxidizers. Aerosol cases in metal, do not bring into contact with oxidize, acids or basis.

#### 10.6. Hazardous decomposition products

Thermal decomposition generates : Carbon oxides (CO, CO2).

11.1. Information on toxicological effect	S
Acute toxicity (oral)	: Not classified
Acute toxicity (dermal)	: Not classified
Acute toxicity (inhalation)	: Not classified
Orange doux, extraits contient >90% Limo	nene (8028-48-6)
LD50 oral rat	> 5000 mg/kg
LD50 dermal rabbit	> 5000 mg/kg
Ethanol (64-17-5)	
LD50 oral	10470 mg/kg bodyweight
LD50 dermal	15800 mg/kg bodyweight
LC50 inhalation rat (Dust/Mist - mg/l/4h)	> 99999 mg/l
Skin corrosion/irritation	: Causes skin irritation.
Additional information	: Based on available data, the classification criteria are not met
Serious eye damage/irritation	: Not classified
Additional information	: Based on available data, the classification criteria are not met
Respiratory or skin sensitisation	: May cause an allergic skin reaction.
Additional information	: Based on available data, the classification criteria are not met
Germ cell mutagenicity	: Not classified
Additional information	: Based on available data, the classification criteria are not met
Carcinogenicity	: Not classified
Additional information	: Based on available data, the classification criteria are not met
Reproductive toxicity	: Not classified
Additional information	: Based on available data, the classification criteria are not met
STOT-single exposure	: Not classified
Additional information	: Based on available data, the classification criteria are not met
STOT-repeated exposure	: Not classified
Additional information	: Based on available data, the classification criteria are not met
Aspiration hazard	: Not classified
Additional information	: Based on available data, the classification criteria are not met
IPC TECHNO AGRUM ECLAIR	
Product identification	Aerosol
Potential adverse human health effects and symptoms	: Long-term exposure at high concentration may cause : Headache. Giddiness. Nausea. Fatigu Vomiting.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

<b>SECTION 12: Ecological information</b>			
12.1. Toxicity			
Acute aquatic toxicity	: Not classified		
Chronic aquatic toxicity	: Toxic to aquatic life with long lasting effects.		
Ethanol (64-17-5)			
LC50 fish 1	14200 mg/l		
EC50 other aquatic organisms 1	5012 mg/l waterflea		
EC50 other aquatic organisms 2	275 mg/l		
12.2.         Persistence and degradability           No additional information available			
12.3. Bioaccumulative potential			
Ethanol (64-17-5)			

Log Pow	-0.32		
12.4. Mobility in soil			
No additional information available			
12.5. Results of PBT and vPvB assessment			
No additional information available			
12.6. Other adverse effects			
Additional information	No other effects known		
<b>SECTION 13: Disposal considerations</b>	3		
13.1. Waste treatment methods			

13.1. Waste treatment methods	
Product/Packaging disposal recommendations	Dispose used or damaged aerosol cans at permitted disposal sites. Dispose in a safe manner in accordance with local/national regulations. Container under pressure. Do not drill or burn even after use.
Ecology - waste materials	: Avoid release to the environment.

# SECTION 14: Transport information

### In accordance with ADR / RID / IMDG / IATA / ADN

IMDG	ΙΑΤΑ	ADN	RID
1950	1950	1950	1950
ig name			
AEROSOLS	Aerosols, flammable	AEROSOLS	AEROSOLS
ption			1
UN 1950 AEROSOLS, 2.1, MARINE POLLUTANT/ENVIRONM ENTALLY HAZARDOUS	UN 1950 Aerosols, flammable, 2.1, ENVIRONMENTALLY HAZARDOUS	UN 1950 AEROSOLS, 2.1, ENVIRONMENTALLY HAZARDOUS	UN 1950 AEROSOLS, 2. ENVIRONMENTALLY HAZARDOUS
class(es)		J	I
2.1	2.1	2.1	2.1
Not applicable	Not applicable	Not applicable	Not applicable
zards			
Dangerous for the environment : Yes Marine pollutant : Yes	Dangerous for the environment : Yes	Dangerous for the environment : Yes	Dangerous for the environment : Yes
	1950 AEROSOLS ption UN 1950 AEROSOLS, 2.1, MARINE POLLUTANT/ENVIRONM ENTALLY HAZARDOUS Class(es) 2.1 Not applicable zards Dangerous for the environment : Yes	1950     1950       In the second	195019501950Igname AEROSOLSAerosols, flammableAEROSOLSAEROSOLSAerosols, flammableAEROSOLSption UN 1950 AEROSOLS, 2.1, MARINE POLLUTANT/ENVIRONM ENTALLY HAZARDOUSUN 1950 AEROSOLS, 2.1, ENVIRONMENTALLY HAZARDOUSUN 1950 AEROSOLS, 2.1, ENVIRONMENTALLY HAZARDOUS2.12.1Class(es)2.12.12.1Image: Class (es) Class (es)Image: Class (es)2.10Image: Class (es)2.10Image: Class (es)2.10Image: Class (es)Vot applicableNot applicableNot applicableNot applicableImage: Class (es)Image: Class (es

14.6. Special precautions for user

- Overland transport

Classification code (ADR)

: 5F

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

	õ
Special provisions (ADR)	: 190, 327, 344, 625
Limited quantities (ADR)	: 11
Excepted quantities (ADR)	: E0
Packing instructions (ADR)	: P207
Special packing provisions (ADR)	: PP87, RR6, L2
Mixed packing provisions (ADR)	: MP9
Transport category (ADR)	: 2
Special provisions for carriage - Packages (ADR)	: V14
Special provisions for carriage - Loading, unloading and handling (ADR)	: CV9, CV12
Special provisions for carriage - Operation (ADR)	: S2
Tunnel restriction code (ADR)	: D

## - Transport by sea

No data available

### - Air transport

No data available

### - Inland waterway transport

No data available

#### - Rail transport

#### No data available

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

#### Not applicable

## **SECTION 15: Regulatory information**

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

VOC content	: 782 g/l (94%)	
Other information, restriction and prohibition regulations	: Aerosol Generator Directive 75/324/EEC and its adaptations. Regulatio adaptations of detergents.	n 648/2004 / EC and its
Allergenic fragrances > 0,01%:		
D-LIMONENE		
Detergent Regulation : Labelling of contents:		

Component	%
aliphatic hydrocarbons >=30%	
perfumes	
D-LIMONENE	

#### 15.1.2. National regulations

Occupational diseases

### France

: RG 84 - Affections engendrées par les solvants organiques liquides à usage professionnel

No ICPE	Installations classées Désignation de la rubrique	Code Régime	Rayon
4511.text Dangereux pour l'environnement aquatique de catégorie chronique 2.			

## 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

## SECTION 16: Other information

Indication of changes:

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Section	Changed item	Change	Comments
	Supersedes	Added	
	Danger labels (ADN)	Added	
	Proper Shipping Name (RID)	Added	
	Hazard labels (IATA)	Added	
	Proper Shipping Name (IATA)	Added	
	Flash point (IMDG)	Added	
	Proper Shipping Name (IMDG)	Added	
	Danger labels (IMDG)	Added	
	Special provisions for carriage - Operation (ADR)	Added	
	Special provisions for carriage - Loading, unloading and handling (ADR)	Added	
	Special provisions for carriage - Packages (ADR)	Added	
	Mixed packing provisions (ADR)	Added	
	Special packing provisions (ADR)	Added	
	Packing instructions (ADR)	Added	
	Revision date	Modified	
	SDS EU format	Modified	
2.1	Classification according to Regulation (EC) No. 1272/2008 [CLP]	Modified	
2.2	Precautionary statements (CLP)	Modified	
2.2	R-phrases	Removed	
2.2	Hazard statements (CLP)	Modified	
2.2	Extra phrases	Removed	
2.2	S-phrases	Removed	
2.2	Hazard symbols	Removed	
3	Composition/information on ingredients	Modified	
5.2	Explosion hazard	Added	
7.2	Storage conditions	Modified	
8.2	Appropriate engineering controls	Added	
8.2	Hand protection	Modified	
9.1	Explosive properties	Added	
10.1	Reactivity	Added	
10.2	Chemical stability	Modified	
10.4	Conditions to avoid	Modified	
13.1	Waste disposal recommendations	Modified	
14.2	Proper Shipping Name (ADN)	Added	

Data sources

: REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.

### Other information

: Imp. DL4.

### Full text of H- and EUH-statements:

Aerosol 1	Aerosol, Category 1
Aquatic Chronic 2	Hazardous to the aquatic environment — Chronic Hazard, Category 2
Asp. Tox. 1	Aspiration hazard, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Flam. Liq. 2	Flammable liquids, Category 2
Flam. Liq. 3	Flammable liquids, Category 3
Press. Gas (Comp.)	Gases under pressure : Compressed gas
Skin Irrit. 2	Skin corrosion/irritation, Category 2
Skin Sens. 1	Skin sensitisation, Category 1
H222	Extremely flammable aerosol.
H225	Highly flammable liquid and vapour.
H226	Flammable liquid and vapour.
H229	Pressurised container: May burst if heated.
H280	Contains gas under pressure; may explode if heated.

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H411	Toxic to aquatic life with long lasting effects.

### SDS EU (REACH Annex II)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product