## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 Date of issue: 6/9/2015 Revision date: 9/27/2018 Supersedes: 6/9/2015 Version: 2.0

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture

Product name : TECHNO AGRUM

Product code : 303452
Type of product : Detergent

## 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### 1.2.1. Relevant identified uses

No additional information available

#### 1.2.2. Uses advised against

No additional information available

#### 1.3. Details of the supplier of the safety data sheet

**IPC SAS** 

CS 71821 - 10, Quai Cdt Malbert 29218 BREST - France T 02-98-43-45-44 - F 02-98-43-22-53 ipc@ipc-sa.com

## 1.4. Emergency telephone number

Country	Organisation/Company	Address	Emergency number	Comment
United Kingdom		Dudley Road B18 7QH Birmingham	0344 892 0111	

## **SECTION 2: Hazards identification**

## 2.1. Classification of the substance or mixture

# Classification according to Regulation (EC) No. 1272/2008 [CLP]Mixtures/Substances: SDS EU 2015: According to Regulation (EU) 2015/830 (REACH Annex II)

Flammable liquids, Category 2

Skin corrosion/irritation, Category 2

Serious eye damage/eye irritation, Category 1

H318

Skin sensitisation, Category 1

H327

Hazardous to the aquatic environment — Chronic Hazard, Category 2

H411

Full text of H statements : see section 16

## Adverse physicochemical, human health and environmental effects

Highly flammable liquid and vapour. Causes skin irritation. May cause an allergic skin reaction. Causes serious eye damage. Toxic to aquatic life with long lasting effects.

## 2.2. Label elements

## Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :







GHS02

GHS05

GHS07

GHS09

Signal word (CLP) : Danger

Hazardous ingredients : Orange, sweet, ext.; p-mentha-1,4(8)-diene; (3R)-3-ethoxy-2-methylnonane

Hazard statements (CLP) : H225 - Highly flammable liquid and vapour.

H315 - Causes skin irritation.

H317 - May cause an allergic skin reaction. H318 - Causes serious eye damage.

H411 - Toxic to aquatic life with long lasting effects.

Precautionary statements (CLP) : P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources.

No smoking

P273 - Avoid release to the environment.

P280 - Wear protective gloves, eye protection, face protection.

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

P391 - Collect spillage.

P403+P235 - Store in a well-ventilated place. Keep cool.

#### 2.3. Other hazards

No additional information available

EN (English) 1/8

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

## **SECTION 3: Composition/information on ingredients**

#### 3.1. Substances

Not applicable

#### 3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Ethanol	(CAS-No.) 64-17-5 (EC-No.) 200-578-6 (EC Index-No.) 603-002-00-5 (REACH-no) 01-2119457610-43	50-70	Flam. Liq. 2, H225 Eye Irrit. 2, H319
Orange, sweet, ext.	(CAS-No.) 8028-48-6 (EC-No.) 232-433-8 (REACH-no) 01-2119493353-35	5 - 15	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Asp. Tox. 1, H304 Aquatic Chronic 2, H411
p-mentha-1,4(8)-diene	(CAS-No.) 586-62-9 (EC-No.) 209-578-0 (REACH-no) 01-2119982325-32	5 - 15	Skin Sens. 1B, H317 Asp. Tox. 1, H304 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
(3R)-3-ethoxy-2-methylnonane	(CAS-No.) 78330-20-8 (EC-No.) 616-607-4	5 - 15	Acute Tox. 4 (Oral), H302 Eye Dam. 1, H318

Full text of H-statements: see section 16

#### **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.

: Rinse skin with water/shower. Take off immediately all contaminated clothing. If skin First-aid measures after skin contact

irritation or rash occurs: Get medical advice/attention.

First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present and

easy to do. Continue rinsing. Call a physician immediately.

First-aid measures after ingestion : Call a poison center or a doctor if you feel unwell.

## 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after skin contact : Irritation. May cause an allergic skin reaction.

Symptoms/effects after eye contact : Serious damage to eyes.

## 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

## **SECTION 5: Firefighting measures**

## 5.1. Extinguishing media

: Water spray. Dry powder. Foam. Carbon dioxide. Suitable extinguishing media

## 5.2. Special hazards arising from the substance or mixture

: Highly flammable liquid and vapour. Fire hazard Hazardous decomposition products in case of fire : Toxic fumes may be released.

## 5.3. Advice for firefighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained

breathing apparatus. Complete protective clothing.

#### **SECTION 6: Accidental release measures**

## 6.1. Personal precautions, protective equipment and emergency procedures

#### 6.1.1. For non-emergency personnel

Protective equipment : Do not get in eyes, on skin, or on clothing.

**Emergency procedures** : Ventilate spillage area. No open flames, no sparks, and no smoking. Avoid contact with

skin and eyes. Do not breathe vapours.

## 6.1.2. For emergency responders

: Do not attempt to take action without suitable protective equipment. For further information Protective equipment

refer to section 8: "Exposure controls/personal protection".

## 6.2. Environmental precautions

Avoid release to the environment.

#### 6.3. Methods and material for containment and cleaning up

For containment : Collect spillage.

6/9/2015 (Version: 1.0) EN (English) 2/8

9/27/2018 (Version: 2.0)

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Methods for cleaning up : Take up liquid spill into absorbent material. Notify authorities if product enters sewers or

public waters.

Other information : Dispose of materials or solid residues at an authorized site.

#### 6.4. Reference to other sections

For further information refer to section 13.

## SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

Precautions for safe handling

: Ensure good ventilation of the work station. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Ground/bond container and receiving equipment. Use only non-sparking tools. Take precautionary measures against static

discharge. Flammable vapours may accumulate in the container. Use explosion-proof equipment. Wear personal protective equipment. Avoid contact with skin and eyes. Do not

breathe vapours.

Hygiene measures : Wash contaminated clothing before reuse. Contaminated work clothing should not be

allowed out of the workplace. Do not eat, drink or smoke when using this product. Always

wash hands after handling the product.

## 7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Ground/bond container and receiving equipment.

Storage conditions : Store in a well-ventilated place. Keep cool. Keep container tightly closed. Protect from

freezing. Protect from sunlight.

Incompatible products : Acids. Oxidizing agent. Strong bases.

Maximum storage period : 13 months Storage temperature : 5 - 20 °C

Storage area : Store away from heat. Store in a well-ventilated place.

## 7.3. Specific end use(s)

No additional information available

## **SECTION 8: Exposure controls/personal protection**

#### 8.1. Control parameters

No additional information available

## 8.2. Exposure controls

#### Appropriate engineering controls:

Ensure good ventilation of the work station.

## Hand protection:

Protective gloves

Туре	Material	Permeation	Thickness (mm)	Penetration	Standard
Gloves	Butyl rubber				EN 374

#### Eye protection:

Safety glasses. EN 166

## Skin and body protection:

Wear suitable protective clothing

#### Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

Device	Filter type	Condition	Standard
	Type A - High-boiling (>65 °C) organic compounds	If conc. in air > exposure limit	

## Personal protective equipment symbol(s):





## **Environmental exposure controls:**

Avoid release to the environment.

6/9/2015 (Version: 1.0) EN (English) 3/8 9/27/2018 (Version: 2.0)

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

## **SECTION 9: Physical and chemical properties**

9.1. Information on basic physical and chemical properties

Physical state : Liquid Colour : Colourless. Odour : No data available Odour threshold : No data available рΗ No data available Relative evaporation rate (butylacetate=1) : No data available Melting point : Not applicable : No data available Freezing point **Boiling point** : No data available Flash point : No data available : No data available Auto-ignition temperature Decomposition temperature : No data available Flammability (solid, gas) : Not applicable : No data available Vapour pressure Relative vapour density at 20 °C : No data available Relative density : No data available : 0.84 g/cm3 +/- 0.03 Density Solubility : No data available Log Pow : No data available : No data available Viscosity, kinematic Viscosity, dynamic : No data available

9.2. Other information

Explosive properties

Oxidising properties

**Explosive limits** 

No additional information available

## **SECTION 10: Stability and reactivity**

## 10.1. Reactivity

Highly flammable liquid and vapour.

## 10.2. Chemical stability

Stable under normal conditions.

#### 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

## 10.4. Conditions to avoid

Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of ignition. gel. Direct sunlight.

: No data available : No data available

: No data available

#### 10.5. Incompatible materials

Acids. Bases. Strong oxidisers.

## 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## **SECTION 11: Toxicological information**

4.	4 4	Inda	-41	Anna Inc.		- 66 4 -
1	1.1.	. intorm	ation or	1 TOXICO	logicai	effects

Acute toxicity (oral) : Not classified : Not classified Acute toxicity (dermal) Acute toxicity (inhalation) : Not classified

Orange, sweet, ext. (8028-48-6)			
LD50 oral rat	> 5000 mg/kg		
LD50 dermal rabbit	> 5000 mg/kg		

p-mentha-1,4(8)-diene (586-62-9)		
LD50 oral rat	3740 mg/kg	
LD50 dermal rabbit	> 4300 mg/kg	

6/9/2015 (Version: 1.0) EN (English) 4/8 9/27/2018 (Version: 2.0)

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

socialing to regulation (25) its room to the first the amount of the first to the f				
Ethanol (64-17-5)				
10470 mg/kg bodyweight				
15800 mg/kg bodyweight				
> 99999 mg/l				
Causes skin irritation.				
Causes serious eye damage.				
May cause an allergic skin reaction.				
Not classified				

C		СТ	ION	1 12.	Fco	logi	cal	inf	ormation
_	_	$\mathbf{v}_{\perp}$		14.		logi	Cai	ши	Officiation

		_		
-1	') 1		OVI	citv
	4.			CILV

: Do not discharge into drains or the environment. Toxic to aquatic life with long lasting Ecology - general

effects.

Acute aquatic toxicity : Not classified

Chronic aquatic toxicity : Toxic to aquatic life with long lasting effects.

Orange, sweet, ext. (8028-48-6)			
LC50 fish 1	0.7 mg/l Tête de boule		
EC50 Daphnia 1	0.67 mg/l daphnia magna		
EC50 72h algae (1)	150 mg/l		

p-mentha-1,4(8)-diene (586-62-9)		
LC50 fish 1	0.805 mg/l Danio rerio	
EC50 Daphnia 1	0.634 mg/l Daphnia magna	
EC50 72h algae (1)	0.273 - 0.692 mg/l Pseudokirchneriella subcapitata	

Ethanol (64-17-5)		
LC50 fish 1	14200 mg/l	
EC50 Daphnia 1	0 mg/l	
EC50 other aquatic organisms 1	5012 mg/l waterflea	
EC50 other aquatic organisms 2	275 mg/l	
12.2. Persistence and degradability		
Orange, sweet, ext. (8028-48-6)		
Biodegradation	72 - 83 4 % 28d (OCDE 301B)	

p-mentha-1,4(8)-diene (586-62-9)		
Biodegradation	81 % 28j OCDE 301D	
12.3. Bioaccumulative potential		
Ethanol (64-17-5)		
Log Pow	-0.32	
12.4. Mobility in soil		

No additional information available

## 12.5. Results of PBT and vPvB assessment

No additional information available

## 12.6. Other adverse effects

No additional information available

6/9/2015 (Version: 1.0) EN (English) 5/8

9/27/2018 (Version: 2.0)

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

## **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

Additional information : Flammable vapours may accumulate in the container.

Ecology - waste materials : Avoid release to the environment.

## SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

#### 14.1. UN number

UN-No. (ADR) : 1993 UN-No. (IMDG) : 1993

UN-No. (IATA) : Not applicable UN-No. (ADN) : Not applicable UN-No. (RID) : Not applicable

#### 14.2. UN proper shipping name

Proper Shipping Name (ADR) : FLAMMABLE LIQUID, N.O.S.
Proper Shipping Name (IMDG) : FLAMMABLE LIQUID, N.O.S.

Proper Shipping Name (IATA) : Not applicable
Proper Shipping Name (ADN) : Not applicable
Proper Shipping Name (RID) : Not applicable

Transport document description (ADR) : UN 1993 FLAMMABLE LIQUID, N.O.S. (), 3, II, (D/E), ENVIRONMENTALLY

HAZARDOUS

Transport document description (IMDG) : UN 1993 FLAMMABLE LIQUID, N.O.S., 3, II, MARINE POLLUTANT/ENVIRONMENTALLY

**HAZARDOUS** 

## 14.3. Transport hazard class(es)

#### **ADR**

Transport hazard class(es) (ADR) : 3
Danger labels (ADR) : 3



## **IMDG**

Transport hazard class(es) (IMDG) : 3
Danger labels (IMDG) : 3



#### IATA

Transport hazard class(es) (IATA) : Not applicable



## ADN

Transport hazard class(es) (ADN) : Not applicable



## RID

Transport hazard class(es) (RID) : Not applicable

6/9/2015 (Version: 1.0) EN (English) 6/8 9/27/2018 (Version: 2.0)

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830



14.4. Packing group

Packing group (ADR) : II
Packing group (IMDG) : II

Packing group (IATA) : Not applicable
Packing group (ADN) : Not applicable
Packing group (RID) : Not applicable

14.5. Environmental hazards

Dangerous for the environment : Yes
Marine pollutant : Yes

Other information : No supplementary information available

## 14.6. Special precautions for user

## **Overland transport**

Classification code (ADR) : F1

Special provisions (ADR) : 274, 601, 640D

Limited quantities (ADR) : 1I Excepted quantities (ADR) : E2

Packing instructions (ADR) : P001, IBC02, R001

Mixed packing provisions (ADR) : MP19
Portable tank and bulk container instructions : T7

(ADR)

Portable tank and bulk container special provisions

(ADR)

: TP1, TP8, TP28

Tank code (ADR): LGBFVehicle for tank carriage: FLTransport category (ADR): 2Special provisions for carriage - Operation (ADR): S2, S20

Hazard identification number (Kemler No.) : 33

Orange plates

33 1993

Tunnel restriction code (ADR) : D/E EAC code : •3YE

Transport by sea

Special provisions (IMDG) : 274
Limited quantities (IMDG) : 1 L

Excepted quantities (IMDG) : E2

Packing instructions (IMDG) : P001

IBC packing instructions (IMDG) : IBC02

Tank instructions (IMDG) : T7

Tank special provisions (IMDG) : TP1, TP8, TP28

EmS-No. (Fire) : F-E
EmS-No. (Spillage) : S-E
Stowage category (IMDG) : B

#### Air transport

No data available

## Inland waterway transport

No data available

#### Rail transport

No data available

## 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

6/9/2015 (Version: 1.0) EN (English) 7/8 9/27/2018 (Version: 2.0)

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

## **SECTION 15: Regulatory information**

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

## 15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Contains no NEZICITZ (mox XIV Substances		
Allergenic fragrances > 0,01%:		
Orange, sweet, ext.		
Detergent Regulation : Labelling of contents:		
Component	%	
non-ionic surfactants	5-15%	
perfumes		

Directive 2012/18/EU (SEVESO III)

## 15.1.2. National regulations

No additional information available

## 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

## **SECTION 16: Other information**

Full text of H- and EUH-statements:		
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4	
Aquatic Acute 1	Hazardous to the aquatic environment — Acute Hazard, Category 1	
Aquatic Chronic 1	Hazardous to the aquatic environment — Chronic Hazard, Category 1	
Aquatic Chronic 2	Hazardous to the aquatic environment — Chronic Hazard, Category 2	
Asp. Tox. 1	Aspiration hazard, Category 1	
Eye Dam. 1	Serious eye damage/eye irritation, Category 1	
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2	
Flam. Liq. 2	Flammable liquids, Category 2	
Flam. Liq. 3	Flammable liquids, Category 3	
Skin Irrit. 2	Skin corrosion/irritation, Category 2	
Skin Sens. 1	Skin sensitisation, Category 1	
Skin Sens. 1B	Skin sensitisation, category 1B	
H225	Highly flammable liquid and vapour.	
H226	Flammable liquid and vapour.	
H302	Harmful if swallowed.	
H304	May be fatal if swallowed and enters airways.	
H315	Causes skin irritation.	
H317	May cause an allergic skin reaction.	
H318	Causes serious eye damage.	
H319	Causes serious eye irritation.	
H400	Very toxic to aquatic life.	
H410	Very toxic to aquatic life with long lasting effects.	
H411	Toxic to aquatic life with long lasting effects.	

## SDS EU (REACH Annex II)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product

6/9/2015 (Version: 1.0) EN (English) 8/8