

# TECHNO DECAPANT GRAFFITI B

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830  
Date of issue: 7/21/2014 Revision date: 9/12/2018 Supersedes: 5/3/2018 Version: 3.1

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product form : Mixture  
Product name : TECHNO DECAPANT GRAFFITI B  
Product code : 304066  
Type of product : Detergent  
Vaporizer : Aerosol  
Product group : AEROSOL

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

##### 1.2.1. Relevant identified uses

Main use category : Professional use  
Industrial/Professional use spec : Industrial  
For professional use only

##### 1.2.2. Uses advised against

No additional information available

#### 1.3. Details of the supplier of the safety data sheet

IPC  
10 QUAI MALBERT - CS 71821 29218 BREST CEDEX 2 -  
FRANCE  
T 0298434544 - F 0298442253 [www.ipc-sa.com](http://www.ipc-sa.com)

#### 1.4. Emergency telephone number

No additional information available

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP] Mixtures/Substances: SDS EU 2015: According to Regulation (EU) 2015/830 (REACH Annex II)

|   |           |
|---|-----------|
| Aerosol, Category 1   | H222;H229 |
| Skin corrosion/irritation, Category 2                           | H315      |
| Serious eye damage/eye irritation, Category 1                   | H318      |
| Specific target organ toxicity (single exposure) Not classified |           |
| Full text of H statements : see section 16                      |           |

#### Adverse physicochemical, human health and environmental effects

No additional information available

#### 2.2. Label elements

##### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :



GHS02

GHS05

Signal word (CLP) : Danger  
Hazardous ingredients : 2-aminoethanol, ethanolamine  
Hazard statements (CLP) : H222 - Extremely flammable aerosol.  
H229 - Pressurised container: May burst if heated.  
H315 - Causes skin irritation.  
H318 - Causes serious eye damage.  
Precautionary statements (CLP) : P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
P211 - Do not spray on an open flame or other ignition source.  
P251 - Do not pierce or burn, even after use.  
P280 - Wear eye protection, protective gloves.  
P310 - Immediately call a doctor, a POISON CENTER.  
P410+P412 - Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.  
P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

#### 2.3. Other hazards

No additional information available

# TECHNO DECAPANT GRAFFITI B

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

### SECTION 3: Composition/information on ingredients

#### 3.1. Substances

Not applicable

#### 3.2. Mixtures

| Name                         | Product identifier   | %     | Classification according to Regulation (EC) No. 1272/2008 [CLP]   |
|------------------------------|--|-------|---|
| 1,3-dioxolane                | (CAS-No.) 646-06-0<br>(EC-No.) 211-463-5<br>(EC Index-No.) 605-017-00-2<br>(REACH-no) 01-2119490744-29 | 20-50 | Flam. Liq. 2, H225<br>Eye Irrit. 2, H319  |
| 2-aminoethanol, ethanolamine | (CAS-No.) 141-43-5<br>(EC-No.) 205-483-3<br>(EC Index-No.) 603-030-00-8<br>(REACH-no) 01-2119486455-28 | 1-5   | Acute Tox. 4 (Oral), H302<br>Acute Tox. 4 (Dermal), H312<br>Acute Tox. 4 (Inhalation), H332<br>Skin Corr. 1B, H314<br>STOT SE 3, H335 |
| benzyl alcohol               | (CAS-No.) 100-51-6<br>(EC-No.) 202-859-9<br>(EC Index-No.) 603-057-00-5<br>(REACH-no) 01-2119492630-38 | 1-5   | Acute Tox. 4 (Oral), H302<br>Acute Tox. 4 (Inhalation), H332<br>Eye Irrit. 2, H319  |
| Alkylsulphates               | (CAS-No.) 126-92-1<br>(EC-No.) 204-812-8   | 1-5   | Skin Irrit. 2, H315<br>Eye Dam. 1, H318   |

#### Specific concentration limits:

| Name                         | Product identifier   | Specific concentration limits |
|------------------------------|--|-------------------------------|
| 2-aminoethanol, ethanolamine | (CAS-No.) 141-43-5<br>(EC-No.) 205-483-3<br>(EC Index-No.) 603-030-00-8<br>(REACH-no) 01-2119486455-28 | (C >= 5) STOT SE 3, H335      |

Full text of H-statements: see section 16

### SECTION 4: First aid measures

#### 4.1. Description of first aid measures

|                                       |   |
|---------------------------------------|---|
| First-aid measures general            | : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).   |
| First-aid measures after inhalation   | : Cough. Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/doctor if you feel unwell.   |
| First-aid measures after skin contact | : Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse.   |
| First-aid measures after eye contact  | : Rinse cautiously with water for several minutes. Direct contact with the eyes is likely to be irritating. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. Get medical advice/attention. |
| First-aid measures after ingestion    | : Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention.  |

#### 4.2. Most important symptoms and effects, both acute and delayed

|                                    |   |
|------------------------------------|---|
| Symptoms/effects after inhalation  | : Shortness of breath. May cause respiratory irritation. May cause drowsiness or dizziness. |
| Symptoms/effects after eye contact | : Causes serious eye irritation.  |

#### 4.3. Indication of any immediate medical attention and special treatment needed

Avis au médecin.

### SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

|                                |  |
|--------------------------------|--|
| Suitable extinguishing media   | : Foam. Dry powder. Carbon dioxide. Water spray. Sand. |
| Unsuitable extinguishing media | : Do not use a heavy water stream.                     |

#### 5.2. Special hazards arising from the substance or mixture

|                  |   |
|------------------|---|
| Fire hazard      | : Extremely flammable aerosol.  |
| Explosion hazard | : Heat may build pressure, rupturing closed containers, spreading fire and increasing risk of burns and injuries. |

#### 5.3. Advice for firefighters

|                                |  |
|--------------------------------|--|
| Firefighting instructions      | : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire fighting water from entering the environment. DO NOT fight fire when fire reaches explosives. Evacuate area. |
| Protection during firefighting | : Do not enter fire area without proper protective equipment, including respiratory protection.  |

# TECHNO DECAPANT GRAFFITI B

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

General measures : No open flames. No smoking. Isolate from fire, if possible, without unnecessary risk.  
Remove ignition sources. Use special care to avoid static electric charges.

##### 6.1.1. For non-emergency personnel

Emergency procedures : Evacuate unnecessary personnel.

##### 6.1.2. For emergency responders

Protective equipment : Equip cleanup crew with proper protection. Avoid breathing spray.

Emergency procedures : Ventilate area.

#### 6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

#### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Store away from other materials.

#### 6.4. Reference to other sections

See Heading 8. Exposure controls and personal protection.

### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

Additional hazards when processed : Hazardous waste due to potential risk of explosion. Do not pierce or burn, even after use.

Precautions for safe handling : Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapour. Do not spray on an open flame or other ignition source. Avoid breathing spray. Use only outdoors or in a well-ventilated area.

Hygiene measures : Wash hands thoroughly after handling.

#### 7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Proper grounding procedures to avoid static electricity should be followed.

Storage conditions : Keep only in the original container in a cool, well ventilated place away from : Heat sources. Do not expose to temperatures exceeding 50 °C/ 122 °F. Keep in fireproof place. Keep container tightly closed.

Incompatible products : Strong bases. Strong acids.

Incompatible materials : Sources of ignition. Direct sunlight. Heat sources.

#### 7.3. Specific end use(s)

No additional information available

### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

No additional information available

#### 8.2. Exposure controls

##### Personal protective equipment:

Avoid all unnecessary exposure.

##### Hand protection:

Wear protective gloves.

##### Eye protection:

Chemical goggles or safety glasses

##### Respiratory protection:

Where exposure through inhalation may occur from use, respiratory protection equipment is recommended

##### Other information:

Do not eat, drink or smoke during use.

### SECTION 9: Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties

Physical state : Liquid

Colour : light yellow.

Odour : Solvent.

Odour threshold : No data available

pH : No data available

Relative evaporation rate (butylacetate=1) : No data available

# TECHNO DECAPANT GRAFFITI B

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

|                                  |   |
|----------------------------------|---|
| Melting point                    | : No data available                           |
| Freezing point                   | : No data available                           |
| Boiling point                    | : No data available                           |
| Flash point                      | : No data available                           |
| Auto-ignition temperature        | : No data available                           |
| Decomposition temperature        | : No data available                           |
| Flammability (solid, gas)        | : Non flammable, Extremely flammable aerosol. |
| Vapour pressure                  | : No data available                           |
| Relative vapour density at 20 °C | : No data available                           |
| Relative density                 | : 1.03  |
| Solubility                       | : No data available                           |
| Log Pow                          | : No data available                           |
| Viscosity, kinematic             | : No data available                           |
| Viscosity, dynamic               | : No data available                           |
| Explosive properties             | : No data available                           |
| Oxidising properties             | : No data available                           |
| Explosive limits                 | : No data available                           |

### 9.2. Other information

No additional information available

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

No additional information available

### 10.2. Chemical stability

Extremely flammable aerosol. Contains gas under pressure; may explode if heated. Extreme risk of explosion by shock, friction, fire or other sources of ignition.

### 10.3. Possibility of hazardous reactions

Not established.

### 10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures. Heat. Sparks. Open flame. Overheating.

### 10.5. Incompatible materials

Strong acids. Strong bases.

### 10.6. Hazardous decomposition products

fume. Carbon monoxide. Carbon dioxide.

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

|                             |                  |
|-----------------------------|------------------|
| Acute toxicity (oral)       | : Not classified |
| Acute toxicity (dermal)     | : Not classified |
| Acute toxicity (inhalation) | : Not classified |

#### 1,3-dioxolane (646-06-0)

|               |            |
|---------------|------------|
| LD50 oral rat | 2000 mg/kg |
|---------------|------------|

#### 2-aminoethanol, ethanolamine (141-43-5)

|                            |            |
|----------------------------|------------|
| LD50 oral rat              | 1515 mg/kg |
| LC50 inhalation rat (mg/l) | > 1.3 mg/l |

#### Alkylsulphates (126-92-1)

|                    |            |
|--------------------|------------|
| LD50 oral rat      | 4 g/kg     |
| LD50 dermal rabbit | 6540 µl/kg |

#### benzyl alcohol (100-51-6)

|                            |                 |
|----------------------------|-----------------|
| LD50 oral rat              | 1230 mg/kg      |
| LC50 inhalation rat (mg/l) | > 4.178 mg/l/4h |

|                           |  |
|---------------------------|--|
| Skin corrosion/irritation | : Causes skin irritation.  |
| Additional information    | : Based on available data, the classification criteria are not met |

# TECHNO DECAPANT GRAFFITI B

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

|                                   |  |
|-----------------------------------|--|
| Serious eye damage/irritation     | : Causes serious eye damage.                                       |
| Respiratory or skin sensitisation | : Not classified   |
| Additional information            | : Based on available data, the classification criteria are not met |
| Germ cell mutagenicity            | : Not classified   |
| Additional information            | : Based on available data, the classification criteria are not met |
| Carcinogenicity                   | : Not classified   |
| Additional information            | : Based on available data, the classification criteria are not met |
| Reproductive toxicity             | : Not classified   |
| Additional information            | : Based on available data, the classification criteria are not met |
| STOT-single exposure              | : Not classified.  |
| STOT-repeated exposure            | : Not classified   |
| Additional information            | : Based on available data, the classification criteria are not met |
| Aspiration hazard                 | : Not classified   |
| Additional information            | : Based on available data, the classification criteria are not met |

### DECAPANT PEINTURE THIXOTROPIQUE

|           |         |
|-----------|---------|
| Vaporizer | Aerosol |
|-----------|---------|

|   |   |
|---|---|
| Potential adverse human health effects and symptoms | : Based on available data, the classification criteria are not met. |
|---|---|

## SECTION 12: Ecological information

### 12.1. Toxicity

|                          |                  |
|--------------------------|------------------|
| Acute aquatic toxicity   | : Not classified |
| Chronic aquatic toxicity | : Not classified |

#### 1,3-dioxolane (646-06-0)

|                        |            |
|------------------------|------------|
| LC50 fish 1            | 95.4 mg/l  |
| EC50 Daphnia 1         | 772 mg/l   |
| ErC50 (algae)          | 877 mg/l   |
| NOEC chronic fish      | 546.3 mg/l |
| NOEC chronic crustacea | 197.4 mg/l |
| NOEC chronic algae     | 877 mg/l   |

#### 2-aminoethanol, ethanolamine (141-43-5)

|                |          |
|----------------|----------|
| LC50 fish 1    | 349 mg/l |
| EC50 Daphnia 1 | 65 mg/l  |
| NOEC (acute)   | 1 mg/l   |

#### benzyl alcohol (100-51-6)

|                |          |
|----------------|----------|
| LC50 fish 1    | 460 mg/l |
| EC50 Daphnia 1 | 360 mg/l |
| ErC50 (algae)  | 640 mg/l |

### 12.2. Persistence and degradability

#### DECAPANT PEINTURE THIXOTROPIQUE

|                               |                  |
|-------------------------------|------------------|
| Persistence and degradability | Not established. |
|-------------------------------|------------------|

#### 1,3-dioxolane (646-06-0)

|                               |                  |
|-------------------------------|------------------|
| Persistence and degradability | Not established. |
|-------------------------------|------------------|

#### 2-aminoethanol, ethanolamine (141-43-5)

|                               |                  |
|-------------------------------|------------------|
| Persistence and degradability | Not established. |
| Biodegradation                | > 90 %           |

# TECHNO DECAPANT GRAFFITI B

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

### benzyl alcohol (100-51-6)

Persistence and degradability : Not established.

### 12.3. Bioaccumulative potential

#### DECAPANT PEINTURE THIXOTROPIQUE

Bioaccumulative potential : Not established.

### 1,3-dioxolane (646-06-0)

Log Pow : -0.37

Bioaccumulative potential : Not established.

### 2-aminoethanol, ethanolamine (141-43-5)

Bioaccumulative potential : Not established.

### benzyl alcohol (100-51-6)

Bioaccumulative potential : Not established.

### 12.4. Mobility in soil

No additional information available

### 12.5. Results of PBT and vPvB assessment

No additional information available

### 12.6. Other adverse effects

Additional information : Avoid release to the environment.

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

Product/Packaging disposal recommendations : Dispose in a safe manner in accordance with local/national regulations. Container under pressure. Do not drill or burn even after use. Dispose of contents/container to compliance with local regulations.

Additional information : Flammable vapours may accumulate in the container.

Ecology - waste materials : Avoid release to the environment.

## SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

### 14.1. UN number

UN-No. (ADR) : 1950  
UN-No. (IMDG) : 1950  
UN-No. (IATA) : 1950  
UN-No. (ADN) : 1950  
UN-No. (RID) : Not applicable

### 14.2. UN proper shipping name

Proper Shipping Name (ADR) : AEROSOLS  
Proper Shipping Name (IMDG) : AEROSOLS  
Proper Shipping Name (IATA) : Aerosols, flammable  
Proper Shipping Name (ADN) : AEROSOLS  
Proper Shipping Name (RID) : Not applicable  
Transport document description (ADR) : UN 1950 AEROSOLS, 2.1, (D)  
Transport document description (IMDG) : UN 1950 AEROSOLS, 2.1  
Transport document description (IATA) : UN 1950 Aerosols, flammable, 2.1  
Transport document description (ADN) : UN 1950 AEROSOLS, 2.1

### 14.3. Transport hazard class(es)

#### ADR

Transport hazard class(es) (ADR) : 2.1  
Danger labels (ADR) : 2.1

# TECHNO DECAPANT GRAFFITI B

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830



### IMDG

Transport hazard class(es) (IMDG) : 2.1

Danger labels (IMDG) : 2.1



### IATA

Transport hazard class(es) (IATA) : 2.1

Hazard labels (IATA) : 2.1



### ADN

Transport hazard class(es) (ADN) : 2.1

Danger labels (ADN) : 2.1



### RID

Transport hazard class(es) (RID) : Not applicable

#### 14.4. Packing group

Packing group (ADR) : Not applicable

Packing group (IMDG) : Not applicable

Packing group (IATA) : Not applicable

Packing group (ADN) : Not applicable

Packing group (RID) : Not applicable

#### 14.5. Environmental hazards

Dangerous for the environment : No

Marine pollutant : No

Other information : No supplementary information available

#### 14.6. Special precautions for user

##### Overland transport

Classification code (ADR) : 5F

Special provisions (ADR) : 190, 327, 344, 625

Limited quantities (ADR) : 1I

Excepted quantities (ADR) : E0

Packing instructions (ADR) : P207, LP02

Special packing provisions (ADR) : PP87, RR6, L2

Mixed packing provisions (ADR) : MP9

Transport category (ADR) : 2

Special provisions for carriage - Packages (ADR) : V14

Special provisions for carriage - Loading, unloading and handling (ADR) : CV9, CV12

Special provisions for carriage - Operation (ADR) : S2

Tunnel restriction code (ADR) : D

# TECHNO DECAPANT GRAFFITI B

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

### Transport by sea

|                                   |                               |
|-----------------------------------|-------------------------------|
| Special provisions (IMDG)         | : 63, 190, 277, 327, 344, 959 |
| Limited quantities (IMDG)         | : SP277                       |
| Excepted quantities (IMDG)        | : E0                          |
| Packing instructions (IMDG)       | : P207, LP02                  |
| Special packing provisions (IMDG) | : PP87, L2                    |
| EmS-No. (Fire)                    | : F-D                         |
| EmS-No. (Spillage)                | : S-U                         |
| Stowage category (IMDG)           | : None                        |

### Air transport

|  |              |
|--|--------------|
| PCA Excepted quantities (IATA)               | : E0         |
| PCA Limited quantities (IATA)                | : Y203       |
| PCA limited quantity max net quantity (IATA) | : 30kgG      |
| PCA packing instructions (IATA)              | : 203        |
| PCA max net quantity (IATA)                  | : 75kg       |
| CAO packing instructions (IATA)              | : 203        |
| CAO max net quantity (IATA)                  | : 150kg      |
| Special provisions (IATA)                    | : A145, A167 |
| ERG code (IATA)                              | : 10L        |

### Inland waterway transport

|                                   |                     |
|-----------------------------------|---------------------|
| Classification code (ADN)         | : 5F                |
| Special provisions (ADN)          | : 19, 327, 344, 625 |
| Limited quantities (ADN)          | : 1 L               |
| Excepted quantities (ADN)         | : E0                |
| Equipment required (ADN)          | : PP, EX, A         |
| Ventilation (ADN)                 | : VE01, VE04        |
| Number of blue cones/lights (ADN) | : 1                 |

### Rail transport

No data available

### 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

| Detergent Regulation : Ingredient data sheet:    |           |         |
|--|-----------|---------|
| Component  | CAS-No.   | %       |
| 1,3-dioxolane                                    | 646-06-0  | >=10%   |
| dimethoxymethane                                 | 109-87-5  | >=10%   |
| 2-aminoethanol, ethanolamine                     | 141-43-5  | 1 - 10% |
| benzyl alcohol                                   | 100-51-6  | 1 - 10% |
| SODIUM OCTYL SULFATE                             | 126-92-1  | 1 - 10% |
| GAZ AZOTE  | 7727-37-9 | 1 - 10% |
| METHOCEL F4M                                     | 9004-65-3 | <0.1%   |
| ammonia ....%                                    | 1336-21-6 | <0.1%   |
| Partially Fluorinated Alcohol Substituted Glycol |           | <0.1%   |
| 2-diethylaminoethanol, N,N-diethylethanolamine   | 100-37-8  | <0.1%   |
| Detergent Regulation : Labelling of contents:    |           |         |



# TECHNO DECAPANT GRAFFITI B

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

| Component           | %   |
|---------------------|-----|
| anionic surfactants | <5% |

Directive 2012/18/EU (SEVESO III)

### 15.1.2. National regulations

| France  |   |             |       |
|---------|---|-------------|-------|
| No ICPE | Installations classées<br>Désignation de la rubrique  | Code Régime | Rayon |
| 4321.1  | La quantité totale susceptible d'être présente dans l'installation étant :<br>1. Supérieure ou égale à 5 000 t<br>Nota.<br>— Les aérosols inflammables sont classés conformément à la directive 75/324/ CEE relative aux générateurs aérosols. Les aérosols extrêmement inflammables et inflammables de la directive 75/324/ CEE correspondent respectivement aux aérosols inflammables des catégories 1 et 2 du règlement (CE) n° 1272/2008.<br>Quantité seuil bas au sens de l'article R. 511-10 : 5 000 t.<br>Quantité seuil haut au sens de l'article R. 511-10 : 50 000 t.                       | A           | 1     |
| 4321.2  | La quantité totale susceptible d'être présente dans l'installation étant :<br>2. Supérieure ou égale à 500 t et inférieure à 5 000 t<br>Nota.<br>— Les aérosols inflammables sont classés conformément à la directive 75/324/ CEE relative aux générateurs aérosols. Les aérosols extrêmement inflammables et inflammables de la directive 75/324/ CEE correspondent respectivement aux aérosols inflammables des catégories 1 et 2 du règlement (CE) n° 1272/2008.<br>Quantité seuil bas au sens de l'article R. 511-10 : 5 000 t.<br>Quantité seuil haut au sens de l'article R. 511-10 : 50 000 t. | D           |       |

### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

## SECTION 16: Other information

### Indication of changes:

| Section | Changed item                   | Change   | Comments |
|---------|--------------------------------|----------|----------|
|         | SDS EU format                  | Removed  |          |
| 2.2     | Precautionary statements (CLP) | Modified |          |
| 2.2     | Hazard statements (CLP)        | Modified |          |

Data sources : REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.

Other information : None.

### Full text of H- and EUH-statements:

|                           |  |
|---------------------------|--|
| Acute Tox. 4 (Dermal)     | Acute toxicity (dermal), Category 4  |
| Acute Tox. 4 (Inhalation) | Acute toxicity (inhal.), Category 4  |
| Acute Tox. 4 (Oral)       | Acute toxicity (oral), Category 4  |
| Eye Dam. 1                | Serious eye damage/eye irritation, Category 1  |
| Eye Irrit. 2              | Serious eye damage/eye irritation, Category 2  |
| Flam. Liq. 2              | Flammable liquids, Category 2  |
| Skin Corr. 1B             | Skin corrosion/irritation, Category 1B   |
| Skin Irrit. 2             | Skin corrosion/irritation, Category 2  |
| STOT SE 3                 | Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation |
| H222                      | Extremely flammable aerosol.   |
| H225                      | Highly flammable liquid and vapour.  |
| H229                      | Pressurised container: May burst if heated.  |
| H302                      | Harmful if swallowed.  |
| H312                      | Harmful in contact with skin.  |

# TECHNO DECAPANT GRAFFITI B

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

|      |  |
|------|--|
| H314 | Causes severe skin burns and eye damage. |
| H315 | Causes skin irritation.                  |
| H318 | Causes serious eye damage.               |
| H319 | Causes serious eye irritation.           |
| H332 | Harmful if inhaled.                      |
| H335 | May cause respiratory irritation.        |

SDS EU (REACH Annex II)

*This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product*