

TECHNO DETARMAX 6 CAP VERT

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830
SDS Ref.: FFF416
Date of issue: 11/30/2017 Revision date: 4/8/2019 Version: 1.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture
Product name : TECHNO DETARMAX 6 CAP VERT
Type of product : Detergent

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Main use category : Industrial use
Industrial/Professional use spec : For professional use only
Use of the substance/mixture : Acid cleaning product, descaling agent

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

IPC
10 QUAI COMMANDANT MALBERT" CS 71 821
29218 BREST
T 0 800 38 19 26 - F 02 98 44 22 53
ipc@ipc-sa.com

1.4. Emergency telephone number

Emergency number : 01 45 42 59 59 (n° ORFILA)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Skin corrosion/irritation, Category 1A H314
Serious eye damage/eye irritation, Category 2 H319
Full text of H statements : see section 16

Adverse physicochemical, human health and environmental effects

No additional information available

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :



GHS05

Signal word (CLP) : Danger
Hazardous ingredients : Glycolic Acid
Hazard statements (CLP) : H314 - Causes severe skin burns and eye damage.
Precautionary statements (CLP) : P304+P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P303+P361+P353 - IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.
P310 - Immediately call a POISON CENTER or doctor/physician.
P102 - Keep out of reach of children.
P280 - Wear protective gloves, eye protection, protective clothing.
P301+P330+P331 - IF SWALLOWED: rinse mouth. Do NOT induce vomiting.
Dispose of this material and its container to hazardous or special waste collection point.
P404 - Store in a closed container.

2.3. Other hazards

No additional information available

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

TECHNO DETARMAX 6 CAP VERT

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Glycolic Acid	(CAS-No.) 79-14-1 (EC-No.) 201-180-5 (REACH-no) 01-2119485579-17	10 - 20	Skin Corr. 1B, H314 Eye Dam. 1, H318
ACIDE DODECYL BENZENE SULFONIQUE	(CAS-No.) 85536-14-7 (EC-No.) 287-494-3 (REACH-no) 01-2119490234-40	1 - 5	Skin Corr. 1A, H314 Eye Dam. 1, H318 Acute Tox. 4 (Oral), H302
Ethanol	(CAS-No.) 64-17-5 (EC-No.) 200-578-6 (EC Index-No.) 603-002-00-5 (REACH-no) 01-2119457610-43	0.1 - 1	Flam. Liq. 2, H225 Eye Irrit. 2, H319

Full text of H-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general	: If you feel unwell, seek medical advice (show the label where possible).
First-aid measures after inhalation	: When symptoms occur: go into open air and ventilate suspected area.
First-aid measures after skin contact	: Rinse skin with water/shower. Immediately call a POISON CENTER or doctor/physician.
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician.
First-aid measures after ingestion	: Rinse mouth. Do NOT induce vomiting. Immediately call a POISON CENTER or doctor/physician.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects	: Causes severe skin burns and eye damage.
Symptoms/effects after skin contact	: Burns.
Symptoms/effects after eye contact	: Causes serious eye damage.

4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media	: Foam. Dry powder. Carbon dioxide. Water spray. Sand.
Unsuitable extinguishing media	: Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

No additional information available

5.3. Advice for firefighters

Firefighting instructions	: Exercise caution when fighting any chemical fire.
Protection during firefighting	: Do not enter fire area without proper protective equipment, including respiratory protection.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures	: Evacuate unnecessary personnel.
----------------------	-----------------------------------

6.1.2. For emergency responders

Protective equipment	: Equip cleanup crew with proper protection.
Emergency procedures	: Ventilate area.

6.2. Environmental precautions

Notify authorities if liquid enters sewers or public waters.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up	: Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.
-------------------------	---

6.4. Reference to other sections

See Heading 8. Exposure controls and personal protection.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling	: Obtain special instructions before use.
-------------------------------	---

TECHNO DETARMAX 6 CAP VERT

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

7.2. Conditions for safe storage, including any incompatibilities

Technical measures	: Comply with applicable regulations.
Storage conditions	: Store in original container. Keep container closed when not in use.
Incompatible products	: Strong bases.
Incompatible materials	: Sources of ignition. Direct sunlight.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Ethanol (64-17-5)

France	Local name	Alcool éthylique
France	VME (mg/m ³)	1900 mg/m ³
France	VME (ppm)	1000 ppm
France	VLE (mg/m ³)	9500 mg/m ³
France	VLE (ppm)	5000 ppm

8.2. Exposure controls

Personal protective equipment:

Avoid all unnecessary exposure.

Hand protection:

Protective gloves made of latex. Wear suitable gloves. Protective gloves. Nitrile rubber gloves

Eye protection:

Chemical goggles or safety glasses. Ocular shower with suitable liquid. Avoid contact with eyes. Failing water point near

Skin and body protection:

Wear suitable protective clothing. Avoid contact with the skin and the eyes. Immediately remove contaminated or damp clothing

Respiratory protection:

Where exposure through inhalation may occur from use, respiratory protection equipment is recommended

Other information:

Take off contaminated clothes. Do not eat, drink or smoke when using this product.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Appearance	: Viscous liquid.
Colour	: Green.
Odour	: Weak.
Odour threshold	: No data available
pH	: 1 - 2
Relative evaporation rate (butylacetate=1)	: No data available
Melting point	: No data available
Freezing point	: No data available
Boiling point	: No data available
Flash point	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: Not applicable
Vapour pressure	: No data available
Relative vapour density at 20 °C	: No data available
Relative density	: 1.04 - 1.06
Solubility	: Soluble in water.
Log Pow	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available

TECHNO DETARMAX 6 CAP VERT

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Explosive properties : No data available
Oxidising properties : No data available
Explosive limits : No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Acid.

10.2. Chemical stability

Stable under normal conditions of storage, handling and use.

10.3. Possibility of hazardous reactions

Reacts violently with (strong) bases.

10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures.

10.5. Incompatible materials

Strong bases.

10.6. Hazardous decomposition products

fume. Corrosive vapours.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

Glycolic Acid (79-14-1)

LD50 oral rat	2040 mg/kg
LC50 inhalation rat (Vapours - mg/l/4h)	3.6 mg/l/4h

ACIDE DODECYL BENZENE SULFONIQUE (85536-14-7)

LD50 oral rat	> 200 mg/kg
LD50 dermal rat	> 2000 mg/kg

Ethanol (64-17-5)

LD50 oral rat	> 2000 mg/kg
LD50 dermal rabbit	> 2000 mg/kg
LC50 inhalation rat (Vapours - mg/l/4h)	> 20 mg/l/4h

Skin corrosion/irritation : Causes severe skin burns and eye damage.
pH: 1 - 2

Serious eye damage/irritation : Causes serious eye irritation.
pH: 1 - 2

Respiratory or skin sensitisation : Not classified

Additional information : Based on available data, the classification criteria are not met

Germ cell mutagenicity : Not classified

Additional information : Based on available data, the classification criteria are not met

Carcinogenicity : Not classified

Additional information : Based on available data, the classification criteria are not met

Reproductive toxicity : Not classified

Additional information : Based on available data, the classification criteria are not met

STOT-single exposure : Not classified

Additional information : Based on available data, the classification criteria are not met

STOT-repeated exposure : Not classified

Additional information : Based on available data, the classification criteria are not met

Aspiration hazard : Not classified

Additional information : Based on available data, the classification criteria are not met

TECHNO DETARMAX 6 CAP VERT

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Potential adverse human health effects and symptoms : Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

12.1. Toxicity

Acute aquatic toxicity : Not classified
Chronic aquatic toxicity : Not classified

Glycolic Acid (79-14-1)

LC50 fish 1	164 mg/l
EC50 Daphnia 1	141 mg/l

ACIDE DODECYL BENZENE SULFONIQUE (85536-14-7)

LC50 fish 1	1.67 mg/l
EC50 Daphnia 1	2.9 mg/l

Ethanol (64-17-5)

LC50 fish 1	> 100 mg/l
EC50 Daphnia 1	> 100 mg/l

12.2. Persistence and degradability

TECHNO DETARMAX 6 CAP VERT

Persistence and degradability The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents.

12.3. Bioaccumulative potential

TECHNO DETARMAX 6 CAP VERT

Bioaccumulative potential Not established.

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

Component

Glycolic Acid (79-14-1)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
ACIDE DODECYL BENZENE SULFONIQUE (85536-14-7)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
Ethanol (64-17-5)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

12.6. Other adverse effects

Additional information : Avoid release to the environment

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste treatment methods : Proper waste management of the mixture and/or its container must be determined in accordance with Directive 2008/98/EC.
Product/Packaging disposal recommendations : Dispose in a safe manner in accordance with local/national regulations.
Ecology - waste materials : Avoid release to the environment.

SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN




ADR	IMDG	IATA	ADN	RID
14.1. UN number				
3264	3264	3264	3264	3264
14.2. UN proper shipping name				
CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S.	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S.	Corrosive liquid, acidic, inorganic, n.o.s.	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S.	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S.

TECHNO DETARMAX 6 CAP VERT

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Transport document description				
UN 3264 CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (Glycolic Acid(79-14-1)), 8, III, (E)	UN 3264 CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S., 8, III	UN 3264 Corrosive liquid, acidic, inorganic, n.o.s., 8, III	UN 3264 CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S., 8, III	UN 3264 CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S., 8, III

14.3. Transport hazard class(es)				
8	8	8	8	8
				

14.4. Packing group				
III	III	III	III	III

14.5. Environmental hazards				
Dangerous for the environment : No	Dangerous for the environment : No Marine pollutant : No	Dangerous for the environment : No	Dangerous for the environment : No	Dangerous for the environment : No


No supplementary information available

14.6. Special precautions for user

Special transport precautions : Transport product in compliance with provisions of the ADR for road, RID for rail, IMDG for sea and ICAO/IATA for air transport

Overland transport

Classification code (ADR) : C1
 Special provisions (ADR) : 274
 Limited quantities (ADR) : 5I
 Excepted quantities (ADR) : E1
 Packing instructions (ADR) : P001, IBC03, LP01, R001
 Mixed packing provisions (ADR) : MP19
 Portable tank and bulk container instructions (ADR) : T7
 Portable tank and bulk container special provisions (ADR) : TP1, TP28
 Tank code (ADR) : L4BN
 Vehicle for tank carriage : AT
 Transport category (ADR) : 3
 Special provisions for carriage - Packages (ADR) : V12
 Hazard identification number (Kemler No.) : 80
 Orange plates :



Tunnel restriction code (ADR) : E

Transport by sea

Special provisions (IMDG) : 223, 274
 Limited quantities (IMDG) : 5 L
 Excepted quantities (IMDG) : E1
 Packing instructions (IMDG) : P001, LP01
 IBC packing instructions (IMDG) : IBC03
 Tank instructions (IMDG) : T7
 Tank special provisions (IMDG) : TP1, TP28
 EmS-No. (Fire) : F-A
 EmS-No. (Spillage) : S-B
 Stowage category (IMDG) : A

Air transport

PCA Excepted quantities (IATA) : E1

TECHNO DETARMAX 6 CAP VERT

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

PCA Limited quantities (IATA)	: Y841
PCA limited quantity max net quantity (IATA)	: 1L
PCA packing instructions (IATA)	: 852
PCA max net quantity (IATA)	: 5L
CAO packing instructions (IATA)	: 856
CAO max net quantity (IATA)	: 60L
Special provisions (IATA)	: A3
ERG code (IATA)	: 8L

Inland waterway transport

Classification code (ADN)	: C1
Special provisions (ADN)	: 274
Limited quantities (ADN)	: 5 L
Excepted quantities (ADN)	: E1
Carriage permitted (ADN)	: T
Equipment required (ADN)	: PP, EP
Number of blue cones/lights (ADN)	: 0

Rail transport

Classification code (RID)	: C1
Special provisions (RID)	: 274
Limited quantities (RID)	: 5L
Excepted quantities (RID)	: E1
Packing instructions (RID)	: P001, IBC03, LP01, R001
Mixed packing provisions (RID)	: MP19
Portable tank and bulk container instructions (RID)	: T7
Portable tank and bulk container special provisions (RID)	: TP1, TP28
Tank codes for RID tanks (RID)	: L4BN
Transport category (RID)	: 3
Special provisions for carriage – Packages (RID)	: W12
Colis express (express parcels) (RID)	: CE8
Hazard identification number (RID)	: 80

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Detergent Regulation : Ingredient data sheet:		
Component	CAS-No.	%
GLYCOLIC ACID	79-14-1	>=10%
C10-13 ALKYL BENZENESULFONATE-L	85536-14-7	1 - 10%
ALCOHOL	64-17-5	0.1 - 1%
Detergent Regulation : Labelling of contents:		
Component	%	
anionic surfactants	<5%	

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

TECHNO DETARMAX 6 CAP VERT

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SECTION 16: Other information

Data sources : REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.

Other information : None.

Full text of H- and EUH-statements:	
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Flam. Liq. 2	Flammable liquids, Category 2
Skin Corr. 1A	Skin corrosion/irritation, Category 1A
Skin Corr. 1B	Skin corrosion/irritation, Category 1B
H225	Highly flammable liquid and vapour
H302	Harmful if swallowed
H314	Causes severe skin burns and eye damage
H318	Causes serious eye damage
H319	Causes serious eye irritation

SDS EU (REACH Annex II)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product