### Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 Date of issue: 16/03/2018 Revision date: 16/03/2018 Supersedes: 26/10/2017 Version: 6.0

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier	
Product form	: Mixture
Trade name	: Techno mousse coupe feu
Vaporizer	: Aerosol

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

2

### 1.2.1. Relevant identified uses

Main use category

: Professional use

#### 1.2.2. Uses advised against

#### No additional information available

1.3. Details of the supplier of the safety data sheet

IPC
10 QUAI MALBERT - CS 71821
29218 BREST CEDEX 2
02.98.43.45.44

#### 1.4. Emergency telephone number

Country	Official advisory body	Address	Emergency number	Comment
United Kingdom	Guy's & St Thomas' Poisons Unit Medical Toxicology Unit, Guy's & St Thomas' Hospital Trust	Avonley Road SE14 5ER London	0870 243 2241	

#### SECTION 2: Hazards identification

2.1. Classification of the substance or mixture					
Classification according to Regulation (EC) No. 1272/2008 [CLP]					
Aerosol, Category 1	H222;H229				
Skin corrosion/irritation, Category 2	H315				
Serious eye damage/eye irritation, Category 2	H319				
Respiratory sensitisation, Category 1	H334				
Skin sensitisation, Category 1	H317				
Carcinogenicity, Category 2	H351				
Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation	H335				
Specific target organ toxicity — Repeated exposure, Category 2	H373				

Full text of H statements : see section 16

Adverse physicochemical, human health and environmental effects No additional information available

#### 2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP] Hazard pictograms (CLP) :

CLP Signal word Hazardous ingredients Hazard statements (CLP)





- : 4,4'-methylenediphenyl diisocyanate, isomers and homologues
- : H222 Extremely flammable aerosol.
- H229 Pressurised container: May burst if heated.
- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H319 Causes serious eye irritation.
- H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

	H351 - Suspected of causing cancer. H373 - May cause damage to organs through prolonged or repeated exposure.
Precautionary statements (CLP)	<ul> <li>P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.</li> <li>P211 - Do not spray on an open flame or other ignition source.</li> <li>P251 - Do not pierce or burn, even after use.</li> <li>P410+P412 - Protect from sunlight. Do not expose to temperatures exceeding 50 °C.</li> <li>P271 - Use only outdoors or in a well-ventilated area.</li> <li>P280 - Wear protective gloves, protective clothing, eye protection, face protection.</li> <li>P304+P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing.</li> <li>P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes.</li> <li>Remove contact lenses, if present and easy to do. Continue rinsing.</li> <li>P501 - Dispose of contents and container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.</li> </ul>
EUH-statements	: EUH204 - Contains isocyanates. May produce an allergic reaction.
Extra phrases	: Persons already sensitised to diisocyanates may develop allergic reactions when using this product Persons suffering from asthma, eczema or skin problems should avoid contact, including dermal contact, with this product This product should not be used under conditions of poor ventilation unless a protective mask with an appropriate gas filter (i.e. type A1 according to standard EN 14387) is used

#### 2.3. Other hazards

No additional information available

### SECTION 3: Composition/information on ingredients

### 3.1. Substances

#### Not applicable

#### 3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
4,4'-methylenediphenyl diisocyanate, isomers and homologues	(CAS-No.) 9016-87-9 (EC-No.) 618-498-9	40 - <60	Acute Tox. 4 (Inhalation), H332 Skin Irrit. 2, H315 Eye Irrit. 2, H319 Resp. Sens. 1, H334 Skin Sens. 1, H317 Carc. 2, H351 STOT SE 3, H335 STOT RE 2, H373
Polymer with 2-Butyne-1,4-Diol and (Chloromethyl- )Oxirane, Brominated, Dehydrochlorinated, Methoxylated	(CAS-No.) 86675-46-9 (EC-No.) 617-903-6 (REACH-no) 01-2119972940-30	10 - <20	Acute Tox. 4 (Oral), H302
TCPP_Tris(2-chloro-1-methylethyl) phosphate_multiconstituent substance	(EC-No.) 911-815-4 (REACH-no) 01-2119486772-26	10 - <20	Acute Tox. 4 (Oral), H302
isobutane (Note C)(Note U)	(CAS-No.) 75-28-5 (EC-No.) 200-857-2 (EC Index-No.) 601-004-00-0 (REACH-no) 01-2119485395-27	5 - <10	Flam. Gas 1, H220 Press. Gas (Comp.), H280
propane (Note U)	(CAS-No.) 74-98-6 (EC-No.) 200-827-9 (EC Index-No.) 601-003-00-5 (REACH-no) 01-2119486944-21	2,5 - <5	Flam. Gas 1, H220 Press. Gas (Comp.), H280
dimethyl ether (Note U)	(CAS-No.) 115-10-6 (EC-No.) 204-065-8 (EC Index-No.) 603-019-00-8 (REACH-no) 01-2119472128-37	2,5 - <5	Flam. Gas 1, H220 Press. Gas (Comp.), H280
triethyl phosphate	(CAS-No.) 78-40-0 (EC-No.) 201-114-5 (EC Index-No.) 015-013-00-7 (REACH-no) 01-2119492852-28	1 - <2,5	Acute Tox. 4 (Oral), H302

### Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Note C : Some organic substances may be marketed either in a specific isomeric form or as a mixture of several isomers. In this case the supplier must state on the label whether the substance is a specific isomer or a mixture of isomers.

Note U : When put on the market gases have to be classified as 'Gases under pressure', in one of the groups compressed gas, liquefied gas, refrigerated liquefied gas or dissolved gas. The group depends on the physical state in which the gas is packaged and therefore has to be assigned case by case.

Full text of H-statements: see section 16

#### SECTION 4: First aid measures

4.1. Description of first aid measur	res
First-aid measures general	: In all cases of doubt, or when symptoms persist, seek medical attention. If you fee unwell, seek medical advice (show the label where possible).
First-aid measures after inhalation	<ul> <li>Take victim to fresh air, in a quiet place in an half laying position, do artificial respiration if necessary and urgently take medical advice.</li> </ul>
First-aid measures after skin contact	: After contact with skin, take off immediately all contaminated clothing, and wash immediately with plenty of water. If necessary seek medical advice.
First-aid measures after eye contact	: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Seek medical advice (show the label where possible).
First-aid measures after ingestion	: Do not induce vomiting. Vomiting: prevent asphyxia/aspiration pneumonia. Keep a rest. Rinse mouth out with water.
4.2. Most important symptoms and	l effects, both acute and delayed
No additional information available	
4.3. Indication of any immediate n	nedical attention and special treatment needed
No additional information available	
SECTION 5: Firefighting measu	ures
5.1. Extinguishing media	
Suitable extinguishing media	: ABC-powder. Alcohol resistant foam. Carbon dioxide.
Unsuitable extinguishing media	: Do not use water.
5.2. Special hazards arising from t	
Hazardous decomposition products in case of fire	e : Toxic fumes.
5.3. Advice for firefighters	
Firefighting instructions	: Cool down the containers exposed to heat with a water spray.
Protection during firefighting Other information	: Use self-contained breathing apparatus and chemically protective clothing.
	: Prevent fire fighting water from entering the environment.
SECTION 6: Accidental release	measures
	ve equipment and emergency procedures
General measures	: Stop leak if safe to do so.
6.1.1. For non-emergency personnel	
Emergency procedures	: Evacuate unnecessary personnel.
6.1.2. For emergency responders	
Protective equipment	: Equip rescue crew with proper protection. Equip cleanup crew with proper protection.
6.2. Environmental precautions	
Avoid release to the environment.	
6.3. Methods and material for cont	
For containment	: Absorb remaining liquid with sand or inert absorbent and remove to safe place. Do not absorb in saw-dust or other combustible absorbents.
6.4. Reference to other sections	

No additional information available

### Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SECTION 7: Handling and storage			
7.1. Precautions for safe handling			
Precautions for safe handling	: Keep container tight closed.		
7.2. Conditions for safe storage, including any incompatibilities			
Storage conditions	: Store in a dry, cool and well-ventilated place.		
Heat and ignition sources	: Store away from direct sunlight or other heat sources.		
Storage area	: Keep away from food and drink.		

7.3. Specific end use(s)

### No additional information available

#### SECTION 8: Exposure controls/personal protection

8.1. Control parameters					
dimethyl ether (11	5-10-6)				
EU	IOELV TWA (mg/m <sup>3</sup> )	1920 mg/m <sup>3</sup>			
EU	IOELV TWA (ppm)	1000 ppm			
United Kingdom	WEL TWA (mg/m <sup>3</sup> )	400 mg/m <sup>3</sup>			
United Kingdom	WEL TWA (ppm)	766 ppm			
United Kingdom	WEL STEL (mg/m <sup>3</sup> )	958 mg/m <sup>3</sup>			
United Kingdom WEL STEL (ppm) 500 ppm					
8.2 Evageurg controls					

Appropriate engineering controls:

Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure.

Personal protective equipment:

Face shield.

Hand protection:

Time of penetration is to be checked with the glove producer. Please follow the instructions related to the permeability and the penetration time provided by the manufacturer. Gloves must be replaced after each use and whenever signs of wear or perforation appear

Туре	Material	Permeation	Thickness (mm)	Penetration	Standard
Disposable gloves					EN 374-1, EN 374- 3, EN 420

#### Eye protection:

Туре Use	Characteristics	Standard
Face shield Droplet		EN 166, EN 167, EN 168

#### Skin and body protection:

Туре	Standard
Wear anti-static discharges clothing and shoes. Foresee ground with earth	EN 1149-1, EN 1149-2, EN 1149-3, EN 13034, EN ISO 13982- 1, EN ISO 6529, EN ISO 6530, EN 464

#### Respiratory protection:

Device	Filter type	Condition	Standard
Gas mask	Gas filters, Particle filter		EN 149, EN 405



Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SECTION 9: Physical and chemic	cal properties
9.1. Information on basic physical a	nd chemical properties
	: Aerosol
•	: 182,2 g/mol
	: -12 °C Aerosol propellant
	: -83 °C Aerosol propellant
Auto-ignition temperature	: 460 °C Aerosol propellant
Vapour pressure	: < 300 kPa
Relative density	: 1,1
9.2. Other information	
VOC content	: 18,09 %
SECTION 10: Stability and react	ivity
10.1. Reactivity	
No dangerous reactions known under norma	l conditions of use.
10.2 Chemical stability	
10.2. Chemical stability	
Stable at ambient temperature and under no	
10.3. Possibility of hazardous reaction	าร
No dangerous reactions known under norma	l conditions of use.
10.4. Conditions to avoid	
Heat. Direct sunlight.	
10.5. Incompatible materials	
Strong acids, strong bases and oxidation age	ents.
10.6. Hazardous decomposition produ	ucts
Carbon oxides (CO, CO2). Organic compoun	
SECTION 11: Toxicological infor	
11.1. Information on toxicological eff	ects
Acute toxicity (oral)	: Not classified
Acute toxicity (dermal)	: Not classified
Acute toxicity (inhalation)	: Not classified
Additional information	: Danger of serious damage to health by prolonged exposure through inhalation
4,4'-methylenediphenyl diisocyanate,	
LD50 oral rat	> 10000 mg/kg
LD50 dermal rabbit	> 9400 mg/kg
LC50 inhalation rat (mg/l)	
	11 mg/l/4h
TCPP_Tris(2-chloro-1-methylethyl) ph	
	632 mg/kg Chloromethyl-)Oxirane, Brominated, Dehydrochlorinated, Methoxylated
(86675-46-9) LD50 oral rat	915 mg/kg
LC50 inhalation rat (mg/l)	> 4870 mg/m <sup>3</sup>
isobutane (75-28-5)	
LC50 inhalation rat (ppm)	570000 ppm IUCLID
dimethyl ether (115-10-6)	> 2000 mg/kg
LD50 oral	> 2000 mg/kg
LD50 dermal	> 2000 mg/kg
LC50 inhalation rat (mg/l)	308,5 mg/l
propane (74-98-6)	
LC50 inhalation rat (mg/l)	658 mg/l
triethyl phosphate (78-40-0)	
LD50 oral rat	1131 - 1600 mg/kg
LD50 dermal rabbit	> 20000 mg/kg
LC50 inhalation rat (Dust/Mist - mg/l/4h)	> 8817 mg/l/4h (OECD 403 method)
16/02/2010	

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Skin corrosion/irritation	: Causes skin irritation.
Serious eye damage/irritation	: Causes serious eye irritation.
Respiratory or skin sensitisation	: May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause an allergic skin reaction.
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Suspected of causing cancer.
Reproductive toxicity	: Not classified
STOT-single exposure	: May cause respiratory irritation.
STOT-repeated exposure	: May cause damage to organs through prolonged or repeated exposure.
Aspiration hazard	: Not classified
Vaporizer	Aerosol

### SECTION 12: Ecological information

12.1. Toxicity	
Acute aquatic toxicity	: Not classified
Chronic aquatic toxicity	: Not classified
4,4'-methylenediphenyl diisocyanate,	
LC50 fish 1	$96h \ge 1000 \text{ mg/l} (OECD 203 \text{ method})$
EC50 Daphnia 1	$24h \ge 1000 \text{ mg/l} (OECD 202 \text{ method})$
EC50 Daphina 1 EC50 other aquatic organisms 2	$3h \ge 100 \text{ mg/l Bacteria}$
EC50 (algae)	72h 1640 mg/l (OECD 201 method)
NOEC (chronic)	$112d \ge 10000 \text{ mg/l Daphnia magna (Big water flea)}$
NOEC (chronic)	
	112d > 10000 mg/l
NOEC chronic crustacea	21d > 10 mg/l Daphnia magna (Big water flea)
NOEC chronic algae	112d > 10000 mg/l
(86675-46-9)	Chloromethyl-)Oxirane, Brominated, Dehydrochlorinated, Methoxylated
LC50 fish 1	> 1000 mg/l (OECD 203 method)
EC50 Daphnia 1	> 1000 mg/l (OECD 202 method)
EC50 72h algae (1)	> 1000 mg/l (OECD 201 method)
dimethyl ether (115-10-6)	
NOEC (acute)	48 h ≥ 4000 mg/l Daphnia Magna
NOEC (chronic)	96 h ≥ 4000 mg/l Poecilia reticulate
triethyl phosphate (78-40-0)	
LC50 fish 1	> 100 mg/l (OECD 203 method)
EC50 Daphnia 1	> 100 mg/l
EC50 other aquatic organisms 1	900 mg/l
EC50 other aquatic organisms 2	> 2985 mg/l
NOEC chronic crustacea	31,6 mg/l (OECD 211 method)
12.2. Persistence and degradability	
4,4'-methylenediphenyl diisocyanate,	isomers and homologues (9016-87-9)
Persistence and degradability	Not easily bio-degradable (according to OECD-criteria).
Biodegradation	28d 0 %
triethyl phosphate (78-40-0)	
Persistence and degradability	Not readily biodegradable.
12.3. Bioaccumulative potential	
isobutane (75-28-5)	
Bioconcentration factor (BCF REACH)	27
Log Pow	2,76
Bioaccumulative potential	Low bioaccumulation potential.
propane (74-98-6)	
Bioconcentration factor (BCF REACH)	13
Log Pow	2,86
Bioaccumulative potential	Low bioaccumulation potential.
· · · · · · · · · · · · · · · · · · ·	

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

4,4'-methylenediphenyl diisocyana	ate, isomers and homologues (9016-87-9)
Bioconcentration factor (BCF REACH)	200
Bioaccumulative potential	highly bioaccumulative.
triethyl phosphate (78-40-0)	
Bioconcentration factor (BCF REACH)	< 1,3
Log Pow	1,11
Bioaccumulative potential	Low bioaccumulation potential.
Polymer with 2-Butyne-1,4-Diol ar (86675-46-9)	nd (Chloromethyl-)Oxirane, Brominated, Dehydrochlorinated, Methoxylated
Log Pow	0 - 3
12.4. Mobility in soil	
Polymer with 2-Butyne-1,4-Diol ar (86675-46-9)	nd (Chloromethyl-)Oxirane, Brominated, Dehydrochlorinated, Methoxylated
Surface tension	49,7 mN/m
isobutane (75-28-5)	
Log Koc	35
Ecology - soil	Very mobile.
dimethyl ether (115-10-6)	
Surface tension	0,001136 N/m
propane (74-98-6)	
Log Кос	460
Ecology - soil	medium.
12.5. Results of PBT and vPvB ass	sessment
No additional information available	
12.6. Other adverse effects	
No additional information available	
	larationa
SECTION 13: Disposal consid	
13.1. Waste treatment methods	
Regional legislation (waste)	: Disposal must be done according to official regulations.
Waste treatment methods	: Handle uncleaned empty containers as full ones.
European List of Waste (LoW) code HP Code	<ul> <li>16 05 04* - gases in pressure containers (including halons) containing dangerous substances</li> <li>HP3 - "Flammable:"</li> </ul>
	<ul> <li>flammable liquid waste: liquid waste having a flash point below 60 °C or waste gas oil, diesel and light heating oils having a flash point &gt; 55 °C and ≤ 75 °C;</li> <li>flammable pyrophoric liquid and solid waste: solid or liquid waste which, even in small quantities, is liable to ignite within five minutes after coming into contact with air;</li> <li>flammable solid waste: solid waste which is readily combustible or may cause or contribute to fire through friction;</li> <li>flammable gaseous waste: gaseous waste which is flammable in air at 20 °C and a standard pressure of 101.3 kPa;</li> <li>water reactive waste: waste which, in contact with water, emits flammable gases in dangerous quantities;</li> <li>other flammable waste: flammable aerosols, flammable self-heating waste, flammable organic peroxides and flammable self-reactive waste.</li> </ul>
	HP4 - "Irritant — skin irritation and eye damage:" waste which on application can cause skin irritation or damage to the eye. HP5 - "Specific Target Organ Toxicity (STOT)/Aspiration Toxicity:" waste which car cause specific target organ toxicity either from a single or repeated exposure, or which cause acute toxic effects following aspiration.

### Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

## SECTION 14: Transport information In accordance with ADR ADR 14.1. UN number 1950 14.2. UN proper shipping name AEROSOLS UN 1950 AEROSOLS, 2.1, (D) 14.3. Transport hazard class(es) 2.1 View 14.4. Packing group Not applicable 14.5. Environmental hazards Dangerous for the environment : No No supplementary information available

#### 14.6. Special precautions for user

<ul> <li>Overland transport</li> </ul>	
Classification code (ADR)	: 5F
Special provisions (ADR)	: 190, 327, 344, 625
Limited quantities (ADR)	: 11
Excepted quantities (ADR)	: E0
Packing instructions (ADR)	: P207
Special packing provisions (ADR)	: PP87, RR6, L2
Mixed packing provisions (ADR)	: MP9
Transport category (ADR)	: 2
Special provisions for carriage - Packages (ADR)	: V14
Special provisions for carriage - Loading, unloading and handling (ADR)	: CV9, CV12
Special provisions for carriage - Operation (ADR)	: S2
Tunnel restriction code (ADR)	: D

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

### SECTION 15: Regulatory information

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

The following restrictions are applicable according to Annex XVII of the REACH Regula	ation (EC) No 1907/2006:
3. Liquid substances or mixtures which are regarded as dangerous in accordance with Directive 1999/45/EC or are fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008	4,4'-methylenediphenyl diisocyanate, isomers and homologues - triethyl phosphate - TCPP_Tris(2-chloro-1- methylethyl) phosphate_multiconstituent substance
3(b) Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10	4,4'-methylenediphenyl diisocyanate, isomers and homologues - triethyl phosphate - Polymer with 2-Butyne-1,4- Diol and (Chloromethyl-)Oxirane, Brominated, Dehydrochlorinated, Methoxylated - TCPP_Tris(2-chloro-1- methylethyl) phosphate_multiconstituent substance
40. Substances classified as flammable gases category 1 or 2, flammable liquids categories 1, 2 or 3, flammable solids category 1 or 2, substances and mixtures which, in contact with water, emit flammable gases, category 1, 2 or 3, pyrophoric liquids category 1 or pyrophoric solids category 1, regardless of whether they appear in Part 3 of Annex VI to Regulation (EC) No 1272/2008 or not.	isobutane - propane - dimethyl ether

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

VOC content : 18,09 %

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

No chemical safety assessment has been carried out for the substance or the mixture by the supplier

For the following substances of this mixture a chemical safety assessment has been carried out

triethyl phosphate

#### SECTION 16: Other information

Acute Tox. 4 (Inhalation)	Acute toxicity (inhal.), Category 4
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aerosol 1	Aerosol, Category 1
Carc. 2	Carcinogenicity, Category 2
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Flam. Gas 1	Flammable gases, Category 1
Press. Gas (Comp.)	Gases under pressure : Compressed gas
Resp. Sens. 1	Respiratory sensitisation, Category 1
Skin Irrit. 2	Skin corrosion/irritation, Category 2
Skin Sens. 1	Skin sensitisation, Category 1
STOT RE 2	Specific target organ toxicity — Repeated exposure, Category 2
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation
H220	Extremely flammable gas.
H222	Extremely flammable aerosol.
H229	Pressurised container: May burst if heated.
H280	Contains gas under pressure; may explode if heated.
H302	Harmful if swallowed.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled.
16/03/2018	EN (English) 9/

Full text of H- and EUH-statements:

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

H335	May cause respiratory irritation.
H351	Suspected of causing cancer.
H373	May cause damage to organs through prolonged or repeated exposure.
EUH204	Contains isocyanates. May produce an allergic reaction.

#### MSDS Reach Annex II

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product