## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 SDS Ref.: SOLV68 B FFF126 Issue date: 10/26/2017 Revision date: 7/30/2020 Version: 1.0

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

: Industrial

: Solvent remover

### **1.1. Product identifier**

Product form	: Mixture
Product name	: TECHNO DEGOUDRONNANT LOURD
Product code	: 303302
Type of product	: Solvents

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### 1.2.1. Relevant identified uses

Main use category
Industrial/Professional use spec

Use of the substance/mixture Use of the substance/mixture

## : Solvent.

## 1.2.2. Uses advised against

No additional information available

## 1.3. Details of the supplier of the safety data sheet

IPC 40 QUAI COMMANDANT MALBERT" CS 71 821 29218 BREST CEDEX 2 T 0 800 38 19 26 - F 02 98 44 22 53 ipc@groupe-ipc.com

#### 1.4. Emergency telephone number

Emergency number

: +32 70 245 245 (Antigifcentrum)

: Industrial use, Professional use

For professional use only

## **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

#### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Flammable liquids, Category 3	H226
Specific target organ toxicity — Single exposure, Category 3, Narcosis	H336
Aspiration hazard, Category 1	H304
Hazardous to the aquatic environment — Chronic Hazard, Category 3	H412
Full text of H statements : see section 16	

#### Adverse physicochemical, human health and environmental effects

No additional information available

### 2.2. Label elements

#### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)



Signal word (CLP) Hazardous ingredients

Solvent naphta light aromatic (low boiling point); Naphta heavy (low boiling point hydrogen treated)

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Hazard statements (CLP)	<ul> <li>H226 - Flammable liquid and vapour.</li> <li>H304 - May be fatal if swallowed and enters airways.</li> <li>H336 - May cause drowsiness or dizziness.</li> <li>H412 - Harmful to aquatic life with long lasting effects.</li> </ul>
Precautionary statements (CLP)	<ul> <li>P210 - Keep away from sparks, open flames, hot surfaces, heat. No smoking.</li> <li>P273 - Avoid release to the environment.</li> <li>P280 - Wear protective gloves, protective clothing, eye protection.</li> <li>P102 - Keep out of reach of children.</li> <li>P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing.</li> <li>Rinse skin with water/shower.</li> <li>P304+P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing.</li> <li>P311 - Call a POISON CENTER or doctor/physician.</li> <li>P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.</li> <li>P404 - Store in a closed container.</li> <li>P301+P330+P331 - IF SWALLOWED: rinse mouth. Do NOT induce vomiting.</li> <li>Dispose of this material and its container to hazardous or special waste collection point.</li> </ul>
EUH-statements :	EUH066 - Repeated exposure may cause skin dryness or cracking.

## 2.3. Other hazards

No additional information available

## SECTION 3: Composition/information on ingredients

## 3.1. Substances

## Not applicable

### 3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Naphta heavy (low boiling point hydrogen treated)	(CAS-No.) 64742-48-9 (EC-No.) 919-857-5 (REACH-no) 01-2119463258-33	50 – 80	STOT SE 3, H336 Asp. Tox. 1, H304
Solvent naphta light aromatic (low boiling point)	(EC-No.) 918-668-5 (EC Index-No.) 649-356-00-4	10 – 20	Asp. Tox. 1, H304 Flam. Liq. 3, H226 STOT SE 3, H335 STOT SE 3, H336 Aquatic Chronic 2, H411
DIETHANOLAMIDE DE COPRAH	(CAS-No.) 68603-42-9 (EC-No.) 931-329-6 (REACH-no) 01-2119490100-53	1 – 5	Skin Irrit. 2, H315 Eye Dam. 1, H318 Aquatic Chronic 2, H411
2-butoxyéthanol	(CAS-No.) 111-76-2 (EC-No.) 203-905-0 (EC Index-No.) 603-014-00-0 (REACH-no) 01-2119475108-36	1 – 5	Acute Tox. 4 (Inhalation), H332 Acute Tox. 4 (Dermal), H312 Acute Tox. 4 (Oral), H302 Eye Irrit. 2, H319 Skin Irrit. 2, H315

#### Full text of H-statements: see section 16

SECTION 4: First aid measures	
4.1. Description of first aid measures	
First-aid measures general	Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/doctor if you feel unwell.

Safety Data Sheet

First-aid measures after skin contact	<ul> <li>Take off immediately all contaminated clothing. Rinse skin with water/shower. Repeated exposure may cause skin dryness or cracking.</li> </ul>
First-aid measures after eye contact	: Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness persists.
First-aid measures after ingestion	: Rinse mouth. Do NOT induce vomiting. Immediately call a POISON CENTER/doctor.
4.2. Most important symptoms and e	ffects, both acute and delayed
Symptoms/effects after inhalation Symptoms/effects after ingestion	<ul><li>May cause drowsiness or dizziness.</li><li>May be fatal if swallowed and enters airways.</li></ul>
4.3. Indication of any immediate med	lical attention and special treatment needed

No additional information available

SECTION 5: Firefighting measures		
5.1. Extinguishing media		
Suitable extinguishing media Unsuitable extinguishing media	<ul><li>Foam. Dry powder. Carbon dioxide. Water spray. Sand.</li><li>Do not use a heavy water stream.</li></ul>	
5.2. Special hazards arising from the substance or mixture		
Fire hazard Explosion hazard	<ul><li>Flammable liquid and vapour.</li><li>May form flammable/explosive vapour-air mixture.</li></ul>	
5.3. Advice for firefighters		
Firefighting instructions	: Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire fighting water from entering the environment.	
Protection during firefighting	: Do not enter fire area without proper protective equipment, including respiratory protection.	

SECTION 6: Accidental release measures		
6.1. Personal precautions, protective equipment and emergency procedures		
General measures	: Remove ignition sources. Use special care to avoid static electric charges. No open flames. No smoking.	
6.1.1. For non-emergency personnel		
Emergency procedures	: Evacuate unnecessary personnel.	
6.1.2. For emergency responders		
Protective equipment Emergency procedures	<ul><li>Equip cleanup crew with proper protection.</li><li>Ventilate area.</li></ul>	
6.2. Environmental precautions		

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters. Avoid release to the environment.

6.3. Methods and material for containment and cleaning up	
Methods for cleaning up	: Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.

6.4. Reference to other sections

See Heading 8. Exposure controls and personal protection.

SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Additional hazards when processed	: Handle empty containers with care because residual vapours are flammable.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Precautions for safe handling	: Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapour. No open flames. No smoking. Take precautionary measures against static discharge. Use only non-sparking tools. Use only outdoors or in a well-ventilated area.
7.2. Conditions for safe storage, including a	ny incompatibilities
Technical measures	: Proper grounding procedures to avoid static electricity should be followed. Ground/bond container and receiving equipment.
Storage conditions	: Keep container tightly closed. Store in original container.
Incompatible products	: Strong bases. Strong acids.
Incompatible materials	: Sources of ignition. Direct sunlight. Heat sources.
7.3. Specific end use(s)	

No additional information available

## SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

2-butoxyéthanol (111-76-2)	
France - Occupational Exposure Limits	
Local name	2-Butoxyéthanol
VME (mg/m³)	9.8 mg/m³
VME (ppm)	2 ppm
VLE (mg/m³)	147.6 mg/m <sup>3</sup>
VLE (ppm)	30 ppm

## 8.2. Exposure controls

#### Personal protective equipment:

Avoid all unnecessary exposure.

#### Hand protection:

Protective gloves made of latex. Wear suitable gloves. Nitrile rubber gloves

#### Eye protection:

Chemical goggles or safety glasses. Avoid contact with eyes. Ocular shower with suitable liquid. Failing water point near

#### Skin and body protection:

Avoid contact with the skin and the eyes. Wear suitable protective clothing. Immediately remove contaminated or damp clothing

#### **Respiratory protection:**

Where exposure through inhalation may occur from use, respiratory protection equipment is recommended

#### Other information:

Do not eat, drink or smoke during use.

## SECTION 9: Physical and chemical properties

## 9.1. Information on basic physical and chemical properties

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Appearance Colour Odour Odour Odour threshold pH Relative evaporation rate (butylacetate=1) Melting point Freezing point Boiling point Flash point Auto-ignition temperature Decomposition temperature Flammability (solid, gas) Vapour pressure Relative vapour density at 20 °C Relative density Solubility Partition coefficient n-octanol/water (Log Pow) Viscosity, kinematic Viscosity, dynamic Explosive properties	<ul> <li>Liquid.</li> <li>Colourless.</li> <li>characteristic. aromatic.</li> <li>No data available</li> <li>Not specifically applicable</li> <li>No data available</li> <li>a 40 °C</li> <li>No data available</li> <li>Flammable liquid and vapour.</li> <li>No data available</li> <li>No data available</li> <li>So data available</li> <li>No data available</li> </ul>
Oxidising properties Explosive limits	: No data available : No data available

### 9.2. Other information

No additional information available

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

Neutral.

**10.2. Chemical stability** 

Flammable liquid and vapour. May form flammable/explosive vapour-air mixture. Stable under normal conditions of storage, handling and use. Stable under normal conditions of storage, handling and use.

10.3. Possibility of hazardous reactions

#### Not established.

10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures. Open flame. Overheating. Heat. Sparks.

#### **10.5. Incompatible materials**

Strong acids. Strong bases.

**10.6. Hazardous decomposition products** 

fume. Carbon monoxide. Carbon dioxide. May release flammable gases.

SECTION 11: Toxicological information		
11.1. Information on toxicologic	al effects	
Acute toxicity (oral)	: Not classified	
Acute toxicity (dermal)	: Not classified	
Acute toxicity (inhalation)	: Not classified	

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

DIETHANOLAMIDE DE COPRAH (68603-42-9)	
LD50 oral rat	> 5000 mg/kg
LD50 dermal rat	> 2000 mg/kg

2-butoxyéthanol (111-76-2)	
LD50 oral rat	1746 mg/kg
LD50 dermal	> 2000 mg/kg
Skin corrosion/irritation	: Not classified pH: Not specifically applicable
Additional information	: Repeated exposure may cause skin dryness or cracking.
Serious eye damage/irritation	: Not classified
	pH: Not specifically applicable
Additional information	: Based on available data, the classification criteria are not met
Respiratory or skin sensitisation	: Not classified
Additional information	: Based on available data, the classification criteria are not met
Germ cell mutagenicity	: Not classified
Additional information	: Based on available data, the classification criteria are not met
Carcinogenicity	: Not classified
Additional information	: Based on available data, the classification criteria are not met
Reproductive toxicity	: Not classified
Additional information	: Based on available data, the classification criteria are not met
STOT-single exposure	: May cause drowsiness or dizziness.
STOT-repeated exposure	: Not classified
Additional information	: Based on available data, the classification criteria are not met
Aspiration hazard	: May be fatal if swallowed and enters airways.
Potential adverse human health effects and symptoms	: Based on available data, the classification criteria are not met.

## **SECTION 12: Ecological information**

## 12.1. Toxicity

Ecology - water Hazardous to the aquatic environment, short-term	<ul><li>Harmful to aquatic life with long lasting effects.</li><li>Not classified</li></ul>
(acute) Hazardous to the aquatic environment, long-term (chronic)	: Harmful to aquatic life with long lasting effects.

DIETHANOLAMIDE DE COPRAH (68603-42-9)	
LC50 fish 1	2.4 mg/l
EC50 Daphnia 1	3.2 mg/l

2-butoxyéthanol (111-76-2)	
LC50 fish 1	1474 mg/l
EC50 Daphnia 1	1550 mg/l
EC50 other aquatic organisms 1	1840 mg/l

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

12.2. Persistence and degradability	
TECHNO DEGOUDRONNANT LOURD	
Persistence and degradability	May cause long-term adverse effects in the environment. The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents.
12.3. Bioaccumulative potential	

TECHNO DEGOUDRONNANT LOURD	
Bioaccumulative potential	Not established.

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment	
Component	
DIETHANOLAMIDE DE COPRAH (68603-42-9)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
2-butoxyéthanol (111-76-2)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
12.6. Other adverse effects	

Additional information

: Avoid release to the environment.

SECTION 13: Disposal considerations	;
13.1. Waste treatment methods	
Waste treatment methods	: Proper waste management of the mixture and/or its container must be determined in accordance with Directive 2008/98/EC.
Product/Packaging disposal recommendations Additional information Ecology - waste materials	<ul> <li>Dispose in a safe manner in accordance with local/national regulations.</li> <li>Handle empty containers with care because residual vapours are flammable.</li> <li>Avoid release to the environment. Hazardous waste due to toxicity.</li> </ul>

## **SECTION 14: Transport information**

## In accordance with ADR / RID / IMDG / IATA / ADN

ADR	IMDG	ΙΑΤΑ	ADN	RID	
14.1. UN number	14.1. UN number				
UN 1993	UN 1993	UN 1993	UN 1993	UN 1993	
14.2. UN proper shipping name					
FLAMMABLE LIQUID, N.O.S.	FLAMMABLE LIQUID, N.O.S.	Flammable liquid, n.o.s.	FLAMMABLE LIQUID, N.O.S.	FLAMMABLE LIQUID, N.O.S.	
Transport document descr	Transport document description				
UN 1993 FLAMMABLE LIQUID, N.O.S. (Naphta heavy (low boiling point hydrogen treated)(64742- 48-9) ; Solvent naphta light aromatic (low boiling point)), 3, III, (D/E)	UN 1993 FLAMMABLE LIQUID, N.O.S., 3, III	UN 1993 Flammable liquid, n.o.s., 3, III	UN 1993 FLAMMABLE LIQUID, N.O.S., 3, III	UN 1993 FLAMMABLE LIQUID, N.O.S., 3, III	

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

14.3. Transport hazard c	lass(es)			
3	3	3	3	3
14.4. Packing group				
		III	III	
14.5. Environmental haz	ards	I		
Dangerous for the environment : No	Dangerous for the environment : No Marine pollutant : No	Dangerous for the environment : No	Dangerous for the environment : No	Dangerous for the environment : No
No supplementary information	n available	I		
14.6. Special precaution	s for user			
Special transport precautions	: Tr	ansport product in compliance a and ICAO/IATA for air trans		or road, RID for rail, IMDG f
Vehicle for tank carriage Transport category (ADR) Special provisions for carriage - Packages (ADR)		74, 601 I 001, IBC03, LP01, R001 P19 I		
Tunnel restriction code (ADR) <b>Transport by sea</b> Special provisions (IMDG) Limited quantities (IMDG) Excepted quantities (IMDG) Packing instructions (IMDG) IBC packing instructions (IMDG) IBC packing instructions (IMDG) Tank instructions (IMDG) Tank special provisions (IMDG) EmS-No. (Fire) EmS-No. (Spillage) Stowage category (IMDG) <b>Air transport</b> PCA Excepted quantities (IATA PCA limited quantity max net PCA packing instructions (IATA	: 22 : 5 : E <sup>7</sup> : P( ) G) : IB : T <sup>2</sup> G) : TF : S- : A TA) : E <sup>7</sup> : A (A TA) : E <sup>7</sup> : Y( ) : Y( quantity (IATA) : 10	23, 274, 955 L 1 001, LP01 C03 4 P1, TP29 E E E		

CAO max net quantity (IATA)

: 220L

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Special provisions (IATA)		A3
ERG code (IATA)	•	3L
Inland waterway transport		
Classification code (ADN)	:	F1
Special provisions (ADN)	:	274, 601
Limited quantities (ADN)	:	5 L
Excepted quantities (ADN)	:	E1
Carriage permitted (ADN)	:	Т
Equipment required (ADN)	:	PP, EX, A
Ventilation (ADN)	:	VE01
Number of blue cones/lights (ADN)	:	0
Rail transport		
Classification code (RID)	:	F1
Special provisions (RID)	:	274, 601
Limited quantities (RID)	:	5L
Excepted quantities (RID)	:	E1
Packing instructions (RID)	:	P001, IBC03, LP01, R001
Mixed packing provisions (RID)	:	MP19
Portable tank and bulk container instructions (RID)	:	Τ4
Portable tank and bulk container special provisions	:	TP1, TP29
(RID)		
Tank codes for RID tanks (RID)	:	LGBF
Transport category (RID)	:	3
Special provisions for carriage – Packages (RID)	:	W12
Colis express (express parcels) (RID)	:	CE4
Hazard identification number (RID)	:	30

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

## **SECTION 15: Regulatory information**

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

#### 15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information		
Data sources	<ul> <li>REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.</li> </ul>	
Other information	: None.	

Classification according to Regulation (EC) No. 1272/2008 [CLP]:	
Flam. Liq. 3	H226
STOT SE 3	H336

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Asp. Tox. 1	H304
Aquatic Chronic 3	H412

Full text of H- and EUH-statement	ts:	
Acute Tox. 4 (Dermal)	Acute toxicity (dermal), Category 4	
Acute Tox. 4 (Inhalation)	Acute toxicity (inhal.), Category 4	
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4	
Aquatic Chronic 2	Hazardous to the aquatic environment — Chronic Hazard, Category 2	
Asp. Tox. 1	Aspiration hazard, Category 1	
Eye Dam. 1	Serious eye damage/eye irritation, Category 1	
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2	
Flam. Liq. 3	Flammable liquids, Category 3	
Skin Irrit. 2	Skin corrosion/irritation, Category 2	
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation	
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Narcosis	
H226	Flammable liquid and vapour.	
H302	Harmful if swallowed.	
H304	May be fatal if swallowed and enters airways.	
H312	Harmful in contact with skin.	
H315	Causes skin irritation.	
H318	Causes serious eye damage.	
H319	Causes serious eye irritation.	
H332	Harmful if inhaled.	
H335	May cause respiratory irritation.	
H336	May cause drowsiness or dizziness.	
H411	Toxic to aquatic life with long lasting effects.	
H412	Harmful to aquatic life with long lasting effects.	
EUH066	Repeated exposure may cause skin dryness or cracking.	

SDS EU (REACH Annex II)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.