Printing date 30.11.2017 Version number 13 Revision: 30.11.2017

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- · Trade name: TECHNO FIX AA
- · Article number:
- · 1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

- · Application of the substance / the mixture Sealant
- · 1.3 Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

IPC SAS

- CS 71821 10, Quai Cdt Malbert 29218 BREST France T 02-98-43-45-44 F 02-98-43-22-53 ipc@groupe-ipc.com
- · Further information obtainable from: Product safety department
- 1.4 Emergency telephone number: During normal opening times:

SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008

The product is not classified according to the CLP regulation.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008 Void
- · Hazard pictograms Void
- · Signal word Void
- · Hazard statements Void
- · Additional information:

Contains N-(3-(trimethoxysilyl)propyl)ethylenediamine, dibutyltin dilaurate, Reaction mass of Bis(1,2,2,6,6-pentamethyl-4-piperidyl) sebacate and Methyl 1,2,2,6,6-pentamethyl-4-piperidyl sebacate. May produce an allergic reaction.

- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

- · 3.2 Chemical characterisation: Mixtures
- · **Description:** Mixture of substances listed below with nonhazardous additions.

	· Dangerous components:		
Ī	CAS: 2768-02-7	trimethoxyvinylsilane	1-2.5%
	EINECS: 220-449-8	♦ Flam. Liq. 3, H226; ♦ STOT RE 2, H373; ♦ Acute Tox. 4,	
	Reg.nr.: 01-2119513215-52-xxxx	H332	
Ī	CAS: 64-17-5	ethanol	1-2.5%
	EINECS: 200-578-6	♦ Flam. Liq. 2, H225; ♦ Eye Irrit. 2, H319	
	Reg.nr.: 01-2119457610-43-xxxx		

· Additional information: For the wording of the listed hazard phrases refer to section 16.

-GB

Printing date 30.11.2017 Version number 13 Revision: 30.11.2017

Trade name: TECHNO FIX AA

(Contd. of page 1)

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · General information: No special measures required.
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Generally the product does not irritate the skin.
- · After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: If symptoms persist consult doctor.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- · 5.3 Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Not required.
- 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- · 6.3 Methods and material for containment and cleaning up: Pick up mechanically.
- · 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

No special measures required.

Ensure good ventilation/exhaustion at the workplace.

- · Information about fire and explosion protection: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility:

Do not store together with oxidising and acidic materials.

- · Further information about storage conditions: Protect from heat and direct sunlight.
- · 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- · Additional information about design of technical facilities: No further data; see item 7.
- · 8.1 Control parameters
- · Ingredients with limit values that require monitoring at the workplace:

28553-12-0 di-''isononyl'' phthalate (10-25%)

WEL Long-term value: 5 mg/m³

(Contd. on page 3)

Printing date 30.11.2017 Version number 13 Revision: 30.11.2017

Trade name: TECHNO FIX AA

	(Contd. of page 2)
64-17	-5 ethanol (1.0-2.5%)
WEL	Long-term value: 1920 mg/m³, 1000 ppm
77-58	-7 dibutyltin dilaurate (0.1-1.0%)
WEL	Short-term value: 0.2 mg/m³ Long-term value: 0.1 mg/m³ as Sn; Sk
· Addit	tional Occupational Exposure Limit Values for possible hazards during processing:
67-56	-1 methanol
WEL	Short-term value: 333 mg/m³, 250 ppm Long-term value: 266 mg/m³, 200 ppm Sk

- · Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures: Do not eat, drink, smoke or sniff while working.
- · Respiratory protection:

Use suitable respiratory protective device in case of insufficient ventilation.

Filter AX

· Protection of hands:

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection: Safety glasses

SECTION 9: Physical and chemical properties

· 9.1 Information on basic p · General Information	physical and chemical properties	
· Appearance:		
Form:	Pasty	
Colour:	Various colours	
· Odour:	Characteristic	
· Flash point:	>65 °C	
· Ignition temperature:	420 °C	
· Explosive properties:	Product does not present an explosion hazard.	
· Explosion limits:		
Lower:	0,1 Vol %	
Upper:	0,2 Vol %	

(Contd. on page 4)

Printing date 30.11.2017 Version number 13 Revision: 30.11.2017

Trade name: TECHNO FIX AA

		(Contd. of page 3)
· Vapour pressure:	Not determined.	
· Density at 20 °C:	1,42 g/cm³	
· Solubility in / Miscibility water:	with Not miscible or difficult to mix.	
· Viscosity: Dynamic at 20 °C:	720.000 mPas	
· Solvent content: VOC (EC) VOC (EC) · 9.2 Other information	4.99 % 71.8 g/l No further relevant information available.	

SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products:

Carbon monoxide and carbon dioxide

Nitrogen oxides (NOx)

silicon dioxide (SiO2)

During the crosslinking / polymerization: Methanol

SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
- · Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50	values rel	evant for classification:	
2768-02-7	2768-02-7 trimethoxyvinylsilane		
Oral	LD50	7,120 mg/kg (rat)	
Dermal	LD50	3,540 mg/kg (rabbit)	
Inhalative	LC50/4 h	16.8 mg/l (rat)	
77-58-7 di	butyltin d	ilaurate	
Oral	LD50	175 mg/kg (rat)	

- · Primary irritant effect:
- · Skin corrosion/irritation Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation Based on available data, the classification criteria are not met.
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- $\cdot \textbf{Reproductive toxicity} \ \text{Based on available data, the classification criteria are not met.} \\$
- · STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.

(Contd. on page 5)

Printing date 30.11.2017 Version number 13 Revision: 30.11.2017

Trade name: TECHNO FIX AA

(Contd. of page 4)

· Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- · 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

- · 12.5 Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · **vPvB:** Not applicable.
- 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation Smaller quantities can be disposed of with household waste.
- · European waste catalogue

08 04 09* waste adhesives and sealants containing organic solvents or other dangerous substances

- · Uncleaned packaging:
- · **Recommendation:** Disposal must be made according to official regulations.

· 14.1 UN-Number		
ADR, ADN, IMDG, IATA	Void	
· 14.2 UN proper shipping name		
· ADR, ADN, IMDG, IATA	Void	
· 14.3 Transport hazard class(es)		
· ADR, ADN, IMDG, IATA		
· Class	Void	
· 14.4 Packing group		
· ADR, IMDG, IATA	Void	
· 14.5 Environmental hazards:		
· Marine pollutant:	No	
· 14.6 Special precautions for user	Not applicable.	
· 14.7 Transport in bulk according to Ann	**	
Marpol and the IBC Code	Not applicable.	

(Contd. on page 6)

Printing date 30.11.2017 Version number 13 Revision: 30.11.2017

Trade name: TECHNO FIX AA

(Contd. of page 5)

· UN "Model Regulation": Void

SECTION 15: Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 20, 52a
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H225 Highly flammable liquid and vapour.

H226 Flammable liquid and vapour.

H319 Causes serious eye irritation.

H332 Harmful if inhaled.

H373 May cause damage to organs through prolonged or repeated exposure.

- · Department issuing SDS: Product safety department
- · Contact:

· Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Flam. Liq. 2: Flammable liquids – Category 2

Flam. Liq. 3: Flammable liquids – Category 3

Acute Tox. 4: Acute toxicity - Category 4

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2

 \cdot * Data compared to the previous version altered.

GB •