Printing date 26.11.2021 Version number 14 (replaces version 13) Revision: 26.11.2021

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

**TECHNO HUILE CODEX** · Trade name:

· Article number: 30716

1.2 Relevant identified uses of the substance or mixture and uses advised against

· Application of the substance / the mixture

Lubricant

Restricted to professional users.

No further relevant information available.

1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier:

10 Quai Malbert,

29200, BREST, FRANCE. Tel.: +33 (0)2 98 43 45 44. Fax: +33 (0)2 98 44 22 53

1.4 Emergency telephone

number:

ipc@groupe-ipc.com

### **SECTION 2: Hazards identification**

2.1 Classification of the substance or mixture

· Classification according to Regulation (EC) No 1272/2008

H222-H229 Extremely flammable aerosol. Pressurised container: May burst if heated. Aerosol 1

Asp. Tox. 1 H304 May be fatal if swallowed and enters airways.

· 2.2 Label elements

· Labelling according to Regulation

(EC) No 1272/2008 · Hazard pictograms

· Signal word

The product is classified and labelled according to the CLP regulation.

GHS02 Danger

Hazard-determining components of

labelling: Hydrocarbons, C11-C12, isoalkanes, < 2% aromatics.

· Hazard statements H222-H229 Extremely flammable aerosol. Pressurised container: May

burst if heated.

· Precautionary statements P210 Keep away from heat, hot surfaces, sparks, open flames

and other ignition sources. No smoking.

P211 Do not spray on an open flame or other ignition source.

P251 Do not pierce or burn, even after use.

P410+P412 Protect from sunlight. Do not expose to temperatures

exceeding 50 °C/122 °F.

Dispose of contents/container in accordance with local/ P501

regional/national/international regulations.

· Additional information: EUH066 Repeated exposure may cause skin dryness or cracking.

2.3 Other hazards

· Results of PBT and vPvB assessment

· PBT: Not applicable.

(Contd. on page 2)

Printing date 26.11.2021 Version number 14 (replaces version 13) Revision: 26.11.2021

Trade name: TECHNO HUILE CODEX

(Contd. of page 1)

· *vPvB:* Not applicable.

### **SECTION 3: Composition/information on ingredients**

3.2 Mixtures

· **Description:** Lubricant

Active substance with propellant

· Dangerous components:		
	Hydrocarbons, C11-C12, isoalkanes, < 2% aromatics.	50-100%
Reg.nr.: 01-2119472146-39	🕸 Asp. Tox. 1, H304, EUH066	
CAS: 124-38-9	carbon dioxide	2.5-5%
EINECS: 204-696-9	Press. Gas (Liq.), H280	
Reg.nr.: Note 1		

· Additional information: Note P

Contains less than 0,1% benzene.

Note 1: Listed in Annex IV / V REACH, exempted from registration For the wording of the listed hazard phrases refer to section 16.

## **SECTION 4: First aid measures**

· 4.1 Description of first aid measures

• **General information:** Seek immediate medical advice.

Immediately remove any clothing soiled by the product.

Supply fresh air; consult doctor in case of complaints.

After skin contact:

Wash with water and soap and rinse thoroughly.

• After eye contact: After incidental contact, rinse eyes with plenty of clear water.
• After swallowing: Do not induce vomiting; call for medical help immediately.

Symptoms of poisoning may even occur after several hours; therefore

medical observation for at least 48 hours after the accident.

4.2 Most important symptoms and effects, both acute and

dolored

delayed

No further relevant information available.

 4.3 Indication of any immediate medical attention and special

treatment needed

No further relevant information available.

## SECTION 5: Firefighting measures

5.1 Extinguishing media

· Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.

Foam

Fire-extinguishing powder

Carbon dioxide

For safety reasons unsuitable

extinguishing agents: Water with full jet

5.2 Special hazards arising from

the substance or mixture Heat (or fire) will increase pressure and may lead to the receptacle

burstina.

Formation of toxic gases is possible during heating or in case of fire.

Carbon monoxide and carbon dioxide

Hydrocarbons

(Contd. on page 3)

Printing date 26.11.2021 Version number 14 (replaces version 13) Revision: 26.11.2021

Trade name: TECHNO HUILE CODEX

(Contd. of page 2)

5.3 Advice for firefighters

Protective equipment: Wear self-contained respiratory protective device.

Wear fully protective suit.

Cool endangered receptacles with water spray. · Additional information

Dispose of fire debris and contaminated fire fighting water in

accordance with official regulations.

### SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and

emergency procedures Not applicable, as aerosol.

• 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.

Inform respective authorities in case of seepage into water course or

sewage system.

· 6.3 Methods and material for

containment and cleaning up: Ensure adequate ventilation.

Send for recovery or disposal in suitable receptacles.

6.4 Reference to other sections See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

### SECTION 7: Handling and storage

· 7.1 Precautions for safe

handling Ensure good ventilation/exhaustion at the workplace.

Keep away from heat and direct sunlight.

Take note of emission threshold.

· Information about fire - and

explosion protection: Pressurised container: protect from sunlight and do not expose to

temperatures exceeding 50°C, i.e. electric lights. Do not pierce or burn,

even after use.

Keep ignition sources away - Do not smoke. Protect against electrostatic charges.

Do not spray onto a naked flame or any incandescent material.

· 7.2 Conditions for safe storage, including any incompatibilities

· Storage:

· Requirements to be met by Store in a cool location.

storerooms and receptacles: Observe official regulations on storing packagings with pressurised

containers.

· Information about storage in one

common storage facility:

Do not store together with oxidising and acidic materials.

· Further information about storage

conditions:

Store in cool, dry conditions.

Store in a cool place. Heat will increase pressure and may lead to the

receptacle bursting.

Do not use the product for any application other than that for which it is

· 7.3 Specific end use(s) intended. Read the technical sheet.

(Contd. on page 4)

Printing date 26.11.2021 Version number 14 (replaces version 13) Revision: 26.11.2021

Trade name: TECHNO HUILE CODEX

(Contd. of page 3)

### SECTION 8: Exposure controls/personal protection

- · 8.1 Control parameters
- Ingredients with limit values that require monitoring at the workplace:

124-38-9 carbon dioxide

WEL Short-term value: 27400 mg/m³, 15000 ppm Long-term value: 9150 mg/m³, 5000 ppm

· **Additional information:** The lists valid during the making were used as basis.

8.2 Exposure controls

• Appropriate engineering controls No further data; see item 7.

Individual protection measures, such as personal protective equipment

General protective and hygienic

measures: The usual precautionary measures are to be adhered to when handling

chemicals.

Immediately remove all soiled and contaminated clothing

Wash hands before drinking, eating or smoking.

Wearing of Personal Protective Equipment (PPE) required for all

persons with allergies.

• Respiratory protection: Use suitable respiratory protective device in case of insufficient

ventilation. Filter A/P2

· Hand protection



Protective gloves

The glove material has to be impermeable and resistant to

the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation Wear protective glove in case of permanent contact

• Material of gloves The selection of the suitable gloves does not only depend on the

material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the

application.

Nitrile rubber, NBR

· Penetration time of glove material The exact breakthrough time of the glove material has to be found out

by the manufacturer of the protective gloves and has to be observed.

· Eye/face protection



Safety glasses

· **Body protection:** Use protective suit.

### SECTION 9: Physical and chemical properties

- 9.1 Information on basic physical and chemical properties
- · General Information

Physical state
Colour:
Odour:
Odour threshold:
Fluid
Colourless
Petroleum-like
Not determined.

(Contd. on page 5)

Version number 14 (replaces version 13) Printing date 26.11.2021 Revision: 26.11.2021

Trade name: TECHNO HUILE CODEX

	(Contd. of page
Melting point/freezing point:	Undetermined.
Boiling point or initial boiling point and boiling	400.00
range	180 °C
Flammability	Not applicable.
Lower and upper explosion limit	0.01/ 10/
Lower:	0.6 Vol %
Upper:	6.0 Vol %
Flash point:	Not applicable, as aerosol.
Auto-ignition temperature:	Not determined.
Decomposition temperature:	Not determined.
рН	Not determined.
Viscosity:	
Kinematic viscosity	Not determined.
Dynamic:	Not determined.
Solubility	
water:	Not miscible or difficult to mix.
Partition coefficient n-octanol/water (log value)	Not determined.
Vapour pressure:	Not determined.
Density and/or relative density	
Density at 25 °C:	0.795 g/cm³
Relative density	Not determined.
Vapour density	Not determined.
vapour density	Not determined.
9.2 Other information	Physical and chemical properties of the active
	ingredient without gas.
Appearance:	
Form:	Aerosol
Important information on protection of health and	
environment, and on safety.	
Ignition temperature:	>230 °C
Explosive properties:	Not determined.
Solvent content:	Not dotorminod.
VOC (EC)	58.2 %
Change in condition	30.2 //
Evaporation rate	Not applicable
<u>'</u>	Not applicable.
Information with regard to physical hazard classes	
Explosives	Void
Flammable gases	Void
Aerosols	Extremely flammable aerosol. Pressurised container:
	May burst if heated.
	Combustion heat:
	45 kJ/g
Oxidising gases	Void
Gases under pressure	Void
Flammable liquids	Void
Flammable solids	Void
Self-reactive substances and mixtures	Void
Sell-Leactive Sanstalices and Illixinies	Void
	7 0 1 0
Pyrophoric liquids	
Pyrophoric liquids Pyrophoric solids	Void
Pyrophoric liquids Pyrophoric solids Self-heating substances and mixtures	
Pyrophoric liquids Pyrophoric solids Self-heating substances and mixtures Substances and mixtures, which emit flammable	Void Void
Pyrophoric liquids Pyrophoric solids Self-heating substances and mixtures Substances and mixtures, which emit flammable gases in contact with water	Void Void
Pyrophoric liquids Pyrophoric solids Self-heating substances and mixtures Substances and mixtures, which emit flammable	Void Void

Printing date 26.11.2021 Version number 14 (replaces version 13) Revision: 26.11.2021

Trade name: TECHNO HUILE CODEX

(Contd. of page 5)

Organic peroxides
Corrosive to metals
Desensitised explosives
Void
Void

### SECTION 10: Stability and reactivity

• **10.1 Reactivity** No further relevant information available.

· 10.2 Chemical stability · Thermal decomposition /

conditions to be avoided: No decomposition if used and stored according to specifications.

10.3 Possibility of hazardous

reactions
None when normally used.

10.4 Conditions to avoid
Heat, flames and sparks.

Avoid the accumulation of electrostatic charges.

Temperature > 50°C.

· 10.5 Incompatible materials:

Materials to avoid: strong acids. oxidizing

· 10.6 Hazardous decomposition

**products:** No decomposition if used and stored according to specifications.

### **SECTION 11: Toxicological information**

- 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- · Acute toxicity
- · LD/LC50 values relevant for classification:

Hydrocarbons, C11-C12, isoalkanes, < 2% aromatics.

 Oral
 LD50.
 >5,000 mg/kg (Rat) (OCDE 401)

 Dermal
 LD50.
 >5,000 mg/kg (rabbit) (OCDE 402)

 Inhalative
 LC50/8h.
 >5,000 mg/kg (Rat) (OCDE 403)

Skin corrosion/irritation Repeated exposure may cause skin dryness or cracking.

• Aspiration hazard May be fatal if swallowed and enters airways.

11.2 Information on other hazards

· Endocrine disrupting properties

None of the ingredients is listed.

### **SECTION 12: Ecological information**

· 12.1 Toxicity

· Aquatic toxicity:

Hydrocarbons, C11-C12, isoalkanes, < 2% aromatics.

NOEC 0.011 mg/l (Daphnia) (OECD 211)

NOELR 1,000 mg/l (Pseudokirchneriella subcapitata) (OECD 201)

0.103 mg/l (Oncorhynchus mykiss)

EL 50 (48H) >1,000 mg/l (Daphnia) (OECD 202)

LL50 (96h) >1,000 mg/l (Oncorhynchus mykiss) (OECD 203)

ErL50 (72h) >1,000 mg/l (Pseudokirchneriella subcapitata) (OECD 201) EbL50 (72h) >1,000 mg/l (Pseudokirchneriella subcapitata) (OECD 201)

(Contd. on page 7)

Printing date 26.11.2021 Version number 14 (replaces version 13) Revision: 26.11.2021

Trade name: TECHNO HUILE CODEX

(Contd. of page 6)

12.2 Persistence and

degradability
12.3 Bioaccumulative potential
12.4 Mobility in soil
No further relevant information available.
No further relevant information available.
No further relevant information available.

· 12.5 Results of PBT and vPvB assessment · PBT: Not applicable. · vPvB: Not applicable.

12.6 Endocrine disrupting

**properties** The product does not contain substances with endocrine disrupting

properties.

· 12.7 Other adverse effects · Additional ecological information:

• General notes: Do not allow product to reach ground water, water course or sewage

system.

### SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

• **Recommendation** Send to an approved waste facility.

Do not allow product to reach sewage system or any water course.

· Uncleaned packaging:

• **Recommendation:** Send to an approved waste facility.

Disposal must be made according to official regulations.

Do not pierce or burn, even after use.

### SECTION 14: Transport information

· 14.1 UN number or ID number

· ADR, IMDG, IATA UN1950

14.2 UN proper shipping name

· ADR
 · IMDG
 · IATA
 UN1950 AEROSOLS
 AEROSOLS
 AEROSOLS, flammable

· 14.3 Transport hazard class(es)

· ADR



· *Class* 2 5F Gases.

· Label 2.1

· IMDG, IATA



· Class 2.1

(Contd. on page 8)

Printing date 26.11.2021 Version number 14 (replaces version 13) Revision: 26.11.2021

Trade name: TECHNO HUILE CODEX

	(Contd. of page
Label	2.1
14.4 Packing group ADR, IMDG, IATA	Void
14.5 Environmental hazards: Marine pollutant:	No
· 14.6 Special precautions for user · Hazard identification number (Kemler code): · EMS Number: · Stowage Code · Segregation Code	Warning: Gases.  F-D,S-U SW1 Protected from sources of heat. SW22 For AEROSOLS with a maximum capacity of 1 litre: Category A. For AEROSOLS with a capacity above litre: Category B. For WASTE AEROSOLS: Category C, Clear of living quarters. SG69 For AEROSOLS with a maximum capacity of 1 litr Segregation as for class 9. Stow "separated from" class except for division 1.4. For AEROSOLS with a capacity above 1 litre: Segregation as for the appropriate subdivision of class 2 For WASTE AEROSOLS: Segregation as for the appropriate subdivision of class 2
<ul> <li>14.7 Maritime transport in bulk according to IMO instruments</li> </ul>	Not applicable.
Transport/Additional information:	
· ADR · Limited quantities (LQ) · Excepted quantities (EQ) · Transport category · Tunnel restriction code	1L Code: E0 Not permitted as Excepted Quantity 2 D
· IMDG · Limited quantities (LQ) · Excepted quantities (EQ)	1L Code: E0 Not permitted as Excepted Quantity
	· · · · · · · · · · · · · · · · · · ·

## **SECTION 15: Regulatory information**

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- · Qualifying quantity (tonnes) for the application of lower-tier

requirements 5.000 t

Qualifying quantity (tonnes) for the

application of upper-tier

requirements 50.000 t

(Contd. on page 9)

Printing date 26.11.2021 Version number 14 (replaces version 13) Revision: 26.11.2021

Trade name: TECHNO HUILE CODEX

(Contd. of page 8)

- · National regulations:
- · Other regulations, limitations and prohibitive regulations
- · Substances of very high concern (SVHC) according to REACH, Article 57

None of the ingredients is listed.

15.2 Chemical safety

assessment: A Chemical Safety Assessment has not been carried out.

#### **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Shelf-life: 24 months from the date it was manufactured.

NSF REGISTERED: Registration n°126568 - Category code H1.

• Relevant phrases H280 Contains gas under pressure; may explode if heated.

H304 May be fatal if swallowed and enters airways.

EUH066 Repeated exposure may cause skin dryness or cracking.

• Abbreviations and acronyms: ADR: Accord relatif au transport international des marchandises dangereuses par route

(European Agreement Concerning the International Carriage of Dangerous Goods by

Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic SVHC: Substances of Very High Concern vPvB: very Persistent and very Bioaccumulative

Aerosol 1: Aerosols - Category 1

Press. Gas (Liq.): Gases under pressure – Liquefied gas

Asp. Tox. 1: Aspiration hazard – Category 1

\* \* Data compared to the previous version altered.

GB