TORNADE BIOTECH AD MENTHE

Date: 11/09/2019 Page 1/15

Revision: N°2 (05/09/2019)

## SAFETY DATA SHEET

(REACH regulation (EC) n° 1907/2006 - n° 2015/830)

## SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

#### 1.1. Product identifier

Product name: TORNADE BIOTECH AD MENTHE

Product code: 10422.

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Concentrated degreaser, disinfectant.

Professional use.

## 1.3. Details of the supplier of the safety data sheet

Registered company name: IPC.

Address: 10 Quai Malbert.29200.BREST.FRANCE.

Telephone: +33 (0)2 98 43 45 44. Fax:.

ipc@groupe-ipc.com

## 1.4. Emergency telephone number: +33 (0)1 45 42 59 59.

Association/Organisation: INRS / ORFILA http://www.centres-antipoison.net.

#### SECTION 2: HAZARDS IDENTIFICATION

#### 2.1. Classification of the substance or mixture

## In compliance with EC regulation No. 1272/2008 and its amendments.

Flammable liquid, Category 3 (Flam. Liq. 3, H226).

Substance that is corrosive to metals, Category 1 (Met. Corr. 1, H290).

Skin irritation, Category 2 (Skin Irrit. 2, H315).

Serious eye damage, Category 1 (Eye Dam. 1, H318).

May produce an allergic reaction (EUH208).

This mixture does not present an environmental hazard. No known or foreseeable environmental damage under standard conditions of use.

### 2.2. Label elements

Biocidal detergent mixture (see section 15).

## In compliance with EC regulation No. 1272/2008 and its amendments.

Hazard pictograms:





GHS02

GHS05

Signal Word : DANGER

Product identifiers:

EC 201-196-2 LACTIC ACID

EC 277-362-3 SULPHURIC ACID ESTERS OF MONO-ALKYL C12-16, SODIUM SALTS EC 500-220-1 D-GLUCOPYRANOSE, OLIGOMÉRIQUES, DÉCYL OCTYL GLYCOSIDES

EC 201-180-5 GLYCOLIC ACID

Additional labeling:

EUH208 Contains L-CARVONE. May produce an allergic reaction.

Hazard statements:

H226 Flammable liquid and vapour.
 H290 May be corrosive to metals.
 H315 Causes skin irritation.
 H318 Causes serious eye damage.

Precautionary statements - Prevention:

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P234 Keep only in original packaging.

Version: N°1 (05/09/2019)

# TORNADE BIOTECH AD MENTHE

Date: 11/09/2019 Page 2/15

Revision: N°2 (05/09/2019)

P264 Wash hands thoroughly after handling.

P280 Wear protective gloves/eye protection/face protection.

Precautionary statements - Response:

P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or

shower].

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and

easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER, a doctor.
P332 + P313 If skin irritation occurs: Get medical advice/attention.

P390 Absorb spillage to prevent material damage.

Precautionary statements - Disposal:

P501 Dispose of contents/container in accordance with local / regional / national / international regulations.

#### 2.3. Other hazards

The mixture does not contain substances classified as 'Substances of Very High Concern' (SVHC) >= 0.1% published by the European CHemicals Agency (ECHA) under article 57 of REACH: http://echa.europa.eu/fr/candidate-list-table

The mixture fulfils neither the PBT nor the vPvB criteria for mixtures in accordance with annexe XIII of the REACH regulations EC 1907/2006.

## SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

#### 3.2. Mixtures

**Composition:** 

Identification	(EC) 1272/2008	Note	9/0
INDEX: 79 33 4	GHS05	Note	$10 \le x \% \le 25$
CAS: 79-33-4	Dgr		10 \- X /0 \ 23
EC: 201-196-2	1 6		
	Skin Irrit. 2, H315		
REACH: 01-2119474164-39	Eye Dam. 1, H318		
I A CTIC A CID			
LACTIC ACID	CHC07 CHC02	F13	2.5 < 0/ < 10
INDEX: 603_002_00_5	GHS07, GHS02	[1]	$2.5 \le x \% < 10$
CAS: 64-17-5	Dgr		
EC: 200-578-6	Flam. Liq. 2, H225		
REACH: 01-2119457610-43	Eye Irrit. 2, H319		
T. T			
ETHANOL	CHICAS		2.5 . 0/ .10
INDEX: 73296_89_6	GHS05		$2.5 \le x \% < 10$
CAS: 73296-89-6	Dgr		
EC: 277-362-3	Skin Irrit. 2, H315		
REACH: 01-2119489464-26	Eye Dam. 1, H318		
	Aquatic Chronic 3, H412		
SULPHURIC ACID ESTERS OF			
MONO-ALKYL C12-16, SODIUM SALTS			
INDEX: 68515_73_1A	GHS05		$2.5 \le x \% < 10$
CAS: 68515-73-1	Dgr		
EC: 500-220-1	Eye Dam. 1, H318		
REACH: 01-2119488530-36			
D-GLUCOPYRANOSE, OLIGOMÉRIQUES,			
DÉCYL OCTYL GLYCOSIDES			
INDEX: 79_14_1	GHS07, GHS05		$0 \le x \% < 2.5$
CAS: 79-14-1	Dgr		
EC: 201-180-5	Met. Corr. 1, H290		
REACH: 01-2119485579-17	Skin Corr. 1B, H314		
	Acute Tox. 4, H332		
GLYCOLIC ACID			
INDEX: I6485_40_1	GHS07		$0 \le x \% < 0.5$
CAS: 6485-40-1	Wng		
EC: 229-352-5	Skin Sens. 1B, H317		
L-CARVONE			
	•	-	

Version: N°1 (05/09/2019)

**IPC** 

TODNADE BIOTECH AD MENTH

	ΓORNADE	<b>BIOTECH</b>	AD	MENTHE
--	---------	----------------	----	--------

Date: 11/09/2019 Page 3/15

Revision: N°2 (05/09/2019)

INDEX: I601029007A	GHS08, GHS02, GHS07, GHS09	[1]	$0 \le x \% < 0.1$
CAS: 5989-27-5	Dgr		
EC: 227-813-5	Asp. Tox. 1, H304		
REACH: 01-2119529223-47	Flam. Liq. 3, H226		
	Skin Irrit. 2, H315		
LIMONENE	Skin Sens. 1B, H317		
	Aquatic Acute 1, H400		
	M Acute = 1		
	Aquatic Chronic 1, H410		
	M Chronic = 1		
INDEX: 80_56_8B	GHS07, GHS09, GHS08, GHS02	[1]	$0 \le x \% < 0.1$
CAS: 80-56-8	Dgr		
EC: 201-291-9	Flam. Liq. 3, H226		
REACH: 01-2119519223-49	Asp. Tox. 1, H304		
	Skin Irrit. 2, H315		
ALPHA-PINENE	Skin Sens. 1B, H317		
	Aquatic Acute 1, H400		
	M Acute = 1		
	Aquatic Chronic 1, H410		
	M Chronic = 1		
INDEX: I127_91_3	GHS02, GHS07, GHS08, GHS09	[1]	$0 \le x \% < 0.1$
CAS: 127-91-3	Dgr		
EC: 204-872-5	Flam. Liq. 3, H226		
REACH: 01-2119519230-54	Asp. Tox. 1, H304		
	Skin Irrit. 2, H315		
BETA-PINENE	Skin Sens. 1B, H317		
	Aquatic Acute 1, H400		
	M Acute = 1		
	Aquatic Chronic 1, H410		
	M Chronic = 1		

(Full text of H-phrases: see section 16)

## Information on ingredients:

[1] Substance for which maximum workplace exposure limits are available.

# **SECTION 4: FIRST AID MEASURES**

As a general rule, in case of doubt or if symptoms persist, always call a doctor.

NEVER induce swallowing by an unconscious person.

# 4.1. Description of first aid measures

## In the event of exposure by inhalation:

In the event of an allergic reaction, seek medical attention.

In the event of massive inhalation, remove the person to fresh air and keep warm and at rest.

## In the event of splashes or contact with eyes:

Wash thoroughly with fresh, clean water for 15 minutes holding the eyelids open.

Regardless of the initial state, refer the patient to an ophthalmologist and show him the label.

# In the event of splashes or contact with skin:

Remove contaminated clothing and wash the skin thoroughly with soap and water or a recognised cleaner.

Watch out for any remaining product between skin and clothing, watches, shoes, etc.

In the event of an allergic reaction, seek medical attention.

If the contaminated area is widespread and/or there is damage to the skin, a doctor must be consulted or the patient transferred to hospital.

## In the event of swallowing:

Do not give the patient anything orally.

In the event of swallowing, if the quantity is small (no more than one mouthful), rinse the mouth with water and consult a doctor.

Keep the person exposed at rest. Do not force vomiting.

Seek medical attention immediately, showing the label.

If swallowed accidentally, call a doctor to ascertain whether observation and hospital care will be necessary. Show the label.

# 4.2. Most important symptoms and effects, both acute and delayed

No data available.

# 4.3. Indication of any immediate medical attention and special treatment needed

No data available.

Version: N°1 (05/09/2019)

IPC

#### TORNADE BIOTECH AD MENTHE

Date: 11/09/2019 Page 4/15

Revision: N°2 (05/09/2019)

#### **SECTION 5: FIREFIGHTING MEASURES**

Flammable.

Chemical powders, carbon dioxide and other extinguishing gas are suitable for small fires.

#### 5.1. Extinguishing media

Keep packages near the fire cool, to prevent pressurised containers from bursting.

#### Suitable methods of extinction

In the event of a fire, use:

- sprayed water or water mist
- water with AFFF (Aqueous Film Forming Foam) additive
- halon
- foam
- multipurpose ABC powder
- BC powder
- carbon dioxide (CO2)

Prevent the effluent of fire-fighting measures from entering drains or waterways.

#### Unsuitable methods of extinction

In the event of a fire, do not use:

- water jet

## 5.2. Special hazards arising from the substance or mixture

A fire will often produce a thick black smoke. Exposure to decomposition products may be hazardous to health.

Do not breathe in smoke.

In the event of a fire, the following may be formed:

- carbon monoxide (CO)
- carbon dioxide (CO2)

#### 5.3. Advice for firefighters

Due to the toxicity of the gas emitted on thermal decomposition of the products, fire-fighting personnel are to be equipped with autonomous insulating breathing apparatus.

# **SECTION 6: ACCIDENTAL RELEASE MEASURES**

## 6.1. Personal precautions, protective equipment and emergency procedures

Consult the safety measures listed under headings 7 and 8.

## For non first aid worker

Because of the organic solvents contained in the mixture, eliminate sources of ignition and ventilate the area.

Avoid any contact with the skin and eyes.

#### For first aid worker

First aid workers will be equipped with suitable personal protective equipment (See section 8).

#### 6.2. Environmental precautions

Contain and control the leaks or spills with non-combustible absorbent materials such as sand, earth, vermiculite, diatomaceous earth in drums for waste disposal.

Prevent any material from entering drains or waterways.

#### 6.3. Methods and material for containment and cleaning up

Neutralise with an alkaline decontaminant, such as an aqueous solution of sodium carbonate or similar.

If the ground is contaminated, once the product has been recovered by sponging with an inert and non-combustible absorbent material, wash the contaminated area in plenty of water.

Clean preferably with a detergent, do not use solvents.

#### 6.4. Reference to other sections

No data available.

# **SECTION 7: HANDLING AND STORAGE**

Requirements relating to storage premises apply to all facilities where the mixture is handled.

#### 7.1. Precautions for safe handling

Always wash hands after handling.

Remove and wash contaminated clothing before re-using.

Revision: N°2 (05/09/2019)

Date: 11/09/2019 Page 5/15

#### TORNADE BIOTECH AD MENTHE

Ensure that there is adequate ventilation, especially in confined areas.

Emergency showers and eye wash stations will be required in facilities where the mixture is handled constantly.

## Fire prevention:

Handle in well-ventilated areas.

Vapours are heavier than air. They can spread along the ground and form mixtures that are explosive with air.

Prevent the formation of flammable or explosive concentrations in air and avoid vapor concentrations higher than the occupational exposure limits

Prevent the accumulation of electrostatic charges with connections to earth.

The mixture can become electrostatically charged: always earth during decanting operations. Wear antistatic shoes and clothing and floors should be electrically non-conductive.

Use the mixture in premises free of naked flames or other sources of ignition and ensure that electrical equipment is suitably protected.

Keep packages tightly closed and away from sources of heat, sparks and naked flames.

Do not use tools which may produce sparks. Do not smoke.

Prevent access by unauthorised personnel.

## Recommended equipment and procedures:

For personal protection, see section 8.

Observe precautions stated on label and also industrial safety regulations.

Avoid eye contact with this mixture at all times.

Packages which have been opened must be reclosed carefully and stored in an upright position.

## Prohibited equipment and procedures:

No smoking, eating or drinking in areas where the mixture is used.

## 7.2. Conditions for safe storage, including any incompatibilities

Keep out of the reach of children.

#### Storage

Keep the container tightly closed in a dry, well-ventilated place.

Keep away from all sources of ignition - do not smoke.

Keep well away from all sources of ignition, heat and direct sunlight.

Avoid accumulation of electrostatic charges.

The floor must be impermeable and form a collecting basin so that, in the event of an accidental spillage, the liquid cannot spread beyond this area.

Recommended storage temperature: +5°C to +40°C

## **Packaging**

Always keep in packaging made of an identical material to the original.

# 7.3. Specific end use(s)

No data available.

## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

## 8.1. Control parameters

#### Occupational exposure limits:

- ACGIH TLV (American Conference of Governmental Industrial Hygienists, Threshold Limit Values, 2010):

CAS	TWA:	STEL:	Ceiling :	Definition:	Criteria:
64-17-5		1000 ppm		A3	
80-56-8	20 ppm			SEN; A4	
127-91-3	20 ppm			SEN; A4	

- Germany - AGW (BAuA - TRGS 900, 29/01/2018) :

CAS	VME:	VME:	Excess	Notes
64-17-5		500 ppm		2(II)
		960 mg/m <sup>3</sup>		
5989-27-5		5 ppm		4(II)
		$28 \text{ mg/m}^3$		

- France (INRS - ED984 :2016) :

CAS	VME-ppm:	VME-mg/m3:	VLE-ppm:	VLE-mg/m3:	Notes:	TMP No:
64-17-5	1000	1900	5000	9500	-	84

<sup>-</sup> UK / WEL (Workplace exposure limits, EH40/2005, 2011) :

Version: N°1 (05/09/2019)

IPC TODAY DE PROTECTION DE

# TORNADE BIOTECH AD MENTHE

Date: 11/09/2019 Page 6/15

Revision: N°2 (05/09/2019)

CAS	TWA:	STEL:	Ceiling:	Definition:	Criteria:
64-17-5	1000 ppm	- ppm			
	1920 mg/m <sup>3</sup>	- mg/m³			

## Derived no effect level (DNEL) or derived minimum effect level (DMEL):

GLYCOLIC ACID (CAS: 79-14-1)

Final use: Workers.
Exposure method: Dermal contact.

Potential health effects: Long term systemic effects.

DNEL: 57.69 mg/kg body weight/day

Exposure method: Inhalation.

Potential health effects: Short term systemic effects.

DNEL: 9.2 mg of substance/m3

Exposure method: Inhalation.

Potential health effects: Short term local effects.

DNEL: 9.2 mg of substance/m3

Exposure method: Inhalation.

Potential health effects: Long term systemic effects.
DNEL: 10.56 mg of substance/m3

Exposure method: Inhalation.

Potential health effects: Long term local effects.

DNEL: 1.53 mg of substance/m3

Final use: Consumers.

Exposure method: Ingestion.

Potential health effects: Long term systemic effects.

DNEL: 0.75 mg/kg body weight/day

Exposure method: Dermal contact.

Potential health effects: Short term local effects.

DNEL: 28.85 mg/kg body weight/day

Exposure method: Inhalation.

Potential health effects: Short term systemic effects.

DNEL: 2.3 mg of substance/m3

Exposure method: Inhalation.

Potential health effects: Short term local effects.

DNEL: 2.3 mg of substance/m3

Exposure method: Inhalation.

Potential health effects: Long term systemic effects.
DNEL: 2.6 mg of substance/m3

# D-GLUCOPYRANOSE, OLIGOMÉRIQUES, DÉCYL OCTYL GLYCOSIDES (CAS: 68515-73-1)

Final use: Workers.
Exposure method: Dermal contact.

Potential health effects: Long term systemic effects.

DNEL: 595000 mg/kg body weight/day

Exposure method: Inhalation.

Potential health effects: Long term systemic effects.
DNEL: 420 mg of substance/m3

Version: N°1 (05/09/2019)

IPC

TORNADE BIOTECH AD MENTHE

Date: 11/09/2019 Page 7/15 Revision: N°2 (05/09/2019)

Final use: Consumers.

Exposure method: Ingestion.

Potential health effects: Long term systemic effects.

DNEL: 35,7 mg/kg body weight/day

Exposure method: Dermal contact.

Potential health effects: Long term systemic effects.

DNEL: 357000 mg/kg body weight/day

Exposure method: Inhalation.

Potential health effects: Long term systemic effects.

DNEL: 124 mg of substance/m3

SULPHURIC ACID ESTERS OF MONO-ALKYL C12-16, SODIUM SALTS (CAS: 73296-89-6)

Final use: Workers.
Exposure method: Dermal contact.

Potential health effects:

DNEL:

Long term systemic effects.

4060 mg/kg body weight/day

Exposure method: Inhalation.

Potential health effects: Long term systemic effects.
DNEL: 285 mg of substance/m3

Final use: Consumers.

Exposure method: Ingestion.

Potential health effects: Long term systemic effects.

DNEL: 24 mg/kg body weight/day

Exposure method: Dermal contact.

Potential health effects: Long term systemic effects.

DNEL: 2440 mg/kg body weight/day

Exposure method: Inhalation.

Potential health effects: Long term systemic effects.

DNEL: 85 mg of substance/m3

ETHANOL (CAS: 64-17-5)

Final use: Workers.
Exposure method: Dermal contact.

Potential health effects:

DNEL:

Definial contact.

Long term systemic effects.

343 mg/kg body weight/day

Exposure method: Inhalation.

Potential health effects: Short term local effects.

DNEL: 1900 mg of substance/m3

Exposure method: Inhalation.

Potential health effects: Long term systemic effects.

DNEL: 950 mg of substance/m3

Final use: Consumers.

Exposure method: Ingestion.

Potential health effects: Short term systemic effects.

DNEL: 87 mg/kg body weight/day

Exposure method: Dermal contact.

Potential health effects: Long term systemic effects.

Revision: N°2 (05/09/2019) Version: N°1 (05/09/2019)

Date: 11/09/2019 Page 8/15

TORNADE BIOTECH AD MENTHE

DNEL: 206 mg/kg body weight/day

Exposure method: Inhalation.

Potential health effects: Short term local effects. DNEL: 950 mg of substance/m3

Exposure method: Inhalation.

Potential health effects: Long term systemic effects. DNEL: 114 mg of substance/m3

Predicted no effect concentration (PNEC):

GLYCOLIC ACID (CAS: 79-14-1)

Environmental compartment: Soil.

PNEC: 0.007 mg/kg

Fresh water. Environmental compartment: PNEC: 0.0321 mg/l

Environmental compartment: Sea water. PNEC: 0.0031 mg/l

Environmental compartment: Intermittent waste water.

PNEC: 0.312 mg/l

Environmental compartment: Fresh water sediment.

PNEC: 0.115 mg/kg

Environmental compartment: Marine sediment. PNEC: 0.0155 mg/kg

Environmental compartment: Waste water treatment plant.

PNEC: 7 mg/l

D-GLUCOPYRANOSE, OLIGOMÉRIQUES, DÉCYL OCTYL GLYCOSIDES (CAS: 68515-73-1)

Environmental compartment: Soil. PNEC: 0,654 mg/kg

Environmental compartment: Fresh water. PNEC: 0.176 mg/l

Environmental compartment: Sea water. PNEC: 0.0176 mg/l

Intermittent waste water. Environmental compartment:

PNEC: 0.27 mg/l

Fresh water sediment. Environmental compartment:

PNEC: 1,516 mg/kg

Marine sediment. Environmental compartment: PNEC: 0,152 mg/kg

Environmental compartment: Waste water treatment plant.

PNEC: 560 mg/l

SULPHURIC ACID ESTERS OF MONO-ALKYL C12-16, SODIUM SALTS (CAS: 73296-89-6)

Environmental compartment: Soil. PNEC: 0.616 mg/kg

Version: N°1 (05/09/2019)

TORNADE BIOTECH AD MENTHE

Date: 11/09/2019 Page 9/15

Revision: N°2 (05/09/2019)

Environmental compartment: Fresh water. PNEC: 0.096 mg/l

Environmental compartment: Sea water. PNEC: 0.0096 mg/l

Environmental compartment: Intermittent waste water.

PNEC: 0.036 mg/l

Environmental compartment: Fresh water sediment.

PNEC: 3.37 mg/kg

Environmental compartment: Marine sediment. PNEC: 0.337 mg/kg

Environmental compartment: Waste water treatment plant.

PNEC: 1084 mg/l

ETHANOL (CAS: 64-17-5)

Environmental compartment: Soil. PNEC: 0.63 mg/kg

Environmental compartment: Fresh water. PNEC: 0.96 mg/l

Environmental compartment: Sea water. PNEC: 0.79 mg/l

Environmental compartment: Intermittent waste water.

PNEC: 2.75 mg/l

Environmental compartment: Fresh water sediment.

PNEC: 3.6 mg/kg

Environmental compartment: Marine sediment. PNEC: 2.9 mg/kg

Environmental compartment: Waste water treatment plant.

PNEC: 580 mg/l

## 8.2. Exposure controls

## Personal protection measures, such as personal protective equipment

Use personal protective equipment that is clean and has been properly maintained.

Store personal protective equipment in a clean place, away from the work area.

Never eat, drink or smoke during use. Remove and wash contaminated clothing before re-using. Ensure that there is adequate ventilation, especially in confined areas.

# - Eye / face protection

Avoid contact with eyes.

Use eye protectors designed to protect against liquid splashes

Before handling, wear safety goggles with protective sides accordance with standard EN166.

In the event of high danger, protect the face with a face shield.

Prescription glasses are not considered as protection.

Individuals wearing contact lenses should wear prescription glasses during work where they may be exposed to irritant vapours.

Provide eyewash stations in facilities where the product is handled constantly.

## - Hand protection

Use suitable protective gloves that are resistant to chemical agents in accordance with standard EN374.

Gloves must be selected according to the application and duration of use at the workstation.

Protective gloves need to be selected according to their suitability for the workstation in question: other chemical products that may be handled, necessary physical protections (cutting, pricking, heat protection), level of dexterity required.

Version: N°1 (05/09/2019)

# TORNADE BIOTECH AD MENTHE

Type of gloves recommended:

- Nitrile rubber (butadiene-acrylonitrile copolymer rubber (NBR))

Recommended properties:

- Impervious gloves in accordance with standard EN374

#### - Body protection

Avoid skin contact.

Wear suitable protective clothing.

Suitable type of protective clothing:

In the event of substantial spatter, wear liquid-tight protective clothing against chemical risks (type 3) in accordance with EN14605 to prevent skin contact.

Date: 11/09/2019 Page 10/15 Revision: N°2 (05/09/2019)

In the event of a risk of splashing, wear protective clothing against chemical risks (type 6) in accordance with EN13034 to prevent skin contact.

Suitable type of protective boots:

In the event of minor spatter, wear protective boots or half-boots against chemical risks in accordance with standard EN13832-2.

In the event of prolonged contact, wear boots or half-boots with liquid-chemical-resistant and waterproof soles and uppers in accordance with standard EN13832-3.

Work clothing worn by personnel shall be laundered regularly.

After contact with the product, all parts of the body that have been soiled must be washed.

## **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

#### 9.1. Information on basic physical and chemical properties

#### **General information:**

Physical state: Fluid liquid.

Colour: colorless to pale yellow

Odor: mint

## Important health, safety and environmental information

pH: 2.15

Slightly acidic.

Boiling point/boiling range: Not specified.

Flash Point Interval :  $23^{\circ}\text{C} \le \text{FP} \le 55^{\circ}\text{C}$ 

Vapour pressure (50°C):

Density:

1.068

Water solubility:

Melting point/melting range:

Not specified.

Self-ignition temperature:

Not specified.

Decomposition point/decomposition range:

Not specified.

#### 9.2. Other information

No data available.

## **SECTION 10: STABILITY AND REACTIVITY**

#### 10.1. Reactivity

Mixture which by chemical action can corrode and even destroy metals.

#### 10.2. Chemical stability

This mixture is stable under the recommended handling and storage conditions in section 7.

## 10.3. Possibility of hazardous reactions

When exposed to high temperatures, the mixture can release hazardous decomposition products, such as carbon monoxide and dioxide, fumes and nitrogen oxide.

# 10.4. Conditions to avoid

Any apparatus likely to produce a flame or to have a metallic surface at high temperature (burners, electric arcs, furnaces etc.) must not be allowed on the premises.

# Avoid:

- accumulation of electrostatic charges.
- heating
- heat
- flames and hot surfaces

Version: N°1 (05/09/2019)

**IPC** 

## TORNADE BIOTECH AD MENTHE

Date: 11/09/2019 Page 11/15

Revision: N°2 (05/09/2019)

- frost

# 10.5. Incompatible materials

Keep away from:

- bases

## 10.6. Hazardous decomposition products

The thermal decomposition may release/form:

- carbon monoxide (CO)
- carbon dioxide (CO2)

# **SECTION 11: TOXICOLOGICAL INFORMATION**

# 11.1. Information on toxicological effects

May cause irreversible damage to the skin; namely inflammation of the skin or the formation of erythema and eschar or oedema following exposure up to four hours.

May have irreversible effects on the eyes, such as tissue damage in the eye, or serious physical decay of sight, which is not fully reversible by the end of observation at 21 days.

Serious eye damage is typified by the destruction of cornea, persistent corneal opacity and iritis.

## 11.1.1. Substances

#### Acute toxicity:

ALPHA-PINENE (CAS: 80-56-8)

LD50 = 3500 mg/kgOral route:

L-CARVONE (CAS: 6485-40-1)

Oral route: LD50 = 3800 mg/kg

GLYCOLIC ACID (CAS: 79-14-1)

LD50 = 2040 mg/kgOral route:

Species: Rat

Dermal route: LD50 = 3.6 mg/kg

Species: Rat

Inhalation route (n/a): LC50 > 5.2 mg/l

Species: Rat

D-GLUCOPYRANOSE, OLIGOMÉRIQUES, DÉCYL OCTYL GLYCOSIDES (CAS: 68515-73-1)

LD50 <= 5000 mg/kg Oral route:

Species: Rat

OECD Guideline 401 (Acute Oral Toxicity)

LD50 > 2000 mg/kgDermal route:

Species: Rabbit

OECD Guideline 402 (Acute Dermal Toxicity)

ETHANOL (CAS: 64-17-5)

Oral route: LD50 = 10470 mg/kg

Species: Rat

OECD Guideline 401 (Acute Oral Toxicity)

LD50 > 2000 mg/kg Dermal route:

Species: Rabbit

OECD Guideline 402 (Acute Dermal Toxicity)

LC50 = 51 mg/lInhalation route (n/a):

Species: Rat

Duration of exposure: 4 h

LACTIC ACID (CAS: 79-33-4)

Version: N°1 (05/09/2019)

**IPC** 

TORNADE BIOTECH AD MENTHE

Date: 11/09/2019 Page 12/15

Revision: N°2 (05/09/2019)

Oral route: LD50 = 3750 mg/kg

## 11.1.2. Mixture

#### Respiratory or skin sensitisation:

Contains at least one sensitising substance. May cause an allergic reaction.

#### Monograph(s) from the IARC (International Agency for Research on Cancer):

CAS 64-17-5: IARC Group 1: The agent is carcinogenic to humans.

## **SECTION 12: ECOLOGICAL INFORMATION**

## 12.1. Toxicity

# 12.1.1. Substances

D-GLUCOPYRANOSE, OLIGOMÉRIQUES, DÉCYL OCTYL GLYCOSIDES (CAS: 68515-73-1)

LC50 > 100 mg/lFish toxicity:

> Species: Brachydanio rerio Duration of exposure: 96 h

NOEC > 1 mg/l

Species: Brachydanio rerio

EC50 > 100 mg/lCrustacean toxicity:

> Species: Daphnia magna Duration of exposure: 48 h

NOEC > 1 mg/l

Species: Daphnia magna

ETHANOL (CAS: 64-17-5)

Fish toxicity: LC50 = 13000 mg/l

Species: Oncorhynchus mykiss Duration of exposure: 96 h

OECD Guideline 203 (Fish, Acute Toxicity Test)

EC50 = 5012 mg/lCrustacean toxicity:

> Species: Ceriodaphnia dubia Duration of exposure: 48 h

## 12.1.2. Mixtures

No aquatic toxicity data available for the mixture.

## 12.2. Persistence and degradability

The surfactants contained in this preparation comply with the biodegradability criteria as laid down in Regulation (EC) No 648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of Member States and will be provided with their request or at the request of a detergent manufacturer.

## 12.2.1. Substances

GLYCOLIC ACID (CAS: 79-14-1)

Biodegradability: Rapidly degradable.

D-GLUCOPYRANOSE, OLIGOMÉRIQUES, DÉCYL OCTYL GLYCOSIDES (CAS: 68515-73-1)

Biodegradability: Rapidly degradable.

SULPHURIC ACID ESTERS OF MONO-ALKYL C12-16, SODIUM SALTS (CAS: 73296-89-6)

Biodegradability: Rapidly degradable.

ETHANOL (CAS: 64-17-5)

Biodegradability: Rapidly degradable.

# 12.3. Bioaccumulative potential

No data available.

Date: 11/09/2019 Page 13/15 Revision: N°2 (05/09/2019)

## TORNADE BIOTECH AD MENTHE

## 12.4. Mobility in soil

No data available.

#### 12.5. Results of PBT and vPvB assessment

No data available.

#### 12.6. Other adverse effects

No data available.

## **SECTION 13: DISPOSAL CONSIDERATIONS**

Proper waste management of the mixture and/or its container must be determined in accordance with Directive 2008/98/EC.

#### 13.1. Waste treatment methods

Do not pour into drains or waterways.

#### Waste:

Waste management is carried out without endangering human health, without harming the environment and, in particular without risk to water, air, soil, plants or animals.

Recycle or dispose of waste in compliance with current legislation, preferably via a certified collector or company.

Do not contaminate the ground or water with waste, do not dispose of waste into the environment.

#### Soiled packaging:

Empty container completely. Keep label(s) on container.

Give to a certified disposal contractor.

#### **SECTION 14: TRANSPORT INFORMATION**

Transport product in compliance with provisions of the ADR for road, RID for rail, IMDG for sea and ICAO/IATA for air transport (ADR 2017 - IMDG 2016 - ICAO/IATA 2017).

## 14.1. UN number

2924

## 14.2. UN proper shipping name

UN2924=FLAMMABLE LIQUID, CORROSIVE, N.O.S.

(ethanol, glycolic acid)

# 14.3. Transport hazard class(es)

- Classification:





3+8

## 14.4. Packing group

Ш

# 14.5. Environmental hazards

.

# 14.6. Special precautions for user

ADR/RID	Class	Code	Pack gr.	Label	Ident.	LQ	Provis.	EQ	Cat.	Tunnel
	3	FC	III	3+8	38	5 L	274	E1	3	D/E

IMDG	Class	2°Label	Pack gr.	LQ	EMS	Provis.	EQ
	3	8	III	5 L	F-E,S-C	223 274	E1

IATA	Class	2°Label	Pack gr.	Passager	Passager	Cargo	Cargo	note	EQ
	3	8	III	354	5 L	365	60 L	A3	E1
	3	8	III	Y342	1 L	-	-	A3	E1

For limited quantities, see part 2.7 of the OACI/IATA and chapter 3.4 of the ADR and IMDG.

For excepted quantities, see part 2.6 of the OACI/IATA and chapter 3.5 of the ADR and IMDG.

## 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

No data available.

# Revision : N°2 (05/09/2019) TORNADE BIOTECH AD MENTHE

Date: 11/09/2019 Page 14/15

#### **SECTION 15: REGULATORY INFORMATION**

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

# - Classification and labelling information included in section 2:

The following regulations have been used:

- EU Regulation No. 1272/2008 amended by EU Regulation No. 2018/1480 (ATP 13)

#### - Container information:

No data available.

#### - Particular provisions:

No data available.

## - Labelling for detergents (EC Regulation No. 648/2004,907/2006):

- 5 % or over but less than 15 %: anionic surfactants
- 5 % or over but less than 15 %: nonionic surfactants
- disinfectants
- perfumes
- allergenic fragrances:

limonene

- Labelling for biocidal products (Regulation (UE) n° 528/2012) :

Name	CAS	%	Product-type
ETHANOL	64-17-5	96.59 g/kg	02
			04
LACTIC ACID	79-33-4	240.00 g/kg	02
			04

Product-type 2: Disinfectants and algaecides not intended for direct application to humans or animals.

Product-type 4: Food and feed area.

## 15.2. Chemical safety assessment

No data available.

# **SECTION 16: OTHER INFORMATION**

Since the user's working conditions are not known by us, the information supplied on this safety data sheet is based on our current level of knowledge and on national and community regulations.

The mixture must not be used for other uses than those specified in section 1 without having first obtained written handling instructions.

It is at all times the responsibility of the user to take all necessary measures to comply with legal requirements and local regulations.

The information in this safety data sheet must be regarded as a description of the safety requirements relating to the mixture and not as a guarantee of the properties thereof.

Changes from the previous version:

- Section 2
- Section 14

# Wording of the phrases mentioned in section 3:

H225	Highly flammable liquid and vapour.
H226	Flammable liquid and vapour.
H290	May be corrosive to metals.
H304	May be fatal if swallowed and enters airways.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

## Abbreviations:

DNEL: Derived No-Effect Level

PNEC: Predicted No-Effect Concentration

Version: N°1 (05/09/2019)

## TORNADE BIOTECH AD MENTHE

Date: 11/09/2019 Page 15/15

Revision: N°2 (05/09/2019)

ADR: European agreement concerning the international carriage of dangerous goods by Road.

IMDG: International Maritime Dangerous Goods. IATA: International Air Transport Association. ICAO: International Civil Aviation Organisation

RID: Regulations concerning the International carriage of Dangerous goods by rail.

WGK: Wassergefahrdungsklasse (Water Hazard Class).

GHS02: Flame GHS05: Corrosion

PBT: Persistent, bioaccumulable and toxic. vPvB: Very persistent, very bioaccumulable. SVHC: Substances of very high concern.