#### Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 Reference number: 4039-103-20

Issue date: 6/23/2020 Revision date: 9/12/2023 Supersedes version of: 2/6/2023 Version: 2.3

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product form : Mixture

Product name : CYCLONE MOUSSE SANS PARFUM

Product code : 106930

Type of product : Detergent, Biocidal products (e.g. Disinfectants, pest control)

Vaporizer : Aerosol
Product group : Trade product

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### 1.2.1. Relevant identified uses

Main use category : Professional use

#### 1.2.2. Uses advised against

No additional information available

#### 1.3. Details of the supplier of the safety data sheet

**IPC** 

10 Quai Malbert, 29200, BREST, FRANCE.

Tel.: +33 (0)2 98 43 45 44. Fax: +33 (0)2 98 44 22 53

ipc@groupe-ipc.com

#### 1.4. Emergency telephone number

No additional information available

#### **SECTION 2: Hazards identification**

# 2.1. Classification of the substance or mixture

#### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Aerosol, Category 1 H222;H229
Skin corrosion/irritation, Category 1 H314
Serious eye damage/eye irritation, Category 1 H318

Full text of H- and EUH-statements: see section 16

#### Adverse physicochemical, human health and environmental effects

No additional information available

#### 2.2. Label elements

#### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :





GHS02

GHS05

Signal word (CLP) : Danger

Contains : 2-PROPYLHEPTANOLETHOXYLATE; ALCOOL C12-14, ETHOXYLATED

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Hazard statements (CLP) : H222 - Extremely flammable aerosol.

H229 - Pressurised container: May burst if heated.

H314 - Causes severe skin burns and eye damage.

Precautionary statements (CLP) : P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources.

No smoking.

P211 - Do not spray on an open flame or other ignition source.

P251 - Do not pierce or burn, even after use.

P260 - Do not breathe spray.

P280 - Wear eye protection, face protection, protective gloves.

P301+P330+P331 - IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing.

Rinse skin with water .

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing. P310 - Immediately call a doctor, a POISON CENTER.

P405 - Store locked up.

P410+P412 - Protect from sunlight. Do not expose to temperatures exceeding 50 °C. P501 - Dispose of contents and container to compliance with local regulations.

#### 2.3. Other hazards

Contains no PBT and/or vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

#### **SECTION 3: Composition/information on ingredients**

#### 3.1. Substances

Not applicable

# 3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
butane substance with national workplace exposure limit(s) (FR)	CAS-No.: 106-97-8 EC-No.: 203-448-7 EC Index-No.: 601-004-00-0	10 – 20	Flam. Gas 1, H220 Press. Gas
Alcohols (Active substance (Biocide)) substance with national workplace exposure limit(s) (FR)	CAS-No.: 64-17-5 EC-No.: 200-578-6 EC Index-No.: 603-002-00-5 REACH-no: 01-2119457610- 43	2.27304 – 2.8413	Flam. Liq. 2, H225 Eye Irrit. 2, H319
ALCOOL C12-14, ETHOXYLATED	CAS-No.: 68439-50-9	1.6 – 2	Eye Dam. 1, H318 Aquatic Chronic 3, H412
2-(2-butoxyethoxy)ethanol; diethylene glycol monobutyl ether substance with national workplace exposure limit(s) (FR); substance with a Community workplace exposure limit	CAS-No.: 112-34-5 EC-No.: 203-961-6 EC Index-No.: 603-096-00-8 REACH-no: 01-2119475104-	1.592 – 1.99	Eye Irrit. 2, H319
Dipropyleneglycol substance with national workplace exposure limit(s) (FR); substance with a Community workplace exposure limit	CAS-No.: 34590-94-8 EC-No.: 252-104-2 REACH-no: 01-2119450011- 60	1.592 – 1.99	Not classified

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
3-butoxypropan-2-ol; propylene glycol monobutyl ether	CAS-No.: 5131-66-8 EC-No.: 225-878-4 EC Index-No.: 603-052-00-8 REACH-no: 01-2119475527- 28	1.592 – 1.99	Eye Irrit. 2, H319 Skin Irrit. 2, H315
2-PROPYLHEPTANOLETHOXYLATE	CAS-No.: 160875-66-1 REACH-no: 02-2119549160- 47	1.2672 – 1.584	Eye Dam. 1, H318 Acute Tox. 4 (Oral), H302
2-AMINOETHANOL substance with national workplace exposure limit(s) (FR); substance with a Community workplace exposure limit	CAS-No.: 141-43-5 EC-No.: 205-483-3 EC Index-No.: 603-030-00-8 REACH-no: 01-2119486455- 28	0.84 – 1.05	Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Dermal), H312 Acute Tox. 4 (Inhalation), H332 Skin Corr. 1B, H314 Eye Dam. 1, H318 STOT SE 3, H335 Aquatic Chronic 3, H412
didecyldimethylammonium chloride (Active substance (Biocide))	CAS-No.: 7173-51-5 EC-No.: 230-525-2 EC Index-No.: 612-131-00-6	0.636 - 0.795	Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Dermal), H312 Skin Corr. 1B, H314 Aquatic Acute 1, H400 (M=10) Aquatic Chronic 2, H411
Oxyde de dodécyldimethylamine	CAS-No.: 1643-20-5;308062- 28-4 EC-No.: 216-700-6; 608-528- 9	0.4776 – 0.597	Acute Tox. 4 (Oral), H302 Skin Irrit. 2, H315 Eye Dam. 1, H318 Aquatic Acute 1, H400 Aquatic Chronic 2, H411
morpholine substance with national workplace exposure limit(s) (FR)	CAS-No.: 110-91-8 EC-No.: 203-815-1 EC Index-No.: 613-028-00-9	0.23928 – 0.2991	Flam. Liq. 3, H226 Acute Tox. 4 (Oral), H302 Acute Tox. 3 (Dermal), H311 Acute Tox. 3 (Inhalation), H331 Skin Corr. 1B, H314

Specific concentration limits:		
Name	Product identifier	Specific concentration limits (%)
2-AMINOETHANOL	CAS-No.: 141-43-5 EC-No.: 205-483-3 EC Index-No.: 603-030-00-8 REACH-no: 01-2119486455- 28	(5 ≤ C ≤ 100) STOT SE 3, H335

Product subject to CLP Article 1.1.3.7. The disclosure rules of the components is modified in this case.

Full text of H- and EUH-statements: see section 16

# **SECTION 4: First aid measures**

# 4.1. Description of first aid measures

First-aid measures general : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).

First-aid measures after inhalation : Cough. Remove person to fresh air and keep comfortable for breathing. Immediately call a

POISON CENTER/doctor.

First-aid measures after skin contact : Take off immediately all contaminated clothing. Rinse skin with water/shower. Immediately

call a POISON CENTER/doctor.

9/12/2023 (Revision date) FR - en 3/17

#### Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

First-aid measures after eye contact : Direct contact with the eyes is likely to be irritating. Rinse cautiously with water for several

minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately

call a POISON CENTER/doctor.

First-aid measures after ingestion : Rinse mouth. Do NOT induce vomiting. Immediately call a POISON CENTER/doctor.

#### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects : Causes severe skin burns and eye damage.

Symptoms/effects after inhalation : Shortness of breath.

Symptoms/effects after eye contact : Causes serious eye damage.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Notes to physician.

# **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

Suitable extinguishing media : Foam. Dry powder. Carbon dioxide. Water spray. Sand.

Unsuitable extinguishing media : Do not use a heavy water stream.

#### 5.2. Special hazards arising from the substance or mixture

Fire hazard : Extremely flammable aerosol.

Explosion hazard : Heat may build pressure, rupturing closed containers, spreading fire and increasing risk of

burns and injuries.

#### 5.3. Advice for firefighters

Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any

chemical fire. Prevent fire fighting water from entering the environment. DO NOT fight fire

when fire reaches explosives. Evacuate area.

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

# **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

General measures : No open flames. No smoking. Isolate from fire, if possible, without unnecessary risk.

Remove ignition sources. Use special care to avoid static electric charges.

6.1.1. For non-emergency personnel

Emergency procedures : Evacuate unnecessary personnel.

6.1.2. For emergency responders

Protective equipment : Equip cleanup crew with proper protection.

Emergency procedures : Ventilate area.

# 6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

#### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Store away from other materials.

#### 6.4. Reference to other sections

See Section 8. Exposure controls and personal protection.

#### Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

# **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

Additional hazards when processed

: Hazardous waste due to potential risk of explosion. Do not pierce or burn, even after use.

Precautions for safe handling

: Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent

formation of vapour. Do not spray on an open flame or other ignition source. Do not breathe

aérosols. Avoid contact during pregnancy/while nursing.

Hygiene measures : Wash les mains thoroughly after handling.

#### 7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Proper grounding procedures to avoid static electricity should be followed. Comply with

applicable regulations.

Storage conditions : Keep only in the original container in a cool, well ventilated place away from : sources de

chaleur. Keep container closed when not in use. Do not expose to temperatures exceeding

50 °C/ 122 °F. Keep in fireproof place.

Incompatible products : Strong bases. Strong acids.

Incompatible materials : Sources of ignition. Direct sunlight. Heat sources.

Storage temperature : 5-50 °C

#### 7.3. Specific end use(s)

No additional information available

#### **SECTION 8: Exposure controls/personal protection**

#### 8.1. Control parameters

VLE (OEL C/STEL)

VLE (OEL C/STEL) [ppm]

#### 8.1.1 National occupational exposure and biological limit values

morpholine (110-91-8)		
France - Occupational Exposure Limits		
Local name	Morpholine	
VME (OEL TWA)	36 mg/m³	
VME (OEL TWA) [ppm]	10 ppm	
VLE (OEL C/STEL)	72 mg/m³	
VLE (OEL C/STEL) [ppm]	20 ppm	
2-(2-butoxyethoxy)ethanol; diethylene glycol monobutyl ether (112-34-5)		
France - Occupational Exposure Limits		
VME (OEL TWA)	67.5 mg/m³	
VME (OEL TWA) [ppm]	10 ppm	
VLE (OEL C/STEL)	101.2 mg/m³	
VLE (OEL C/STEL) [ppm]	15 ppm	
2-AMINOETHANOL (141-43-5)		
France - Occupational Exposure Limits		
VME (OEL TWA)	2.5 mg/m³	
VME (OEL TWA) [ppm]	1 ppm	

7.6 mg/m<sup>3</sup>

3 ppm

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Dipropyleneglycol (34590-94-8)		
France - Occupational Exposure Limits		
Local name	(2-méthoxyméthylethoxy)-propanol	
VME (OEL TWA)	308 mg/m³	
VME (OEL TWA) [ppm]	50 ppm	
butane (106-97-8)		
France - Occupational Exposure Limits		
Local name	n-Butane	
VME (OEL TWA)	1900 mg/m³	
VME (OEL TWA) [ppm]	800 ppm	
Alcohols (64-17-5)		
France - Occupational Exposure Limits		
VME (OEL TWA)	1900 mg/m³	
VME (OEL TWA) [ppm]	1000 ppm	
VLE (OEL C/STEL)	9500 mg/m³	
VLE (OEL C/STEL) [ppm]	5000 ppm	

#### 8.1.2. Recommended monitoring procedures

No additional information available

# 8.1.3. Air contaminants formed

No additional information available

#### 8.1.4. DNEL and PNEC

No additional information available

## 8.1.5. Control banding

No additional information available

## 8.2. Exposure controls

#### 8.2.1. Appropriate engineering controls

No additional information available

#### 8.2.2. Personal protection equipment

#### Personal protective equipment:

Gloves. Safety glasses.

#### Personal protective equipment symbol(s):









#### 8.2.2.1. Eye and face protection

#### Eye protection:

Chemical goggles or face shield

#### 8.2.2.2. Skin protection

#### Skin and body protection:

Wear suitable protective clothing

#### Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

#### Hand protection:

Wear protective gloves.

#### 8.2.2.3. Respiratory protection

#### Respiratory protection:

Wear appropriate mask

#### 8.2.2.4. Thermal hazards

No additional information available

#### 8.2.3. Environmental exposure controls

#### Other information:

Do not eat, drink or smoke during use.

### **SECTION 9: Physical and chemical properties**

#### 9.1. Information on basic physical and chemical properties

Physical state : Liquid
Colour : Colourless.
Odour
Odour threshold : Not available
Melting point : Not available
Freezing point : Not available
Boiling point : Not available

Flammability : Extremely flammable aerosol.

Lower explosion limit : Not available
Upper explosion limit : Not available
Flash point : Not applicable
Auto-ignition temperature : Not available
Decomposition temperature : Not available
pH : 12.8
Viscosity, kinematic : Not available
Solubility : Not available

Solubility : Not available
Partition coefficient n-octanol/water (Log Kow) : Not available
Vapour pressure : Not available
Vapour pressure at 50°C : Not available
Density : Not available

Relative density : 1

Relative vapour density at 20°C : Not available Particle characteristics : Not applicable

#### 9.2. Other information

#### 9.2.1. Information with regard to physical hazard classes

% of flammable ingredients  $\phantom{0}$  : 43.47728~%

# 9.2.2. Other safety characteristics

No additional information available

#### **SECTION 10: Stability and reactivity**

## 10.1. Reactivity

Thermal decomposition generates: Corrosive vapours.

#### 10.2. Chemical stability

Not established. Extremely flammable aerosol. Contains gas under pressure; may explode if heated. Extreme risk of explosion by shock, friction, fire or other sources of ignition.

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

#### 10.3. Possibility of hazardous reactions

Not established.

# 10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures. Heat. Sparks. Open flame. Overheating.

#### 10.5. Incompatible materials

Strong acids. Strong bases.

#### 10.6. Hazardous decomposition products

fume. Carbon monoxide. Carbon dioxide. Thermal decomposition generates: Corrosive vapours.

# **SECTION 11: Toxicological information**

# 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

Acute toxicity (inhalation) :	Not classified		
didecyldimethylammonium chloride (7173-51-5)			
LD50 oral rat	658 mg/kg		
LD50 dermal rat	> 2000 mg/kg		
2-(2-butoxyethoxy)ethanol; diethylene glycol	monobutyl ether (112-34-5)		
LD50 oral rat	3384 mg/kg		
LD50 dermal rabbit	2700 mg/kg		
2-AMINOETHANOL (141-43-5)			
LD50 oral rat	1515 mg/kg		
LC50 Inhalation - Rat	> 1.3 mg/l		
Dipropyleneglycol (34590-94-8)			
LD50 oral rat	> 5000 mg/kg		
LD50 dermal rabbit	9510 mg/kg		
2-PROPYLHEPTANOLETHOXYLATE (160875-	66-1)		
LD50 oral rat	> 301 mg/kg		
LD50 oral	> 2000 mg/kg bodyweight		
LD50 dermal	> 2000 mg/kg		
Alcohols (64-17-5)			
LD50 oral rat	10470 mg/kg		
LD50 oral	10470 mg/kg bodyweight		
LD50 dermal rabbit	> 2000 mg/kg		
LD50 dermal	15800 mg/kg bodyweight		
LC50 Inhalation - Rat (Dust/Mist)	> 99999 mg/l		
LC50 Inhalation - Rat (Vapours)	51 mg/l/4h		

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Skin corrosion/irritation : Causes severe skin burns.

pH: 12.8

**2-AMINOETHANOL (141-43-5)** 

pH 12

Serious eye damage/irritation : Causes serious eye damage.

pH: 12.8

**2-AMINOETHANOL** (141-43-5)

pH 12

Respiratory or skin sensitisation : Not classified

Additional information : Based on available data, the classification criteria are not met

Germ cell mutagenicity : Not classified

Additional information : Based on available data, the classification criteria are not met

Carcinogenicity : Not classified

Additional information : Based on available data, the classification criteria are not met

Reproductive toxicity : Not classified

Additional information : Based on available data, the classification criteria are not met

STOT-single exposure : Not classified

Additional information : Based on available data, the classification criteria are not met

**2-AMINOETHANOL** (141-43-5)

STOT-single exposure May cause respiratory irritation.

STOT-repeated exposure : Not classified

Additional information : Based on available data, the classification criteria are not met

Aspiration hazard : Not classified

Additional information : Based on available data, the classification criteria are not met

**CYCLONE MOUSSE SANS PARFUM** 

Vaporizer Aerosol

2-(2-butoxyethoxy)ethanol; diethylene glycol monobutyl ether (112-34-5)

Viscosity, kinematic 6.81 mm²/s

**2-AMINOETHANOL** (141-43-5)

Viscosity, kinematic 22.7 mm²/s

Dipropyleneglycol (34590-94-8)

Viscosity, kinematic 4.55 mm<sup>2</sup>/s

3-butoxypropan-2-ol; propylene glycol monobutyl ether (5131-66-8)

Viscosity, kinematic 3.8 mm<sup>2</sup>/s

#### 11.2. Information on other hazards

# 11.2.1. Endocrine disrupting properties

No additional information available

11.2.2. Other information

Potential adverse human health effects and

symptoms

: Based on available data, the classification criteria are not met

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

# **SECTION 12: Ecological information**

# 12.1. Toxicity

Hazardous to the aquatic environment, short-term : Not classified

(acute)

Hazardous to the aquatic environment, long-term : Not classified

(chronic)

(CITIOTHO)			
didecyldimethylammonium chloride (7173-51-5)			
LC50 - Fish [1]	0.97 mg/l Brachydanio rerio		
EC50 - Crustacea [1]	0.06 mg/l Daphnia magna		
EC50 72h - Algae [1]	0.12 mg/l Scenedesmus capricornutum		
ErC50 algae	0.12 mg/l Scenedesmus capricornutum		
2-(2-butoxyethoxy)ethanol; diethylene glycol	2-(2-butoxyethoxy)ethanol; diethylene glycol monobutyl ether (112-34-5)		
LC50 - Fish [1]	1300 mg/l		
LC50 - Other aquatic organisms [1]	2750 mg/l		
EC50 - Crustacea [1]	2850 mg/l		
NOEC (acute)	> 100 mg/l		
2-AMINOETHANOL (141-43-5)			
LC50 - Fish [1]	349 mg/l Cyprinus carpio		
EC50 - Crustacea [1]	65 mg/l Daphnia magna		
ErC50 algae	2.5 mg/l Scenedesmus capricornutum		
NOEC (acute)	1 mg/l		
NOEC chronic fish	1.2 mg/l Oryzias latipes		
NOEC chronic crustacea	0.85 mg/l Daphnia magna		
Dipropyleneglycol (34590-94-8)			
LC50 - Fish [1]	10000 mg/l		
Alcohols (64-17-5)			
LC50 - Fish [1]	14200 mg/l		
EC50 - Crustacea [1]	5012 mg/l Ceriodaphnia dubia		
EC50 - Other aquatic organisms [1]	5012 mg/l waterflea		
EC50 - Other aquatic organisms [2]	275 mg/l		

# 12.2. Persistence and degradability

CYCLONE MOUSSE SANS PARFUM		
Persistence and degradability	Not established.	
2-(2-butoxyethoxy)ethanol; diethylene glycol monobutyl ether (112-34-5)		
Persistence and degradability	Not established.	
2-AMINOETHANOL (141-43-5)		
Persistence and degradability	Not established.	
Biodegradation	> 90 %	

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Dipropyleneglycol (34590-94-8)		
Persistence and degradability	Not established.	
3-butoxypropan-2-ol; propylene glycol monobutyl ether (5131-66-8)		
Persistence and degradability	Not established.	
Biodegradation	90 % 28 jours	

# 12.3. Bioaccumulative potential

CYCLONE MOUSSE SANS PARFUM		
Bioaccumulative potential	Not established.	
didecyldimethylammonium chloride (7173-51-	5)	
Bioconcentration factor (BCF REACH)	81	
2-(2-butoxyethoxy)ethanol; diethylene glycol monobutyl ether (112-34-5)		
Bioaccumulative potential	Not established.	
2-AMINOETHANOL (141-43-5)		
Bioaccumulative potential	Not established.	
Dipropyleneglycol (34590-94-8)		
Bioaccumulative potential	Not established.	
3-butoxypropan-2-ol; propylene glycol monobutyl ether (5131-66-8)		
Bioaccumulative potential	Not established.	
Alcohols (64-17-5)		

#### 12.4. Mobility in soil

No additional information available

# 12.5. Results of PBT and vPvB assessment

Partition coefficient n-octanol/water (Log Pow)

No additional information available

# 12.6. Endocrine disrupting properties

No additional information available

#### 12.7. Other adverse effects

Additional information : Avoid release to the environment.

# **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

Product/Packaging disposal recommendations : Dispose in a safe manner in accordance with local/national regulations. Container under

pressure. Do not drill or burn even after use. Dispose of contents/container to le respect de

la réglementation locale.

Additional information : Flammable vapours may accumulate in the container.

-0.32

Ecology - waste materials : Avoid release to the environment.

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

# **SECTION 14: Transport information**

In accordance with ADR / IMDG / IATA / ADN / RID

# 14.1. UN number or ID number

UN-No. (ADR) : UN 1950 UN-No. (IMDG) : UN 1950 UN-No. (IATA) : UN 1950 UN-No. (ADN) : UN 1950 UN-No. (RID) : UN 1950

#### 14.2. UN proper shipping name

Proper Shipping Name (ADR) : AEROSOLS Proper Shipping Name (IMDG) **AEROSOLS** 

Proper Shipping Name (IATA) : Aerosols, flammable, containing substances in Class 8, Packing Group III

Proper Shipping Name (ADN) : AEROSOLS Proper Shipping Name (RID) : AEROSOLS

Transport document description (ADR) : UN 1950 AEROSOLS, 2.1 (8), (D) Transport document description (IMDG) : UN 1950 AEROSOLS, 2.1 (8)

: UN 1950 Aerosols, flammable, containing substances in Class 8, Packing Group III, 2.1 (8) Transport document description (IATA)

: UN 1950 AEROSOLS, 2.1 (8) Transport document description (ADN) Transport document description (RID) : UN 1950 AEROSOLS, 2.1 (8)

#### 14.3. Transport hazard class(es)

Transport hazard class(es) (ADR) : 2.1 (8) Danger labels (ADR)

: 2.1, 8



# **IMDG**

Transport hazard class(es) (IMDG) : 2.1 (8) Danger labels (IMDG) 2.1, 8



#### **IATA**

Transport hazard class(es) (IATA) : 2.1 (8) : 2.1, 8 Danger labels (IATA)



#### **ADN**

Transport hazard class(es) (ADN) : 2.1 (8) 2.1, 8 Danger labels (ADN)



# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

#### **RID**

Transport hazard class(es) (RID) : 2.1 (8)
Danger labels (RID) : 2.1, 8

:



#### 14.4. Packing group

Packing group (ADR) : Not applicable
Packing group (IMDG) : Not applicable
Packing group (IATA) : Not applicable
Packing group (ADN) : Not applicable
Packing group (RID) : Not applicable

#### 14.5. Environmental hazards

Dangerous for the environment : No Marine pollutant : No

Other information : No supplementary information available

#### 14.6. Special precautions for user

#### **Overland transport**

Classification code (ADR) : 5FC

Special provisions (ADR) : 190, 327, 344, 625

Limited quantities (ADR) : 1I
Excepted quantities (ADR) : E0
Packing instructions (ADR) : P207

Special packing provisions (ADR) : PP87, RR6, L2

Mixed packing provisions (ADR) : MP9

Transport category (ADR) : 1

Special provisions for carriage - Packages (ADR) : V14

Special provisions for carriage - Loading, unloading : CV9, CV12

and handling (ADR)

Special provisions for carriage - Operation (ADR) : S2 Tunnel restriction code (ADR) : D

#### Transport by sea

Special provisions (IMDG) : 63, 190, 277, 327, 344, 381, 959

Limited quantities (IMDG) : SP277

Excepted quantities (IMDG) : E0

Packing instructions (IMDG) : P207, LP200

Special packing provisions (IMDG) : PP87, L2
EmS-No. (Fire) : F-D
EmS-No. (Spillage) : S-U
Stowage category (IMDG) : None
Stowage and handling (IMDG) : SW1, SW22
Segregation (IMDG) : SG69

#### Air transport

PCA Excepted quantities (IATA) : E0
PCA Limited quantities (IATA) : Y203
PCA limited quantity max net quantity (IATA) : 30kgG
PCA packing instructions (IATA) : 203
PCA max net quantity (IATA) : 75kg
CAO packing instructions (IATA) : 203
CAO max net quantity (IATA) : 150kg

Special provisions (IATA) : A145, A167, A802

ERG code (IATA) : 10C

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

**Inland waterway transport** 

Classification code (ADN) : 5FC

Special provisions (ADN) : 190, 327, 344, 625

Limited quantities (ADN) : 1 L
Excepted quantities (ADN) : E0

Equipment required (ADN) : PP, EP, EX, A Ventilation (ADN) : VE01, VE04

Number of blue cones/lights (ADN) : 1

Rail transport

Classification code (RID) : 5FC

Special provisions (RID) : 190, 327, 344, 625

Limited quantities (RID) : 1L Excepted quantities (RID) : E0

Packing instructions (RID) : P207, LP200 Special packing provisions (RID) : PP87, RR6, L2

Mixed packing provisions (RID) : MP9
Transport category (RID) : 1
Special provisions for carriage – Packages (RID) : W14
Special provisions for carriage - Loading, unloading : CW9, CW12

and handling (RID)

Colis express (express parcels) (RID) : CE2 Hazard identification number (RID) : 238

# 14.7. Maritime transport in bulk according to IMO instruments

Not applicable

## **SECTION 15: Regulatory information**

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

#### **REACH Annex XVII (Restriction List)**

Contains no substance(s) listed on REACH Annex XVII (Restriction Conditions)

#### **REACH Annex XIV (Authorisation List)**

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

#### **REACH Candidate List (SVHC)**

Contains no substance(s) listed on the REACH Candidate List

#### **PIC Regulation (Prior Informed Consent)**

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

#### **POP Regulation (Persistent Organic Pollutants)**

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

#### Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

#### Biocide Regulation (528/2012)

Contains substance(s) listed on the Biocidal Products list (Regulation EU 528/2012 concerning the making available on the market and use of biocidal products)

Type of product (Biocide) : 2 - Disinfectants and algaecides not intended for direct application to humans or animals, 4 -

Food and feed area

Authorisation number

Contains : chlorure de didécyldiméthylammonium (7173-51-5) (0,8 % (pourcentage)); Ethanol (64-17-

5) (2,85 % (pourcentage))

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

#### **Detergent Regulation (648/2004)**

Ingredient data sheet			
Component	CAS-No.	%	
Hydrocarbures C4	87741-01-3	≥10%	
butane	106-97-8	≥10%	
propane	74-98-6	1 - 10%	
ALCOHOL	64-17-5	1 - 10%	
Alcool, C12-C14, éthoxylés	68439-50-9	1 - 10%	
2-(2-butoxyethoxy)ethanol; diethylene glycol monobutyl ether	112-34-5	1 - 10%	
Dipropyleneglycol	34590-94-8	1 - 10%	
3-butoxypropan-2-ol; propylene glycol monobutyl ether	5131-66-8	1 - 10%	
2-PROPYLHEPTANOLETHOXILATE	160875-66-1	1 - 10%	
GLUTAMIC ACID, N,N-DIACETIC ACID, TETRASODIUM SALT	51981-21-6	0.1 - 1%	
2-AMINOETHANOL	141-43-5	0.1 - 1%	
didecyldimethylammonium chloride	7173-51-5	0.1 - 1%	
1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-C8-18(even numbered)	97862-59-4, 61789-40-0	0.1 - 1%	
Oxyde de dodécyldimethylamine	1643-20-5;308062-28-4	0.1 - 1%	
PROPANE-2-OL	67-63-0	0.1 - 1%	
morpholine	110-91-8	0.1 - 1%	
sodium hydroxide; caustic soda	1310-73-2	0.1 - 1%	
ammonia%	1336-21-6	<0.1%	
butanone; ethyl methyl ketone	78-93-3	<0.1%	

Labelling of contents		
Component	%	
aliphatic hydrocarbons	15-30%	
non-ionic surfactants, amphoteric surfactants	<5%	
disinfectants		

#### **Explosives Precursors Regulation (2019/1148)**

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

#### **Drug Precursors Regulation (273/2004)**

Contains substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

#### 15.1.2. National regulations

#### **France**

Occupational diseases			
Code	Description		
RG 49	Skin disorders caused by aliphatic, alicyclic amines or ethanolamines		
RG 49 BIS	Respiratory disorders caused by aliphatic amines, ethanolamines or isophoronediamine		
RG 65	Eczematiform lesions of allergic mechanism		
RG 84	Conditions caused by liquid organic solvents for professional use: saturated or unsaturated aliphatic or cyclic liquid hydrocarbons and mixtures thereof; liquid halogenated hydrocarbons; nitrated derivatives of aliphatic hydrocarbons; alcohols; glycols, glycol ethers; ketones; aldehydes; aliphatic and cyclic ethers, including tetrahydrofuran; esters; dimethylformamide and dimethylacetamine; acetonitrile and propionitrile; pyridine; dimethylsulfone and dimethylsulfoxide		
Installations classées			
No ICPE	Désignation de la rubrique	Code Régime	Rayon
4320.text	Aérosols extrêmement inflammables ou inflammables de catégorie 1 ou 2 contenant des gaz inflammables de catégorie 1 ou 2 ou des liquides inflammables de catégorie 1.		

# 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

# **SECTION 16: Other information**

Data sources : REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE

COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and

amending Regulation (EC) No 1907/2006.

Other information : None.

Full text of H- and EUH-statements:		
Acute Tox. 3 (Dermal)	Acute toxicity (dermal), Category 3	
Acute Tox. 3 (Inhalation)	Acute toxicity (inhal.), Category 3	
Acute Tox. 4 (Dermal)	Acute toxicity (dermal), Category 4	
Acute Tox. 4 (Inhalation)	Acute toxicity (inhal.), Category 4	
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4	
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1	
Aquatic Chronic 2	Hazardous to the aquatic environment – Chronic Hazard, Category 2	
Aquatic Chronic 3	Hazardous to the aquatic environment – Chronic Hazard, Category 3	
Eye Dam. 1	Serious eye damage/eye irritation, Category 1	
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2	
Flam. Gas 1	Flammable gases, Category 1	
Flam. Liq. 2	Flammable liquids, Category 2	
Flam. Liq. 3	Flammable liquids, Category 3	
H220	Extremely flammable gas.	

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Full text of H- and EUH-statements:		
H222	Extremely flammable aerosol.	
H225	Highly flammable liquid and vapour.	
H226	Flammable liquid and vapour.	
H229	Pressurised container: May burst if heated.	
H302	Harmful if swallowed.	
H311	Toxic in contact with skin.	
H312	Harmful in contact with skin.	
H314	Causes severe skin burns and eye damage.	
H315	Causes skin irritation.	
H318	Causes serious eye damage.	
H319	Causes serious eye irritation.	
H331	Toxic if inhaled.	
H332	Harmful if inhaled.	
H335	May cause respiratory irritation.	
H400	Very toxic to aquatic life.	
H411	Toxic to aquatic life with long lasting effects.	
H412	Harmful to aquatic life with long lasting effects.	
Press. Gas	Gases under pressure	
Skin Corr. 1B	Skin corrosion/irritation, Category 1, Sub-Category 1B	
Skin Irrit. 2	Skin corrosion/irritation, Category 2	
STOT SE 3	Specific target organ toxicity – Single exposure, Category 3, Respiratory tract irritation	

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.