

DESOFOR PREMIUM PIN EUCALYPTUS

SAFETY DATA SHEET

(REACH regulation (EC) n° 1907/2006 - n° 2020/878)

SECTION 1 : IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product name : DESOFOR PREMIUM PIN EUCALYPTUS

Product code : 203550

1.2. Relevant identified uses of the substance or mixture and uses advised against

DETERGENT DISINFECTANT AIR FRESHENER

TP2 : Disinfectants for surfaces, materials, equipment and furniture without direct contact with food or feed

Additional Information : The product should not be used for applications other than those described in this safety data sheet or in the technical documents for the product.

Main use category : Product for professional use.

Use descriptor system (REACH) :

SU: 22 - PC: 8.0

1.3. Details of the supplier of the safety data sheet

Registered company name : IPC.

Address : 10 QUAI MALBERT CS 71 821.29218.BREST.France.

Telephone : 02 98 43 45 44. Fax : 02 98 44 22 53.

www.ipc-sa.com

1.4. Emergency telephone number : +33 (0)1 45 42 59 59.

Association/Organisation : ORFILA - <http://www.centres-antipoison.net>.

Other emergency numbers

European emergency call number : 112

SECTION 2 : HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

In compliance with EC regulation No. 1272/2008 and its amendments.

Substance that is corrosive to metals, Category 1 (Met. Corr. 1, H290).

Skin irritation, Category 2 (Skin Irrit. 2, H315).

Serious eye damage, Category 1 (Eye Dam. 1, H318).

May produce an allergic reaction (EUH208).

Hazardous to the aquatic environment - Acute hazard, Category 1 (Aquatic Acute 1, H400).

Hazardous to the aquatic environment - Chronic hazard, Category 2 (Aquatic Chronic 2, H411).

2.2. Label elements

Biocidal detergent mixture (see section 15).

In compliance with EC regulation No. 1272/2008 and its amendments.

Hazard pictograms :



GHS09



GHS05

Signal Word :

DANGER

Product identifiers :

CAS 68439-46-3

ALCOHOLS, C9-11, ETHOXYLATED

EC 230-525-2

DIDECYLDIMETHYLAMMONIUM CHLORIDE

EC 270-325-2

QUATERNARY AMMONIUM COMPOUNDS, BENZYL-C12-16-ALKYLDIMETHYL, CHLORIDES

Additional labeling :

EUH208

Contains EUCALYPTOL. May produce an allergic reaction.

DESOFOR PREMIUM PIN EUCALYPTUS

Hazard statements :

H290 May be corrosive to metals.
H315 Causes skin irritation.
H318 Causes serious eye damage.
H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements - Prevention :

P280 Wear protective gloves, protective clothing and eye protection.

Precautionary statements - Response :

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P332 + P313 If skin irritation occurs: Get medical advice/attention.

P391 Collect spillage.

Precautionary statements - Disposal :

P501 Dispose of contents and container to a collection point of hazardous or special waste, in accordance with national regulations.

2.3. Other hazards

The mixture does not contain substances classified as 'Substances of Very High Concern' (SVHC) $\geq 0.1\%$ published by the European Chemicals Agency (ECHA) under article 59 of REACH: <http://echa.europa.eu/fr/candidate-list-table>

The mixture fulfils neither the PBT nor the vPvB criteria for mixtures in accordance with annexe XIII of the REACH regulations EC 1907/2006.

The mixture does not contain substances $\geq 0.1\%$ with endocrine disrupting properties in accordance with the criteria of the Delegated Regulation (EU) 2017/2100 of the Commission or Regulation (EU) 2018/605 of the Commission.

Do not mix with other biocidal or detergent products.

SECTION 3 : COMPOSITION/INFORMATION ON INGREDIENTS

3.2. Mixtures

Composition :

Identification	Classification (EC) 1272/2008	Note	%
INDEX: 0393 CAS: 68439-46-3 ALCOHOLS, C9-11, ETHOXYLATED	GHS07, GHS05 Dgr Acute Tox. 4, H302 Eye Dam. 1, H318		2.5 \leq x % < 10
INDEX: 612_131_00_6 CAS: 7173-51-5 EC: 230-525-2 DIDECYLDIMETHYLAMMONIUM CHLORIDE	GHS06, GHS05, GHS09 Dgr Acute Tox. 3, H301 Skin Corr. 1B, H314 Aquatic Chronic 2, H411 Aquatic Acute 1, H400 M Acute = 10		2.5 \leq x % < 10
INDEX: 0091 CAS: 68424-85-1 EC: 270-325-2 REACH: 01-2119965180-41-XXXX QUATERNARY AMMONIUM COMPOUNDS, BENZYL-C12-16-ALKYLDIMETHYL, CHLORIDES	GHS07, GHS05, GHS09 Dgr Acute Tox. 4, H302 Skin Corr. 1B, H314 Eye Dam. 1, H318 Aquatic Acute 1, H400 M Acute = 10 Aquatic Chronic 1, H410 M Chronic = 1		2.5 \leq x % < 10
INDEX: 603-117-00-0 CAS: 67-63-0 EC: 200-661-7 REACH: 01-2119457558-25-XXXX PROPAN-2-OL	GHS02, GHS07 Dgr Flam. Liq. 2, H225 Eye Irrit. 2, H319 STOT SE 3, H336	[i]	0 \leq x % < 2.5
INDEX: 1419 CAS: 470-82-6 EC: 207-431-5 EUCALYPTOL	GHS07, GHS02 Wng Flam. Liq. 3, H226 Skin Sens. 1B, H317		0 \leq x % < 2.5

DESOFOR PREMIUM PIN EUCALYPTUS

Specific concentration limits:

Identification	Specific concentration limits	ATE
INDEX: 0393 CAS: 68439-46-3 ALCOHOLS, C9-11, ETHOXYLATED		oral: ATE = 1200 mg/kg BW
INDEX: 612_131_00_6 CAS: 7173-51-5 EC: 230-525-2 DIDECYLDIMETHYLAMMONIUM CHLORIDE		dermal: ATE = 3342 mg/kg BW oral: ATE = 238 mg/kg BW
INDEX: 0091 CAS: 68424-85-1 EC: 270-325-2 REACH: 01-2119965180-41-XXXX QUATERNARY AMMONIUM COMPOUNDS, BENZYL-C12-16-ALKYLDIMETHYL, CHLORIDES		oral: ATE = 398 mg/kg BW

Nanoform

The product doesn't contain any nanomaterials.

Information on ingredients :

(Full text of H-phrases: see section 16)

[i] Substance for which maximum workplace exposure limits are available.

SECTION 4 : FIRST AID MEASURES

As a general rule, in case of doubt or if symptoms persist, always call a doctor.

NEVER induce swallowing by an unconscious person.

4.1. description of first aid measures

In the event of exposure by inhalation :

In the event of an allergic reaction, seek medical attention.

In the event of splashes or contact with eyes :

If necessary, remove the lenses if possible. Wash thoroughly with soft, clean water for 15 minutes holding the eyelids open. If there is any redness or visual impairment, consult an ophthalmologist.

In the event of splashes or contact with skin :

Remove contaminated clothing and wash the skin thoroughly with soap and water or a recognised cleaner.

Watch out for any remaining product between skin and clothing, watches, shoes, etc.

In the event of an allergic reaction, seek medical attention.

If the contaminated area is widespread and/or there is damage to the skin, a doctor must be consulted or the patient transferred to hospital.

In the event of swallowing :

Do not give the patient anything orally.

In the event of swallowing, if the quantity is small (no more than one mouthful), rinse the mouth with water and consult a doctor.

Keep the person exposed at rest. Do not force vomiting.

Seek medical attention immediately, showing the label.

If swallowed accidentally, call a doctor to ascertain whether observation and hospital care will be necessary. Show the label.

4.2. Most important symptoms and effects, both acute and delayed

After contact with the eyes : Causes serious eye damage.

After contact with the skin : Irritation, redness.

4.3. Indication of any immediate medical attention and special treatment needed

No data available.

Information for the doctor :

In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to stay under medical supervision for 48 hours.

DESOFOR PREMIUM PIN EUCALYPTUS

SECTION 5 : FIREFIGHTING MEASURES

Non-flammable.

5.1. Extinguishing media

Suitable methods of extinction

In the event of a fire, use :

- sprayed water or water mist
- foam
- multipurpose ABC powder
- BC powder
- carbon dioxide (CO₂)

Unsuitable methods of extinction

In the event of a fire, do not use :

- water jet

5.2. Special hazards arising from the substance or mixture

A fire will often produce a thick black smoke. Exposure to decomposition products may be hazardous to health.

Do not breathe in smoke.

In the event of a fire, the following may be formed :

- carbon monoxide (CO)
- carbon dioxide (CO₂)
- nitrogen oxide (NO)
- hydrogen chloride (HCl)
- halogenated compounds

5.3. Advice for firefighters

Due to the toxicity of the gas emitted on thermal decomposition of the products, fire-fighting personnel are to be equipped with autonomous insulating breathing apparatus.

Do not discharge into the wastewater network

SECTION 6 : ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Consult the safety measures listed under headings 7 and 8.

For non first aid worker

Avoid any contact with the skin and eyes.

No action shall be taken involving any personal risk or without suitable training. Evacuate the area.

For first aid worker

First aid workers will be equipped with suitable personal protective equipment (See section 8).

6.2. Environmental precautions

Contain and control the leaks or spills with non-combustible absorbent materials such as sand, earth, vermiculite, diatomaceous earth in drums for waste disposal.

Prevent any material from entering drains or waterways.

If the product contaminates waterways, rivers or drains, alert the relevant authorities in accordance with statutory procedures

Use drums to dispose of collected waste in compliance with current regulations (see section 13).

6.3. Methods and material for containment and cleaning up

If the ground is contaminated, once the product has been recovered by sponging with an inert and non-combustible absorbent material, wash the contaminated area in plenty of water.

6.4. Reference to other sections

Section 7: Handling and Storage

Section 8: exposure control and personal protection

Section 10: Incompatible materials.

Section 13: disposal considerations.

DESOFOR PREMIUM PIN EUCALYPTUS

SECTION 7 : HANDLING AND STORAGE

Requirements relating to storage premises apply to all facilities where the mixture is handled.

7.1. Precautions for safe handling

Always wash hands after handling.

Remove and wash contaminated clothing before re-using.

Ensure that there is adequate ventilation, especially in confined areas.

Remove contaminated clothing and protective equipment before entering eating areas.

Emergency showers and eye wash stations will be required in facilities where the mixture is handled constantly.

Fire prevention :

Handle in well-ventilated areas.

Prevent access by unauthorised personnel.

Recommended equipment and procedures :

For personal protection, see section 8.

Observe precautions stated on label and also industrial safety regulations.

Avoid eye contact with this mixture at all times.

Packages which have been opened must be reclosed carefully and stored in an upright position.

Prohibited equipment and procedures :

No smoking, eating or drinking in areas where the mixture is used.

Never open the packages under pressure.

7.2. Conditions for safe storage, including any incompatibilities

Store in a cool, dry, well-ventilated place. Protect from frost and sunlight. Store in the original, tightly closed container to avoid environmental contamination. Keep away from incompatible materials (see section 10).

Storage

Keep the container tightly closed in a dry, well-ventilated place.

The floor must be impermeable and form a collecting basin so that, in the event of an accidental spillage, the liquid cannot spread beyond this area.

Packaging

Always keep in packaging made of an identical material to the original.

Recommended types of packaging :

- Vats
- Bottles
- Drums
- Container
- Dose capsule

Suitable packaging materials :

- Plastic
- Compatible grades of HDPE

Unsuitable packaging materials :

- Wood
- Cardboard
- Metal
- Paper bag
- Textile

7.3. Specific end use(s)

The mixture is a biocidal product. It must not be used for applications other than those described in this safety data sheet and in the technical documents concerning the product.

Product intended for strictly professional use.

Always read the label or the instructions before use, and follow all the instructions given there.

Respect the conditions of use of the product (concentration, contact time, ...).

Do not mix with other detergents or biocidal products.

DESOFOR PREMIUM PIN EUCALYPTUS

SECTION 8 : EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Occupational exposure limits :

- Belgium :

CAS	TWA :	STEL :	Ceiling :	Definition :	Criteria :
67-63-0 PROPAN-2-OL	200 ppm 500 mg/m ³	400 ppm 1000 mg/m ³			

- France :

CAS	VME-ppm :	VME-mg/m ³ :	VLE-ppm :	VLE-mg/m ³ :	Notes :	TMP No :
67-63-0 PROPAN-2-OL			400	980		84

- Ireland :

CAS	TWA :	STEL :	Ceiling :	Definition :	Criteria :
67-63-0 PROPAN-2-OL	200 ppm	400 ppm			

- UK :

CAS	TWA :	STEL :	Ceiling :	Definition :	Criteria :
67-63-0 PROPAN-2-OL	400 ppm 999 mg/m ³	500 ppm 1250 mg/m ³			

Derived no effect level (DNEL) or derived minimum effect level (DMEL):

PROPAN-2-OL (CAS: 67-63-0)

Final use:

Exposure method:
Potential health effects:
DNEL :

Workers.

Dermal contact.
Long term systemic effects.
888 mg/kg body weight/day

Exposure method:
Potential health effects:
DNEL :

Inhalation.
Long term systemic effects.
500 mg of substance/m³

Final use:

Exposure method:
Potential health effects:
DNEL :

Consumers.

Ingestion.
Long term systemic effects.
26 mg/kg body weight/day

Exposure method:
Potential health effects:
DNEL :

Dermal contact.
Long term systemic effects.
319 mg/kg body weight/day

Exposure method:
Potential health effects:
DNEL :

Inhalation.
Long term systemic effects.
89 mg of substance/m³

QUATERNARY AMMONIUM COMPOUNDS, BENZYL-C12-16-ALKYLDIMETHYL, CHLORIDES (CAS: 68424-85-1)

Final use:

Exposure method:
Potential health effects:
DNEL :

Workers.

Dermal contact.
Long term systemic effects.
5.7 mg/kg body weight/day

Exposure method:
Potential health effects:
DNEL :

Inhalation.
Long term systemic effects.
3.96 mg of substance/m³

Final use:

Exposure method:
Potential health effects:

Consumers.

Ingestion.
Long term systemic effects.

DESOFOR PREMIUM PIN EUCALYPTUS

DNEL : 3.4 mg/kg body weight/day

Exposure method: Dermal contact.
Potential health effects: Long term systemic effects.
DNEL : 3.4 mg/kg body weight/day

Exposure method: Inhalation.
Potential health effects: Long term systemic effects.
DNEL : 1.64 mg of substance/m3

DIDECYLDIMETHYLAMMONIUM CHLORIDE (CAS: 7173-51-5)

Final use:

Workers.

Exposure method: Dermal contact.
Potential health effects: Long term systemic effects.
DNEL : 1.55 mg/kg body weight/day

Exposure method: Inhalation.
Potential health effects: Long term systemic effects.
DNEL : 5.39 mg of substance/m3

Predicted no effect concentration (PNEC):

PROPAN-2-OL (CAS: 67-63-0)

Environmental compartment: Soil.
PNEC : 28 mg/kg

Environmental compartment: Fresh water.
PNEC : 140.9 mg/l

Environmental compartment: Sea water.
PNEC : 140.9 mg/l

Environmental compartment: Fresh water sediment.
PNEC : 552 mg/kg

Environmental compartment: Marine sediment.
PNEC : 552 mg/kg

Environmental compartment: Waste water treatment plant.
PNEC : 2251 mg/l

QUATERNARY AMMONIUM COMPOUNDS, BENZYL-C12-16-ALKYLDIMETHYL, CHLORIDES (CAS: 68424-85-1)

Environmental compartment: Soil.
PNEC : 7 mg/kg

Environmental compartment: Fresh water.
PNEC : 0.0009 mg/l

Environmental compartment: Sea water.
PNEC : 0.00096 mg/l

Environmental compartment: Intermittent waste water.
PNEC : 0.00016 mg/l

Environmental compartment: Fresh water sediment.
PNEC : 12.27 mg/kg

Environmental compartment: Marine sediment.
PNEC : 13.09 mg/kg

DESOFOR PREMIUM PIN EUCALYPTUS

Environmental compartment: Waste water treatment plant.
PNEC : 0.4 mg/l

DIDECYLDIMETHYLAMMONIUM CHLORIDE (CAS: 7173-51-5)

Environmental compartment: Soil.
PNEC : 1.4 mg/kg

Environmental compartment: Fresh water.
PNEC : 0.0011 mg/l

Environmental compartment: Sea water.
PNEC : 0.00011 mg/l

Environmental compartment: Intermittent waste water.
PNEC : 0.00021 mg/l

Environmental compartment: Fresh water sediment.
PNEC : 61.86 mg/kg

Environmental compartment: Marine sediment.
PNEC : 6.186 mg/kg

Environmental compartment: Waste water treatment plant.
PNEC : 0.14 mg/l

8.2. Exposure controls

Personal protection measures, such as personal protective equipment

Pictogram(s) indicating the obligation of wearing personal protective equipment (PPE) :



Use personal protective equipment that is clean and has been properly maintained.

Store personal protective equipment in a clean place, away from the work area.

Never eat, drink or smoke during use. Remove and wash contaminated clothing before re-using. Ensure that there is adequate ventilation, especially in confined areas.

- Eye / face protection

Avoid contact with eyes.

Use eye protectors designed to protect against liquid splashes

Before handling, wear safety goggles with protective sides accordance with standard ISO 16321.

In the event of high danger, protect the face with a face shield.

Prescription glasses are not considered as protection.

Individuals wearing contact lenses should wear prescription glasses during work where they may be exposed to irritant vapours.

Provide eyewash stations in facilities where the product is handled constantly.

- Hand protection

Use suitable protective gloves that are resistant to chemical agents in accordance with standard EN ISO 374-1.

Gloves must be selected according to the application and duration of use at the workstation.

Protective gloves need to be selected according to their suitability for the workstation in question : other chemical products that may be handled, necessary physical protections (cutting, pricking, heat protection), level of dexterity required.

Type of gloves recommended :

- Nitrile rubber (butadiene-acrylonitrile copolymer rubber (NBR))

- Butyl Rubber (Isobutylene-isoprene copolymer)

- Body protection

Avoid skin contact.

Wear suitable protective clothing.

Suitable type of protective clothing :

In the event of substantial spatter, wear liquid-tight protective clothing against chemical risks (type 3) in accordance with EN14605/A1 to prevent skin contact.

DESOFOR PREMIUM PIN EUCALYPTUS

In the event of a risk of splashing, wear protective clothing against chemical risks (type 6) in accordance with EN13034/A1 to prevent skin contact.

Before handling in the laboratory, wear a cotton lab coat or suitable protective clothing.

Suitable type of protective boots :

In the event of minor spatter, wear protective boots or half-boots against chemical risks in accordance with standard EN13832-2.

In the event of prolonged contact, wear boots or half-boots with liquid-chemical-resistant and waterproof soles and uppers in accordance with standard EN13832-3.

Work clothing worn by personnel shall be laundered regularly.

After contact with the product, all parts of the body that have been soiled must be washed.

- Respiratory protection

Category :

- FFP2

Anti-gas and vapour filter(s) (Combined filters) in accordance with standard EN14387 :

- A2 (Brown)

- K2 (Green)

Particle filter according to standard EN143 :

- P2 (White)

Exposure controls linked to environmental protection

Avoid release to the environment.

SECTION 9 : PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Physical state

Physical state : Fluid liquid.

Colour

Color : Transparent dark green

Odour

Odour threshold : Not stated.

Odour : N/A

Melting point

Melting point/melting range : Not relevant.

Freezing point

Freezing point / Freezing range : Not stated.

Boiling point or initial boiling point and boiling range

Boiling point/boiling range : Not relevant.

Flammability

Flammability (solid, gas) : Not stated.

Lower and upper explosion limit

Explosive properties, lower explosivity limit (%) Not stated.

:

Explosive properties, upper explosivity limit (%) Not stated.

:

Flash point

Flash point interval : Not relevant.

Auto-ignition temperature

Self-ignition temperature : Not relevant.

Decomposition temperature

Decomposition point/decomposition range : Not relevant.

pH

pH (aqueous solution) : Not stated.

pH : 8.25 +/- 1.00.

Slightly basic.

Kinematic viscosity

Viscosity : Not stated.

DESOFOR PREMIUM PIN EUCALYPTUS

Solubility

Water solubility : Soluble.
Fat solubility : Not stated.

Partition coefficient n-octanol/water (log value)

Partition coefficient: n-octanol/water : Not stated.

Vapour pressure

Vapour pressure (50°C) : Not relevant.

Density and/or relative density

Density : 0.995 +/- 0.015
Method for determining the density :
OCDE Guideline 109 (Density of liquids and solids).

Relative vapour density

Vapour density : Not stated.

Particle characteristics

The mixture does not contain nanoforms.

9.2. Other information

No additional information available.

9.2.1. Information with regard to physical hazard classes

No additional information available.

Corrosive to metals

H290 classification. May be corrosive to metals

9.2.2. Other safety characteristics

No additional information available.

SECTION 10 : STABILITY AND REACTIVITY

10.1. Reactivity

Mixture which by chemical action can corrode and even destroy metals.

Due to the cationic nature of ammonium salts, the product is chemically incompatible with anionic compounds.

10.2. Chemical stability

This mixture is stable under the recommended handling and storage conditions in section 7.

10.3. Possibility of hazardous reactions

When exposed to high temperatures, the mixture can release hazardous decomposition products, such as carbon monoxide and dioxide, fumes and nitrogen oxide.

10.4. Conditions to avoid

Avoid :

- frost
- humidity
- exposure to light
- heat

10.5. Incompatible materials

Keep away from :

- strong acids

10.6. Hazardous decomposition products

The thermal decomposition may release/form :

- carbon monoxide (CO)
- carbon dioxide (CO₂)
- nitrogen oxide (NO)
- hydrogen chloride (HCl)
- halogenated compounds

DESOFOR PREMIUM PIN EUCALYPTUS

SECTION 11 : TOXICOLOGICAL INFORMATION

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

11.1.1. Substances

a) Acute toxicity :

QUATERNARY AMMONIUM COMPOUNDS, BENZYL-C12-16-ALKYLDIMETHYL, CHLORIDES (CAS: 68424-85-1)

Oral route : LD50 = 398 mg/kg body weight
Species : Rat

DIDECYLDIMETHYLAMMONIUM CHLORIDE (CAS: 7173-51-5)

Oral route : LD50 = 238 mg/kg body weight
Species : Rat
OECD Guideline 401 (Acute Oral Toxicity)

Dermal route : LD50 = 3342 mg/kg body weight
Species : Rabbit

ALCOHOLS, C9-11, ETHOXYLATED (CAS: 68439-46-3)

Oral route : LD50 = 1200 mg/kg body weight
Species : Rat

Dermal route : 2,000 < LD50 <= 5000 mg/kg
Species : Rat

b) Skin corrosion/skin irritation :

DIDECYLDIMETHYLAMMONIUM CHLORIDE (CAS: 7173-51-5)

Corrosivity : Causes severe skin burns.
Species : Rabbit
OECD Guideline 404 (Acute Dermal Irritation / Corrosion)

Effect observed : Overall irritation score
Species : Rabbit

c) Serious damage to eyes/eye irritation :

No data available.

d) Respiratory or skin sensitisation :

DIDECYLDIMETHYLAMMONIUM CHLORIDE (CAS: 7173-51-5)

Buehler Test : Non-sensitiser.
Species : Guinea pig
Other guideline

e) Germ cell mutagenicity :

DIDECYLDIMETHYLAMMONIUM CHLORIDE (CAS: 7173-51-5)

Mutagenesis (in vivo) : Negative.
Species : Rat
OECD Guideline 475 (Mammalian Bone Marrow Chromosome Aberration Test)
OECD Guideline 471 (Bacterial Reverse Mutation Assay)

Ames test (in vitro) : Negative.

QUATERNARY AMMONIUM COMPOUNDS, BENZYL-C12-16-ALKYLDIMETHYL, CHLORIDES (CAS: 68424-85-1)

No mutagenic effect.

Mutagenesis (in vitro) : Negative.

Ames test (in vitro) : Negative.

DESOFOR PREMIUM PIN EUCALYPTUS

ALCOHOLS, C9-11, ETHOXYLATED (CAS: 68439-46-3)

No mutagenic effect.

OECD Guideline 473 (In vitro Mammalian Chromosome Aberration Test)

f) Carcinogenicity :

DIDECYLDIMETHYLAMMONIUM CHLORIDE (CAS: 7173-51-5)

Carcinogenicity Test : Negative.
No carcinogenic effect.

ALCOHOLS, C9-11, ETHOXYLATED (CAS: 68439-46-3)

Carcinogenicity Test : Negative.
No carcinogenic effect.

g) Reproductive toxicant :

No data available.

h) Specific target organ systemic toxicity - single exposure :

No data available.

i) Specific target organ systemic toxicity - repeated exposure :

No data available.

j) Aspiration hazard :

No data available.

11.1.2. Mixture

11.1.2.1 Information on hazard classes

a) Acute toxicity :

Not classified

b) Skin corrosion/skin irritation :

May cause irreversible damage to the skin; namely inflammation of the skin or the formation of erythema and eschar or oedema following exposure up to four hours.

Causes skin irritation (H315).

Corrosivity : No observed effect.
Species : Reconstructed human epidermis
OECD Guideline 431 (In Vitro Skin Corrosion: Human Skin Model Test)

c) Serious damage to eyes/eye irritation :

May have irreversible effects on the eyes, such as tissue damage in the eye, or serious physical decay of sight, which is not fully reversible by the end of observation at 21 days.

Serious eye damage is typified by the destruction of cornea, persistent corneal opacity and iritis.

Causes serious eye damage. (H318).

d) Respiratory or skin sensitisation :

Contains at least one sensitising substance. May cause an allergic reaction.

e) Germ cell mutagenicity :

Not classified

f) Carcinogenicity :

Not classified

g) Reproductive toxicant :

Not classified

h) Specific target organ systemic toxicity - single exposure :

Not classified

i) Specific target organ systemic toxicity - repeated exposure :

Not classified

j) Aspiration hazard :

Not classified

11.1.2.2 Other information

Monograph(s) from the IARC (International Agency for Research on Cancer) :

CAS 123-35-3 : IARC Group 2B : The agent is possibly carcinogenic to humans.

DESOFOR PREMIUM PIN EUCALYPTUS

CAS 91-64-5 : IARC Group 3 : The agent is not classifiable as to its carcinogenicity to humans.

CAS 102-71-6 : IARC Group 3 : The agent is not classifiable as to its carcinogenicity to humans.

CAS 67-63-0 : IARC Group 3 : The agent is not classifiable as to its carcinogenicity to humans.

11.2. Information on other hazards

Endocrine disrupting properties

The mixture does not contain any component considered to have endocrine disrupting properties according to Article 57(f) of REACH or Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or more.

SECTION 12 : ECOLOGICAL INFORMATION

Very toxic to aquatic life with long lasting effects.

The product must not be allowed to run into drains or waterways.

12.1. Toxicity

12.1.1. Substances

ALCOHOLS, C9-11, ETHOXYLATED (CAS: 68439-46-3)

Fish toxicity : 1 < LC50 <= 10 mg/l
Duration of exposure : 96 h

ECx > 1 mg/l
Duration of exposure : 21 days

Crustacean toxicity : 1 < EC50 <= 10 mg/l
Species : Daphnia magna
Duration of exposure : 48 h

ECx > 1 mg/l
Duration of exposure : 21 days

Algae toxicity : 1 < ECr50 <= 10 mg/l
Species : Skeletonema costatum
Duration of exposure : 72 h

QUATERNARY AMMONIUM COMPOUNDS, BENZYL-C12-16-ALKYLDIMETHYL, CHLORIDES (CAS: 68424-85-1)

Fish toxicity : LC50 = 1 mg/l
Factor M = 1
Duration of exposure : 96 h

Crustacean toxicity : EC50 = 0.1 mg/l
Factor M = 10
Species : Daphnia magna
Duration of exposure : 48 h

Algae toxicity : ECr50 = 0.1 mg/l
Factor M = 10
Species : Pseudokirchnerella subcapitata
Duration of exposure : 72 h

NOEC = 0.01 mg/l
Factor M = 1
Species : Pseudokirchnerella subcapitata
OECD Guideline 201 (Alga, Growth Inhibition Test)

DIDECYLDIMETHYLAMMONIUM CHLORIDE (CAS: 7173-51-5)

Fish toxicity : LC50 = 0.19 mg/l
Factor M = 1
Species : Pimephales promelas
Duration of exposure : 96 h

DESOFOR PREMIUM PIN EUCALYPTUS

	NOEC = 0.032 mg/l Species : Danio rerio Duration of exposure : 35 days OECD Guideline 210 (Fish, Early-Life Stage Toxicity Test)
Crustacean toxicity :	EC50 = 0.062 mg/l Species : Daphnia magna Duration of exposure : 48 h OECD Guideline 202 (Daphnia sp. Acute Immobilisation Test)
	NOEC = 0.014 mg/l Species : Daphnia magna Duration of exposure : 21 days OECD Guideline 211 (Daphnia magna Reproduction Test)
Algae toxicity :	ECr50 = 0.026 mg/l Species : Pseudokirchnerella subcapitata Duration of exposure : 96 h OECD Guideline 201 (Alga, Growth Inhibition Test)

12.1.2. Mixtures

The surfactants contained in this preparation comply with the biodegradability criteria as laid down in Regulation (EC) No 648/2004 on detergents. Data proving this statement are held at the disposal of the competent authorities of the Member States and will be made available to them upon direct request or at the request of the detergent manufacturer.

12.2. Persistence and degradability

12.2.1. Substances

QUATERNARY AMMONIUM COMPOUNDS, BENZYL-C12-16-ALKYLDIMETHYL, CHLORIDES (CAS: 68424-85-1)
Biodegradability : Rapidly degradable.

DIDECYLDIMETHYLAMMONIUM CHLORIDE (CAS: 7173-51-5)
Biodegradability : Rapidly degradable.

ALCOHOLS, C9-11, ETHOXYLATED (CAS: 68439-46-3)
Biodegradability : Rapidly degradable.

12.3. Bioaccumulative potential

12.3.1. Substances

DIDECYLDIMETHYLAMMONIUM CHLORIDE (CAS: 7173-51-5)
Bioaccumulation : BCF = 81

QUATERNARY AMMONIUM COMPOUNDS, BENZYL-C12-16-ALKYLDIMETHYL, CHLORIDES (CAS: 68424-85-1)
Octanol/water partition coefficient : log K_{ow} < 3.

12.4. Mobility in soil

No additional information available.

12.5. Results of PBT and vPvB assessment

The blend does not contain any ingredients considered persistent, bio-accumulating and toxic (PBT), or very persistent and very bio-accumulating (vPvB) at levels of 0.1% or greater, in accordance with appendix XIII of the REACH regulation (EC) n°1907/2006.

12.6. Endocrine disrupting properties

The mixture does not contain any component considered to have endocrine disrupting properties according to Article 57, point f) of REACH or Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or more.

12.7. Other adverse effects

Avoid release to the environment.

DESOFOR PREMIUM PIN EUCALYPTUS

SECTION 13 : DISPOSAL CONSIDERATIONS

Proper waste management of the mixture and/or its container must be determined in accordance with Directive 2008/98/EC.

13.1. Waste treatment methods

Do not dispose of the biocidal product in pipes (sinks, toilets, etc.), gutters, waterways, in the open field or in any other outdoor environment.

Waste :

Waste management is carried out without endangering human health, without harming the environment and, in particular without risk to water, air, soil, plants or animals.

Recycle or dispose of waste in compliance with current legislation, via a certified collector or company.

Do not contaminate the ground or water with waste, do not dispose of waste into the environment.

All contaminated material must be considered as waste with a view to its elimination according to the regulations in force.

Soiled packaging :

Empty container completely. Keep label(s) on container.

Give to a certified disposal contractor.

Codes of wastes (Decision 2014/955/EC, Directive 2008/98/EEC on hazardous waste) :

15 01 10 * packaging containing residues of or contaminated by dangerous substances

07 06 04 * other organic solvents, washing liquids and mother liquors

Properties of waste which render it hazardous (Directive 2008/98/EC, Annex III):

HP 14 "Ecotoxic":

The waste contains one or more substances classified in category 1, 2 or 3 for chronic aquatic toxicity and bearing the hazard statement codes H410, H411 or H412 pursuant to Regulation (EC) No 1272/2008.

SECTION 14 : TRANSPORT INFORMATION

Transport product in compliance with provisions of the ADR for road, RID for rail, IMDG for sea and ICAO/IATA for air transport (ADR 2023 - IMDG 2022 [41-22] - ICAO/IATA 2024 [65]).

14.1. UN number or ID number

3267

14.2. UN proper shipping name

UN3267=CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S.

(quaternary ammonium compounds, benzyl-c12-16-alkyldimethyl, chlorides, didecyldimethylammonium chloride)

14.3. Transport hazard class(es)

- Classification :



8

14.4. Packing group

III

14.5. Environmental hazards

- Environmentally hazardous material :



14.6. Special precautions for user

ADR/RID	Class	Code	Pack gr.	Label	Ident.	LQ	Provis.	EQ	Cat.	Tunnel
	8	C7	III	8	80	5 L	274	E1	3	E

IMDG	Class	2°Label	Pack gr.	LQ	EMS	Provis.	EQ	Stowage Handling	Segregation
	8	-	III	5 L	F-A, S-B	223 274	E1	Category A SW2	SGG18 SG35

IATA	Class	2°Label	Pack gr.	Passager	Passager	Cargo	Cargo	note	EQ

DESOFOR PREMIUM PIN EUCALYPTUS

	8	-	III	852	5 L	856	60 L	A3 A803	E1
	8	-	III	Y841	1 L	-	-	A3 A803	E1

For limited quantities, see part 2.7 of the OACI/IATA and chapter 3.4 of the ADR and IMDG.

For excepted quantities, see part 2.6 of the OACI/IATA and chapter 3.5 of the ADR and IMDG.

Marine pollutant (IMDG 3.1.2.9):(quaternary ammonium compounds, benzyl-c12-16-alkyldimethyl, chlorides)

14.7. Maritime transport in bulk according to IMO instruments

See the relevant regulations in force if applicable.

SECTION 15 : REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Classification and labelling information included in section 2:

The following regulations have been used:

- EU Regulation No. 1272/2008 amended by EU Regulation No. 2023/707.
- EU Regulation No. 1272/2008 amended by EU Regulation No. 2024/2564. (ATP 22)

Container information:

No further information available.

Particular provisions :

No additional information.

Restrictions applied under Title VIII of Regulation (EC) No. 1907/2006 (REACH):

The mixture does not contain any substance restricted under Annex XVII of Regulation (EC) No. 1907/2006 (REACH):
<https://echa.europa.eu/substances-restricted-under-reach>.

Authorisations agreed under Title VII of Regulation (EC) No.1907/2006 (REACH):

The mixture does not contain any substance subject to authorisation according to Annex XIV of REACH Regulation (EC) No 1907/2006:
<https://echa.europa.eu/fr/authorisation-list>.

Substances that deplete the ozone layer (EC Regulation No. 1005/2009, Montreal Protocol) :

The mixture does not contain any substance posing a risk to the ozone layer.

Persistent organic pollutants (POP) (Regulation (EU) 2019/1021):

The mixture does not contain a persistent organic pollutant.

PIC Regulation (EU) No 649/2012 concerning the export and import of hazardous chemicals (Rotterdam Convention):

The mixture is subject to the Prior Informed Consent (PIC) procedure.

The mixture contains a substance subject to the export notification procedure requirement.
7173-51-5 DIDECYLDIMETHYLAMMONIUM CHLORIDE

Explosives precursors :

The mixture does not contain any substance subject to Regulation (EU) 2019/1148 on the marketing and use of explosives precursors.

Labelling for detergents (EC Regulation No. 648/2004,907/2006) :

- 5 % or over but less than 15 % : cationic surfactants
- less than 5 % : non-ionic surfactants
- disinfectants
- perfumes
- allergenic fragrances :

Terpinolene

Camphor

Terpineol

Eucalyptus Globulus Oil

Pinene

Coumarin

Limonene

Labelling for biocidal products (Regulation (UE) n° 528/2012) :

Name	CAS	%	g/kg	Product-type
QUATERNARY AMMONIUM COMPOUNDS, BENZYL-C12-16-ALKYLDIMETHYL, CHLORIDES	68424-85-1	25.00	g/kg	02
DIDECYLDIMETHYLAMMONIUM CHLORIDE	7173-51-5	25.00	g/kg	02

Product-type 2 : Disinfectants and algacides not intended for direct application to humans or animals.

Type of preparation : SL - soluble concentrate

DESOFOR PREMIUM PIN EUCALYPTUS

15.2. Chemical safety assessment

No further information available.

SECTION 16 : OTHER INFORMATION

Since the user's working conditions are not known by us, the information supplied on this safety data sheet is based on our current level of knowledge and on national and community regulations.

The mixture must not be used for other uses than those specified in section 1 without having first obtained written handling instructions.

It is at all times the responsibility of the user to take all necessary measures to comply with legal requirements and local regulations.

The information in this safety data sheet must be regarded as a description of the safety requirements relating to the mixture and not as a guarantee of the properties thereof.

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 :

Classification in accordance with Regulation (EC) No 1272/2008	Classification procedure
Met. Corr. 1, H290	On basis of test data.
Skin Irrit. 2, H315	On basis of test data.
Eye Dam. 1, H318	Calculation method.
EUH208	Calculation method.
Aquatic Acute 1, H400	Calculation method.
Aquatic Chronic 2, H411	Calculation method.

Wording of the phrases mentioned in section 3 :

H225	Highly flammable liquid and vapour.
H226	Flammable liquid and vapour.
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H336	May cause drowsiness or dizziness.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.

Abbreviations and acronyms :

LD50 : The dose of a test substance resulting in 50% lethality in a given time period.

LC50 : The concentration of a test substance resulting in 50% lethality in a given period.

EC50 : The effective concentration of substance that causes 50% of the maximum response.

ECr50 : The effective concentration of substance that causes 50% reduction in growth rate.

Ex_x : The effective concentration of the substance that causes x% maximum reaction.

LQ : Limited Quantity

EQ : Excepted Quantity

EmS : Emergency Schedule

E : Packing Instruction

NOEC : The concentration with no observed effect.

REACH : Registration, Evaluation, Authorization and Restriction of Chemical Substances.

ATE : Acute Toxicity Estimate

BW : Body Weight

DNEL : Derived No-Effect Level

PNEC : Predicted No-Effect Concentration

STEL : Short-term exposure limit

TWA : Moyenne pondérée dans le temps

TMP : French Occupational Illness table

TLV : Threshold Limit Value (exposure)

AEV : Average Exposure Value.

PC 8 - Biocidal products (e.g. Disinfectants, pest control)

SU 22 - Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

ADR : European agreement concerning the international carriage of dangerous goods by Road.

GHS05 : Corrosion

DESOFOR PREMIUM PIN EUCALYPTUS

GHS09 : Environment

IATA : International Air Transport Association.

IMDG : International Maritime Dangerous Goods.

ICAO : International Civil Aviation Organisation

PBT: Persistent, bioaccumulable and toxic.

PIC: Prior Informed Consent.

POP: Persistent Organic Pollutant.

RID : Regulations concerning the International carriage of Dangerous goods by rail.

SVHC : Substances of very high concern.

vPvB : Very persistent, very bioaccumulable.